

gertion. Like spreaktlibe exiltis exilting

RESTRICTED USE PESTICIDE Due to Avian and Aquatic Toxicity

For retail sale to and use by Certified Applicators or Persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification

SUPPLEMENTAL LABELING FOR SPECIAL LOCAL NEED IN MISSISSIPPI FOR DISTRIBUTION AND USE ONLY WITHIN MISSISSIPPI

D.z.n® diazinon AG500 Insecticide

EPA Reg. No. 100-461 EPA SLN No. MS-880006

For Control of Imported Fire Ants (IFA) in Nursery Stock

 Active Ingredient:
 48.0%

 Diazinon: O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate
 52.0%

 Inert Ingredients*:
 100.0%



KEEP OUT OF REACH OF CHILDREN

NOV 19 1099

CAUTION

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

U NOVARTIS

Page 1 of 3 EPA SLN No. MS-880006



^{*}Contains xylene range aromatic solvent

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions, including statements pertaining to the Worker Protection Standards, on the EPA-registered D.z.n diazinon AG500 label.

This label must be in the possession of the user at the time of pesticide application.

General Information

PERSONAL PROTECTIVE EQUIPMENT

In addition to Personal Protective Equipment for applicators and other handlers listed on the EPA-registered label, the following personal protective equipment is required when loading containers into trucks:

- chemical-resistant footwear plus socks
- chemical-resistant apron

ENVIRONMENTAL PRECAUTIONS: TAKE CARE TO AVOID THE PUDDLING OF DIAZINON DRAINED FROM CONTAINERS FOR EXTENDED PERIODS OF TIME ON PLASTIC SOIL COVERINGS SINCE THIS MAY POSE A DANGER TO WILDLIFE. DO NOT APPLY DRENCH TREATMENTS IN AREAS WHERE RUNOFF COULD OCCUR INTO LAKES, PONDS, OR STREAMS.

Nursery Stock, INCLUDING NONBEARING FRUITS AND NUTS:

Mix 1 pint of D.z.n diazinon AG500 in 100 gallons of water and thoroughly saturate the growing medium of the containerized nursery stock. The amount of solution used per plant is generally 1/5 the volume of the container.

When applying diazinon for the purposes of complying with the Federal Fire Ant Quarantine Program, applications should take place at least 3-4 hours before shipment to allow for adequate drainage and drying of the containers before loading. Certification of nursery stock may take place immediately following the 3-4 hour standing time. Nursery stock treated with diazinon may be certified free of IFA's only for a 10-day period after treatment.

Note: Since cultivars may vary in their response to treatments with diazinon, you are advised to test applications on a few plants prior to treating the entire nursery. Be sure to apply under the same conditions anticipated for the final treatment.

Chemigation: DO NOT apply this product through any type of irrigation system.



Page 2 of 3 EPA SLN No. MS-880006



D.z.n® trademark of Novartis

@1998 Novartis

24(c) Registrant: Novartis Crop Protection, Inc. P. O. Box 18300 Greensboro, North Carolina 27419

EPA SLN No.:

MS-880006

Accepted: Amended: 5/25/88 5/24/90

Amended:

(Reg. Standard) 6/8/95 (WPS)

Revised:

6/16/98

(Company name, administrative changes)

MSAG5F3 [BRAMEB-M-SLN] 6/18/98 - bb



Page 3 of 3 EPA SLN No. MS-880006

