

ROZOL PARAFFINIZED PELLETS
(EPA REGISTRATION No. 7173-151)

For Use and Distribution only within North Carolina

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

All applicable directions, restrictions, and precautions on the label for EPA registration no. 7173-151 must be followed. The labels for the EPA-registered product and for this "special local needs" product must be in the possession of the user at the time of pesticide application.

USE RESTRICTIONS: This product may be used only to control pine voles (*Microtus pineorum*) and meadow voles (*Microtus pennsylvanicus*) in orchards, Christmas tree farms, tree plantations, and commercial nurseries in North Carolina.

Do not apply bait to bare ground. Do not apply bait from aircraft.

In orchards, this product may be applied only after harvest or while trees are dormant. Do not apply bait until all fruit is harvested and all harvestable drops are picked up. Do not permit livestock to clean up apple drops after application. Do not permit livestock to graze in treated orchards within two months of the time of treatment. Do not use hay cut after application for feed or bedding for livestock.

Consult label for EPA registration number 7173-151 for "PRECAUTIONARY STATEMENTS" and information concerning "ENVIRONMENTAL HAZARDS" and "STORAGE AND DISPOSAL" of the product.

APPLICATION DIRECTIONS:

Hand Baiting: Place 1 1/2 oz. (43 g) of bait in each active hole or run at each tree site. If vole activity persists, make a second application 1-2 months after the first treatment.

Broadcast Baiting: Prior to treatment, examine area to determine where vole burrows and runway systems are located. Make applications on days which are predicted to be followed by at least 3 days of fair weather. Use a commercially-made seed or fertilizer spreader to broadcast bait uniformly. Broadcast bait over areas where evidence of voles is found.

For Pine Voles: Apply at a rate of 20 lbs of bait per acre.

For Meadow Voles: Apply at a rate of 10 lbs of bait per acre.

Recover spilled bait immediately and reload or dispose of properly. If vole activity persists, make a second application 1-2 months after the first treatment.

24(c) Registrant:

LiphaTech, Inc.
3101 West Custer Ave.
Milwaukee, WI 53209

EPA SLN No. NC-770020
EPA Est. No. 7173-W1-1

4300 P. 02/07

10148

2001.12-20

919 733 9796

FROM INCDR PESTICIDE SECTION