Thiophanate Methyl 85 WDG

FUNGICIDE

Contains thiophanate-methyl, the active ingredient used in Topsin® and Cleary's 3336. Thiophanate Methyl 85 WDG is not manufactured or distributed by Cerexagri.

ACTIVE INGREDIENT:	**% BY WT.**
Thiophanate-methyl: (dimethyl[(1,2-phenylene)-bis(iminocarbonothioyl)]bis[carbamate])	85.0%
OTHER INGREDIENTS:	15.0%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 66222-145 **EPA Est. No. 37429-GA-001[BT]; 37429-GA-002[BO]**

Letter(s) in lot number correspond(s) to superscript in EPA Est. No.

For additional precautionary, handling, and use statements, see inside of this booklet.

FIRST AID	
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. **You may also contact PROSAR at 1-877-250-9291 for emergency medical treatment information.**	

MANA

Manufactured for:
Makhteshim Agan of North America, Inc.
4515 Falls of Neuse Road, Suite 300
Raleigh, NC 27609

12059
EPA 021709/Rev A

Net Contents: 5 Pounds