

**Soil Fumigation Update
2021 Contact Meeting
Zoom Meeting July 19, 2021**

5 5

Nursery Soil Fumigant Usage: 2017-2020

Time of Fumigation	2020 Data	2019 Data	2018 Data	2017 Data
Fall	20 nurseries	23 nurseries	23 nurseries	20 nurseries
Spring	7 nurseries	7 nurseries	9 nurseries	6 nurseries
Avg Acreage	22 acres	29 acres	20 acres	23 acres
Total Acreage	690 acres	655 acres	639 acres	461 acres

Fumigant MBr/Chl	2020	2019	2018	2017	Rates
98/2	7	2	0	0	300 - 400 lbs / acre
80/20	20	24	27	26	240 - 450 lbs / acre
67/33	3	3	4	3	350 - 400 lbs / acre
TriFecta / Telone / Pic +	1	1	1	1	275 - 350 lbs / acre

Plastic	2020	2019	2018	2017
TIF	86%	88%	87%	81%
HDPE	11%	6%	10%	6%
LDPE	3%	6%	3%	13%

Current Nursery AI Usage: 2013-2020

	Active Ingredient lbs/acre Southwide US				
	MBr	Chlor	DMDS	Telone	Other
2013	214	69	170	77	0
2014	234	72	162	79	340
2015	239	85	220	107	353
2016	246	89	0	15	0
2017	266	78	0	0	0
2018	258	74	0	96	0
2019	268	70	0	96	0
2020	269	55	0	96	0

Current Nursery Usage: 2013-2020

	Total Soil Fumigant Used lbs/Year				
	MBr	Chlor	DMDS	Telone	Other
2013	118,532	36,553	1595	3180	0
2014	130,101	40,043	3363	4459	1020
2015	109,660	37,776	2200	6003	3585
2016	124,716	44,952	0	7620	0
2017	188,755	50,054	0	0	0
2018	206,448	43,129	0	96	0
2019	238,598	47,323	0	96	0
2020	186,036	38,100	0	403	0

EPA / USDA / MeBTOC

- **No contacts from APHIS, USDA, EPA or MeBTOC concerning regarding Soil Fumigation**
 - **The current Administration and Cabinet Leaders will have yet to indicated any changes in labels or Re-registration of the soil fumigants.**