

House Corporation Annual Report Example Auburn University



P.O. Box 3117 Tuscaloosa, AL 35403-3117



Table of Contents

Purpose of Annual Report	3
Articles of Incorporation	4-12
IRS Determination Letter	13-17
Annual Financial Statement	18-24
Annual Budget	25-28
10 Year Capital Expenditure Budget	29-30
Facility Audit Evaluation	31-50
Property Insurance Inspection Report	51-85
Form 990 Tax Return	86-103
Mortgage Documentation (Term Sheet & Commitment Letter)	104-118



Student Organization Housing Policy

Auburn University's Board of Trustees may authorize the lease of university property to student housing organizations to provide additional safe living and gathering space to Auburn University students. These organizations must provide appropriate documentation to the university in order to ensure compliance with legal and policy obligations

Annual Report Example

The below reports and documentation have been compiled to be used as a reference when compiling the required annual report to submit to the university. The annual report submitted may vary from the documents below, but the overall report should be compiled similarly. If you have questions as you complete the annual report, contact the student affairs office.



Articles of Incorporation

ARTICLES OF INCORPORATION FOR

HOUSE CORPORATION

Article I - Name

House Corporation

Article II - Official Residence

The official residence of said corporation shall be in the City of Tuscaloosa, in Tuscaloosa County, Alabama.

Article III - Purpose

The purpo e of this corporation is to promote and foster the fraternal principles of Sorority and Sorority; to procure, own, rent, conticol, improve, decorate, and use real and personal property of every kind and to mortgage, pledge, lease, sell or otherwise dispose of and handle the same; to issue bonds, notes, debentures or obligations of the corporation and at the option of the Board of Trustees, to secure, mortgage, pledge, lease or deed the same; and to generally do any other act or thing which may be deemed desirable for the welfare and advantage of sald

Article IV - Members

Any initiated member of Sorority upon signing the articles of incorporation or being elected to membership and accepting membership, becomes a member. Any coilege or alumnae member of any other Chapter may be elected a member by a three-fourths vote.

Article V - Meetings

Section 1. The annual meeting of the members of this association shall be held at
House, or elsewhere, and pay each have at the University for the
purpose of electing members of the Board of Trustees and considering reports to
be laid before the meeting and transaction of any other business.

Section 2. Special meetings of the corporation may be called at any time by the President of the Corporation, and shall be called upon written request of not fewer than 3 other members of the Corporation. Notice (signed by the president or secretary and giving the purpose) of such annual and special meetings shall be given to each member appearing as such on the books of the corporation, by duly mailing the same to her address 5 days prior to the date of such meeting.

Section 3. A member may, by written Proxy, authorize another to vote for her, but the person so authorized must berself be a member and such Proxy must be filed with the Secretary before the person holding the same is permitted to vote.

Article VI - Trustees

The corporate power, business and property of the Corporation shall be exercised, conducted and controlled by the Board of Trustees consisting of 7 members. The members shall be the president and treasurer of the college chapter, who shall serve for their terms of office, and 5 alumnae members, who shall be elected for a period of 1 year, and who shall serve until their successors are elected.

Article VII - Officers (Executive Committee)

The Board of Trustees shall elect an Executive Committee of not fewer than three members from their own number, who shall have charge of the management of the business and affairs of the Corporation in the interim between the meetings of the Trustees with power generally to discharge the duties of the Board of Trustees, but not to incur debts, excepting for current expenses, unless especially authorized.

DOM: ()5() 1/0-353

They shall at all times act under the direction and control of the Board of Trustees and shall make a report to the same of their acts, which shall form part of the Records of the Corporation.

Term of office: One year or until their successors are elected and qualified to perform such duties of their respective offices.

Article VIII - No Personal Liability

No member or officer or other representative of the corporation shall be personally or individually responsible for any debt or other obligation of the corporation.

Article IX - No Stock - Not Organized for Pecuniary Gain

This corporation is not organized for profit or pecuniary gain and has no stock or stockholders.

Article X - Purpose of Corporation

This corporation is an educational or benevolent society and is organized for the purpose of promoting knowledge or for purposes of like kind.

Article XI - National Council

- l. At the discretion of the National Counci, of Sorority, a Corporation, one of its members, preferably the National President or the National Treasurer, who shall from time to time be in office, shall be a regular member of the Corporation with all the rights and privileges of other members, including the right to vote.
- 2. In the event that a college clapter is deciared dormant or inactive, as provided for in Article XV. Section 4, of the National BYLAWS, all assets of the property, real estate, and house furnishings of the chapter and its Chapter House Corporation and all monies from the sale thereof shall revert to the National Organization and be placed in the National Chapter House Fund. The funds available after all just debts are paid and net income from rentals, if any, shall be treated as a deposit in the National Chapter House Fund. If at any time said chapter shall be reactivated, the principal and accrued interest shall be returned to the chapter or Chapter House Corporation, whichever is entitled to the funds.
- This corporation is an affiliated and subordinate unit of Sorority, a Corporation, and at all times shall be subject to the jurisdiction of the National Council of Sorority, a Corporation, and be subject to and governed by the National BYLAWS and the National Council Manual of Sorority, a Corporation.

Article XII - Amendments

Amendments to these Articles of Incorporation except Articles XI and XII may be made by a resolution passed by two-thirds (2/3) of the voting members present.

Article XIII - Certificate of Incorporation by Trustees

The undersigned Trustees hereby certify that the members of this society, desiring to become incorporated, adopted a resolution signifying such intention and elected the following Trustees to serve one year, or until their successors are elected and quall-fled, said meeting and election having been held and said resolution having been adopted not more than thirty (30) days prior to this date and said Trustees hereby flie in the office of the Judge of Probate of Tuscaloosa County, Alabama, this Certificate of Incorporation.

MAN (150 MAN) 51

Vitness our hands this Port 13, 1977.

10.50 A ml.

355 7 (50)

BYLAWS OF

ARTICLE 1

OFFICES AND CORPORATE SEAL

Section 1. Principal Office The principal office of the corporation shall be , Tuscaloosa, Alabama, or a separate one or the current mailing address of the President.

The address of the Circle, Tuscaloosa, Alabama.

<u>section 2. Corporate Seal</u> A corporate seal shall not be requisite to the validity of any instrument executed by or on behalf of this corporation.

ARTICLE II

MEMBERS

<u>Section 1. Identity of Members</u> The members of the corporation shall be those specified in the articles of Incorporation.

Section 2. Annual Meetings of the Members Annual meetings of the members shall be held upon call of the President on the day designated for that purpose in the Articles of Incorporation or upon such subsequent day as may be specified by the President in the notice of the meeting. At the annual meeting the members of the corporation shall transact such business as may properly come before it. If an annual meeting has not been called and held within six months after the time designated for it by the Articles of Incorporation, any member may call such a meeting.

Section 3. Special Meetings Special Meetings of the members may be called at any time by the President or Vice-President or by any two directors and must be called by the President or Secretary upon receipt of a written request of the active chapter or ten percent of the members of the corporation.

Section 4. Notice of Meetings Notice of meetings stating the time, place and purpose or purposes thereof shall be mailed to each member of record not less than five nor more than forty days before the meeting.

ARTICLE III

DUES

Dues shall be waived to all members in good standing provided that those members paid their House Corporation

Assignment as a pledge or an active member of of

or to all members in good standing of the Tuscaloosa or Birmingham Alumnae Club, if applicable.

ARTICLE IV

BOARD OF DIRECTORS

<u>Section 1. Number</u> The board of directors shall consist of not fewer than three, nor more than fifteen persons.

Section 2. Election and Term Directors shall be elected by the members at the annual meeting and shall serve terms of one year. At the initial election, the term of directors shall be rotated so that, as near may be, the terms of an equal number expire each year.

Section 3. Vacancies Vacancies on the board of directors shall be filled by the remaining directors, but a director appointed to fill a vacancy shall not serve beyond the next annual meeting unless she be then elected to the Board.

<u>Section 4. Powers and Duties</u> It shall be the duty of the board of directors to control and manage the business and property of the corporation.

Section 5. Annual Meeting The annual meeting of the board of directors shall be held immediately following the annual meeting of the members and no notice of any such board meeting shall be required.

Section 6. Other Meetings Other Meetings of the board of directors may be held at any time and at any place upon twenty-four hours notice, oral or written, by the President of the secretary.

Section 7. Ouorum A majority of the membership of the board of directors shall constitute a quorum and a concurrence of a majority of those present shall be sufficient to conduct the business of the board.

ARTICLE V

OFFICERS

<u>Section 1. Personnel</u> The officers shall consist of a President, Vice-President, Secretary and Treasurer.

<u>Section 2. Elections</u> The officers shall be elected at the annual meeting for a term of one year. They shall be eligible for reelection.

Section 3. Duties

A. President The President shall be the executive officer of the corporation, shall preside at meetings of the officers and members, and shall have general supervision of the affairs of the corporation.

B. Vice-President The vice-president shall assume the duties of the president in the event of the absence or the inability of that officer to serve.

C. Secretary The secretary shall keep the minutes of all meetings of the officers and members, shall send all notices of meetings, and shall conduct the correspondence of the corporation. She shall keep a correct and current list of all members of the corporation. She shall safely keep all books, papers, records and documents belonging to the corporation. She shall attest and affix the seal of the corporation to authorized instruments. She shall make such reports to the State and Federal Governments as are required by law.

<u>D. Treasurer</u> The Treasurer shall be the custodian of all moneys, credits and property of any and every nature, belonging to the corporation. She shall keep an accurate account of all moneys received and disbursed, with proper vouchers for moneys disbursed, and shall generally fulfill the duties pertaining to her office of the corporation and by the national officers of

ARTICLE VI

FISCAL POLICIES

Section 1. The fiscal year The fiscal year shall be from July 1 to June 30.

Section 2. Financial Records This corporation shall keep books of account.

ARTICLE VII

REPEAL, ALTERATION OR AMENDMENT OF BYLAWS

These bylaws may be repealed, amended or substitute bylaws may be adopted only by a majority of the members at any regularor special meeting, but only if the amendment has been reviewed in advance by the Director of House Corporations of and if notice has been furnished to each member in advance of the meeting.



IRS Determination Letter

INTERNAL REVENUE SERVICE P. O. BOX 2508 CINCINNATI, OH 45201

Date:

FEB 2 0 2007

Employer Identification Number:

DLN:

17053255055046 Contact Person: THOMAS K SHU

ID# 52391

Contact Telephone Number: (877) 829-5500

Accounting Period Ending:

December 31
Form 990 Required:

Yes

Effective Date of Exemption:

January 21, 1991

Contribution Deductibility:

No

Dear Applicant:

We are pleased to inform you that upon review of your application for tax-exempt status we have determined that you are exempt from Federal income tax under section 501(c)(7) of the Internal Revenue Code. Because this letter could help resolve any questions regarding your exempt status, you should keep it in your permanent records.

Please see enclosed Information for Organizations Exempt Under Sections Other Than 501(c)(3) for some helpful information about your responsibilities as an exempt organization.

A section 501(c)(7) organization is permitted to receive up to 35 percent of its gross receipts, including investment income, from sources outside of its membership without losing its tax-exempt status. Of the 35 percent, not more than 15 percent of the gross receipts may be derived from the use of the club's facilities or services by the general public. Income in excess of these limits may jeopardize your continued tax-exempt status.

Sincerely,

Or g. Tenn

Lois G. Lerner
Director, Exempt Organizations
Rulings and Agreements

INFORMATION FOR ORGANIZATIONS EXEMPT UNDER SECTIONS OTHER THAN 501(C)(3)

WHERE TO GET FORMS AND HELP

Forms and instructions may be obtained by calling toll free 1-800-829-3676, through the Internet Web Site at www.irs.gov, and also at local tax assistance centers.

Additional information about any topic discussed below may be obtained through our customer service function by calling toll free 1-877-829-5500.

NOTIFY US ON THESE MATTERS

If you change your name, address, purposes, operations or sources of financial support, please inform our TE/GE EO Determinations Office at the following address: Internal Revenue Service, P.O. Box 2508, Cincinnati, Ohio 45201. If you amend your organizational document or by-laws, or dissolve, provide the EO Determinations Office with a copy of the amended documents. Please use your employer identification number on all returns you file and in all correspondence with the Internal Revenue Service.

FILING REQUIREMENTS

In your exemption letter we indicated whether you must file Form 990, Return of Organization Exempt From Income Tax. Form 990 (or Form 990-EZ) is filed with the Ogden Submission Processing Center, Ogden UT 84201-0027.

You are required to file a Form 990 only if your gross receipts are normally more than \$25,000.

If your gross receipts are normally between \$25,000 and \$100,000, and your total assets are less than \$250,000, you may file Form 990-EZ. If your gross receipts are over \$100,000, or your total assets are over \$250,000, you must file the complete Form 990. The Form 990 instructions show how to compute your "normal" receipts.

If a return is required, it must be filed by the 15th day of the fifth month after the end of your annual accounting period. There are penalties for failing to timely file a complete return. For additional information on penalties, see Form 990 instructions or call our toll free number.

If your receipts are below \$25,000, and we send you a Form 990 Package, follow the instructions in the package on how to complete the limited return to advise us that you are not required to file.

If your exemption letter states that you are not required to file Form 990, you are exempt from these requirements.

UNRELATED BUSINESS INCOME TAX RETURN

If you receive more than \$1,000 annually in gross receipts from a regular trade or business you may be subject to Unrelated Business Income Tax and required to file Form 990-T, Exempt Organization Business Income Tax Return. Special rules for organizations exempt under sections 501(c)(7), (9), (17) and (19) are described in Publication 598.

There are several exceptions to the tax on unrelated business income.

- 1. Income you receive from the performance of your exempt activity is not unrelated business income.
- Income from fundraisers conducted by volunteer workers, or where donated merchandise is sold, is not unrelated business income.
- Income from routine investments such as certificates of deposit, savings accounts, or stock dividends is usually not unrelated business income.

There are special rules for income derived from real estate or other investments purchased with borrowed funds. This income is called "debt financed" income. For additional information regarding unrelated business income tax see Publication 598, Tax on Unrelated Business Income of Exempt Organizations, or call our toll free number shown above.

PUBLIC INSPECTION OF APPLICATION AND INFORMATION RETURN

You are required to make your annual information return, Form 990 or Form 990-EZ, available for public inspection for three years after the later of the due date of the return, or the date the return is filed. You are also required to mile an able for public inspection your exemption application, any supporting documents, and your exemption letter. Copies of these documents are also required to be provided to any individual upon written or in person request without charge other than reasonable fees for copying and postage. You may fulfill this requirement by placing these documents on the Internet. Penalties may be imposed for failure to comply with these requirements. Additional information is available in Publication 557, Tax-Exempt Status for Your Organization, or you may call our toll free number shown above.

EXCESS BENEFIT TRANSACTIONS (Applies to 501(c)(4) organizations)

Excess benefit transactions are governed by section 4958 of the Code. Excess benefit transactions involve situations where a section 501(c)(4) organization provides an unreasonable benefit to a person who is in a position to exercise substantial influence over the organization's affairs. If you believe there may be an excess benefit transaction involving your organization, you should report the transaction on Form 990 or Form 990-EZ. Additional information can

be found in the instructions for Form 990 and Form 990-EZ, or you may call our toll-free number to obtain additional information on how to correct and report this transaction.

EMPLOYMENT TAXES

If you have employees, you are subject to income tax withholding and the social security taxes imposed under the Federal Insurance Contribution Act (FICA). You are required to withhold Federal income tax from your employee's wages and you are required to pay FICA on each employee who is paid more than \$100 in wages during a calendar year. To know how much income tax to withhold, you should have a Form W-4, Employee's Withholding Allowance Certificate, on file for each employee.

You are also liable for tax under the Federal Unemployment Tax (FUTA) for each employee you pay \$50 or more during a calendar quarter if, during the current or preceding calendar year, you had one or more employees at any time in each of 20 calendar weeks or you paid wages of \$1,500 or more in any calendar quarter.

Employment taxes are reported on Form 941, Employer's Quarterly Federal Tax Return. The requirements for withholding, depositing, reporting and paying employment taxes are explained in Circular E, Employer's Tax Guide, (Publication 15), and Employer's Supplemental Tax Guide, (Publication 15-A). These publications explain your tax responsibilities as an employer.



Annual Financial Statement

The Kalos Group, LLC P.O. Box 3117 Tuscaloosa, AL 35403 (659) 734-2900

ABC House Corporation Auburn University Auburn, AL

We have prepared the financial statements for the ABC House Corporation as of May 31, 2024. We have not audited or reviewed the accompanying financial statements and do not express an opinion or any other form of assurance on the financial statements.

Disclosures that are normally required by generally accepted accounting principles have also been omitted. If the omitted disclosures were included in the financial statements, they may influence the user's conclusions about the organization's financial position, results of operations, and changes in the financial position. Accordingly, these financials statements are not designed for those who are not informed about such matters.

Balance Sheet

Period Ending 05/31/24 ABC House Corporation

Description	Balance
Assets	
Current Assets	
Cash - Operating	537,923.20
Cash - Operating	35,351.82
Cash - Small Debit	150.00
Cash - HD Checking	4,785.00
Cash - Money Market	1,105,514.98
Total Cash	1,683,725.00
Prepaid Expenses	919.50
Total Current Assets	1,684,644.50
Property & Equipment	
Land & Improvements	30,205.13
Building & Improvements	7,200,851.28
Equipment	114,443.76
Furniture & Furnishings	461,721.77
Construction in Progress	287,064.65
Property & Equipment, Gross	8,094,286.59
Less: Accumulated Depreciation	-747,636.27
Property & Equipment, Net	7,346,650.32
Other Assets	
Unamortized Closing Cost	72,392.95
Total Other Assets	72,392.95

Balance Sheet

Period Ending 05/31/24 ABC House Corporation

Description	Balance
Total Assets	9,103,687.77
Liabilities	
Current Liabilities	
Accounts Payable	46,772.91
Total Current Liabilities	46,772.91
Non Current Liabilities	
Note Payable	6,006,538.62
Total Non Current Liabilities	6,006,538.62
Total Liabilities	6,053,311.53
Equity	
Retained Earnings	2,283,074.36
Current Profit	767,301.88
Total Equity	3,050,376.24
Total Liabilities & Equity	9,103,687.77

Income Statement

Period: 05/01/24..05/31/24 ABC House Corporation

Description	Current Month	YTD Actual	YTD Budget	YTD Budget Variance
Revenue				
Rent	153,855.00	1,538,550.00	1,538,550.00	-
Building Fund	3,420.00	214,731.13	247,500.00	-32,768.87
House Corp Fee	-	143,541.00	-	143,541.00
Fund Raising	-	1,972.67	-	1,972.67
Recovery of Bad Debts	-	50.00	-	50.00
Damages	-	6,375.00	-	6,375.00
Contributions	250.00	37,100.20	-	37,100.20
Interest	4,124.24	26,423.28	-	26,423.28
Total Revenue	161,649.24	1,968,743.28	1,786,050.00	182,693.28
Expenses				
Food Service	65,692.65	657,023.39	789,000.00	-131,976.61
Non-Food	-	5,100.25	9,000.00	-3,899.75
Laundry	153.01	2,522.77	-	2,522.77
Payroll - House Director	3,890.44	44,100.00	49,000.00	-4,900.00
Payroll - Custodial	5,068.58	50,089.15	50,000.00	89.15
Overtime - Custodial	-	207.00	-	207.00
Workers' Compensation Insurance	37.75	113.25	-	113.25
Employee Parking	-	380.00	500.00	-120.00
Payroll Taxes	965.01	10,607.96	11,000.00	-392.04
Expense Allowance	-	742.08	1,833.37	-1,091.29
Rent - Land Lease	-	50.00	-	50.00

Income Statement

Period: 05/01/24..05/31/24 ABC House Corporation

Description	Current Month	YTD Actual	YTD Budget	YTD Budget Variance
Power	-	24,747.88	25,666.63	-918.75
Water	-	4,010.56	3,666.63	343.93
Sewer	-	4,251.63	4,583.33	-331.70
Gas	-	2,235.75	3,666.63	-1,430.88
Telephone - Local	-	1,476.70	1,500.00	-23.30
Cable	-	915.00	50.00	865.00
Internet	-	5,947.50	200.00	5,747.50
Garbage Pick-up	-	1,550.00	1,558.33	-8.33
Repairs & Maintenance	4,209.95	86,978.99	90,108.37	-3,129.38
Supplies	471.82	22,102.34	16,500.00	5,602.34
Gifts	-	200.00	-	200.00
Accessories	-	1,676.82	-	1,676.82
Security	-	3,025.00	1,650.00	1,375.00
Licenses	-	235.00	-	235.00
Fire Protection	-	601.88	-	601.88
Parent's Weekend	-	1,091.76	-	1,091.76
Convention	-	1,453.96	4,583.37	-3,129.41
Property Management	-	16,821.52	17,000.00	-178.48
Closing Costs	461.10	5,072.10	-	5,072.10
Accounting	1,200.00	13,200.00	18,333.37	-5,133.37
Payroll Processing	92.00	970.00	-	970.00
Postage/Office Supplies	-	452.13	550.00	-97.87

Income Statement

Period: 05/01/24..05/31/24 ABC House Corporation

Description	Current Month	YTD Actual	YTD Budget	YTD Budget Variance
Data Processing	41.00	445.73	-	445.73
Bank Charges	57.00	755.00	-	755.00
Fundraising	-	3,221.21	916.63	2,304.58
Legal	-	6,379.50	4,583.37	1,796.13
Interest Expense	19,544.49	220,687.59	368,500.00	-147,812.41
Total Expenses	101,884.80	1,201,441.40	1,473,950.03	-272,508.63
Net Revenue/Expense	59,764.44	767,301.88	312,099.97	455,201.91



Annual Budget

House Corporation Annual Budget

Medis Persidenties 4102	House Income	Account Number	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	SEMESTER TOTAL	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	SEMESTER TOTAL	TOTAL
Math Non-Residents	Meals Residents		-	4.320.00	4.320.00	4.320.00	4.320.00	4.320.00		5,400.00	5,400,00	5,400.00	5.400.00	-	-		43.200.00
Separate 1970 1974 197	Meals Non-Residents	4104	-							61,200.00		61,200.00	61,200.00	-	-		
March 1910	Room Rent	4216	-	7,800.00	7,800.00	7,800.00	7,800.00	7,800.00	39,000.00	9,750.00	9,750.00	9,750.00	9,750.00	-	-	39,000.00	78,000.00
Substitute Sub	Parlor Fee	4302	-	12,375.00	19,406.25	19,406.25	19,406.25	19,406.25	90,000.00	21,250.00	21,250.00	21,250.00	21,250.00	-	-	85,000.00	175,000.00
House Part 4002	House Fund	4310	-	-	24,375.00	24,375.00	24,375.00	24,375.00	97,500.00	23,125.00	23,125.00	23,125.00	23,125.00	-	-	92,500.00	190,000.00
Section Sect	Building Fund		-	-		46,800.00	-	-	46,800.00	-	-	44,400.00	-	-	-	44,400.00	91,200.00
Some			-			-	-	-			-	-	-	-	-	-	-
September 1907 19				5,940.00	2,820.00					8,340.00							
Secretarions Constitution Cons				-	-									-			
Froof Service 6000	Total House Incom	ie	20,125.00	66,075.00	114,611.25	158,591.25	111,791.25	111,791.25	582,985.00	129,065.00	120,725.00	165,125.00	120,725.00	-	20,125.00	555,765.00	1,138,750.00
Non-Frond Elsp	House Expenses																
Substract Country	Food Service	6000	-	30,888.00	30,888.00	30,888.00	30,888.00	30,888.00	154,440.00	36,630.00	36,630.00	36,630.00	36,630.00	-	-	146,520.00	300,960.00
Salaries Clocked S872 Salaries Clocked S872 Salaries Clocked Salaries Clocked S872 Salar	Non Food Exp	6130	-	1,248.00	2,496.00	3,120.00	2,496.00	1,872.00	11,232.00	1,776.00	2,368.00	2,368.00	2,960.00	1,184.00	-	10,656.00	21,888.00
Salaries Of Cooks 6232	Laundry	6170	-	134.18	268.36	335.45	268.36	201.27	1,207.62	201.27	268.36	268.36	335.45	134.18	-	1,207.62	2,415.24
Salaries Of Cookes 6632	Salaries Cooks		-	-							-				-	-	-
Salaries O Custodial 6336 86400 576,00 864.00 776,00 864.00			-	2,160.00	4,320.00	5,400.00	4,320.00	3,240.00	19,440.00	3,240.00	4,320.00	4,320.00	5,400.00	2,160.00	-	19,440.00	38,880.00
Salaries - House Director 6/10			-	-				-			-			-	-	-	
Casual Labor			-	<u> </u>				-			<u> </u>			-	-		
Workers Compensation Compensat								,		,				,		-,	-, -
Expense Allowance 6232					,												
Security 6630																	
Uniforms																350.00	
Payrolf Javes (£30) - 558.46 (93.64) 1.035.46 (93.64) 336.46 (755.96) 4.222.81 (693.46) 828.46 (923.46) 596.46 (-3.372.31) 8,098.13 (1401.688 (81) 1.000.00									_							-	
House Rent (6300 100.00 10																2 070 04	
Land Lease 6310 100,00						,			, -							-,-	
Unlities 940 2,344.30 2,344										-		-	-	-	-		
Power 6400		0310	100.00		-		-		100.00								100.00
Water		6400	2 244 20	2 244 20	2 244 20	2 244 20	2 244 20	2 244 20	14 065 90	2 244 20	2 244 20	2 244 20	2 244 20	2 244 20	2 244 20	14 065 90	20 121 60
Sewer 8416 125.00 180.00 400.00 325.00 270.00 150.00 1,390.00 150.00 175.00 250.00 255.00 160.00 150.00 1,160.00 2,555.00																	
Gase 6418																	
Cable			120.00	100.00	-				1,000.00		170.00					1,100.00	2,000.00
Telephone - Local 6422 106.00 1			405.02	405.02	405.02				2 430 12		405.02					2 430 12	4 860 24
Trash Removal 6440 208.87 208.8																	
Internet																	
HYAC				-	-						-				-		
HYAC 6502 2,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00	Repairs & Maintenance	6500	-	4.000.00	2.000.00	2.500.00	1.500.00	1,200.00	11,200.00	5.000.00	1.000.00	2.000.00	2.500.00	2.500.00	1.000.00	14.000.00	25,200,00
Repairs Plumbing 6504 200.00 1,000.00 - 200.00 200.00 1,200.00	HVAC	6502	-	-	2,000.00	-	-	-	2,000.00	-	2,000.00	-	-		-	2,000.00	4,000.00
Repairs Grease 6508 - 250.00 -		6504	-	-	200.00	-	-	-	200.00	-	200.00	-	-	-	-	200.00	400.00
Repairs Pest Control 6512 - 105.00 10	Repairs Kitchen	6506	-	-	-	1,000.00	-	-	1,000.00	-	1,200.00	-	-	-	-	1,200.00	2,200.00
Lawn 6514 800.00 1,200.00 600.00 600.00 600.00 600.00 600.00 600.00 600.00 600.00 600.00 600.00 600.00 600.00 600.00 600.00 600.00 600.00 600.00 3,600.00 8,000.00 8,000.00 8,000.00 8,000.00 8,000.00 8,000.00 8,000.00 8,000.00 1,250.00 1,	Repairs Grease	6508	-	-	250.00	-	-	250.00	500.00	-	250.00	-	250.00	-	-	500.00	1,000.00
Supplies 6610 - 2,500.00 2,500.00 2,500.00 1,250.00 500.00 9,250.00 750.00 1,500.00 2,000.00 2,000.00 1,250.00 - 7,500.00 16,750.00 Supplies Paper 6612 - 150.00 225.00 300.00 100.00 100.00 300.00 200.00 50.00 50.00 - 700.00 1,755.00 Flowers 6616 -<	Repairs Pest Control	6512	-	105.00	105.00	105.00	105.00	105.00	525.00	105.00	105.00	105.00	105.00	105.00	105.00	630.00	1,155.00
Supplies Paper 6612 - 150.00 225.00 300.00 100.00 100.00 875.00 100.00 300.00 200.00 50.00 50.00 - 700.00 1,575.00 Flowers 6616			800.00												600.00		
Flowers 6616			-												-		
Property Insurance 6640 2,000.00 1,000.00 1,000.			-	150.00	225.00	300.00	100.00	100.00	875.00	100.00	300.00	200.00	50.00	50.00	-	700.00	1,575.00
Depreciation Expense 6900 -	Flowers			-												-	-
Accounting 9100 1,000.00 1,000			2,000.00	2,000.00	2,000.00	2,000.00	2,000.00	2,000.00		2,000.00	2,000.00		2,000.00	2,000.00	2,000.00	12,000.00	24,000.00
Billing & Collection 9110 - 15,495.60 2 15,495.60 13,360.00 13,360.00 28,855.60 Office Supplies 9120 50.00 250.00 140.00 225.00 65.00 65.00 795.00 375.00 426.00 350.00 90.00 90.00 - 1,330.00 2,125.00 58.00 59.00 59.00 59.00 59.00 59.00 59.00 59.412.00 Discounts 9320 - 10,846.92 4,648.68 1,549.56 17,045.16 9,352.00 4,008.00 1,336.00 14,696.00 31,741.16 Interest Expense 9500 27,497.54 27,462.23 27,426.77 27,391.14 27,355.34 27,319.39 164,452.41 27,283.27 27,246.98 27,210.53 27,173.91 27,137.12 27,100.16 163,151.97 327,604.38 Principal Payments 999 7,702.91 7,738.22 7,773.68 7,809.31 7,845.11 7,881.06 46,750.29 7,917.18 7,953.47 7,989.92 8,026.54 8,063.33 8,100.29 48,050.73 94,801.02 Total House Expense 44,897.34 98,542.90 113,589.44 95,531.81 88,275.16 116,250.57 557,087.23 116,880.07 100,500.16 95,539.16 96,846.25 82,037.98 45,802.34 537,605.97 1,094,693.21			-	-	-			-			-			-	-	-	-
Office Supplies 9120 50.00 250.00 140.00 225.00 65.00 795.00 375.00 425.00 350.00 90.00 90.00 - 1,330.00 2,125.00 Bad Debts 9280 - - - - - - - - - - - 28,974.00 - - 28,974.00 - 28,974.00 -			1,000.00	•				1,000.00			1,000.00			1,000.00	1,000.00		
Bad Debts 9280 30,438.00 30,438.00 28,974.00 - 22,974.00 59,412.00 Discounts 9320 - 10,846.92 4,648.68 1,549.56 17,045.16 9,352.00 4,008.00 1,336.00 14,696.00 31,741.10 Interest Expense 9500 27,497.54 27,462.23 27,426.77 27,391.14 27,355.34 27,319.39 164,452.41 27,283.27 27,246.98 27,210.53 27,173.91 27,137.12 27,100.16 163,151.97 327,604.38 Principal Payments 9999 7,702.91 7,738.22 7,773.68 7,809.31 7,845.11 7,881.06 46,750.29 7,917.18 7,953.47 7,989.92 8,026.54 8,063.33 8,100.29 48,050.73 94,801.02 Total House Expense 44,897.34 98,542.90 113,589.44 95,531.81 88,275.16 116,250.57 557,087.23 116,880.07 100,500.16 95,539.16 96,846.25 82,037.98 45,802.34 537,605.97 1,094,693.21			-											-	-		
Discounts 9320 - 10,846.92 4,648.68 1,549.56 17,045.16 9,352.00 4,008.00 1,336.00 14,696.00 31,741.16 Interest Expense 9500 27,497.54 27,462.23 27,426.77 27,391.14 27,355.34 27,319.39 164,452.41 27,283.27 27,246.98 27,210.53 27,173.91 27,137.12 27,100.16 163,151.97 327,604.38 Principal Payments 9999 7,702.91 7,738.22 7,773.68 7,809.31 7,845.11 7,881.06 46,750.29 7,917.18 7,953.47 7,989.92 8,026.54 8,063.33 8,100.29 48,050.73 94,801.02 Total House Expense 44,897.34 98,542.90 113,589.44 95,531.81 88,275.16 116,250.57 557,087.23 116,880.07 100,500.16 95,539.16 96,846.25 82,037.98 45,802.34 537,605.97 1,094,693.21				250.00	140.00	225.00				375.00	425.00	350.00					
Interest Expense 9500 27,497.54 27,462.23 27,426.77 27,391.14 27,355.34 27,319.39 164,452.41 27,283.27 27,246.98 27,210.53 27,173.91 27,137.12 27,100.16 163,151.97 327,604.38 Principal Payments 9999 7,702.91 7,738.22 7,773.68 7,809.31 7,845.11 7,881.06 46,750.29 7,917.18 7,953.47 7,999.92 8,026.54 8,063.33 8,100.29 48,050.73 94,801.02 Total House Expense 44,897.34 98,542.90 113,589.44 95,531.81 88,275.16 116,250.57 557,087.23 110,800.07 100,500.16 95,539.16 96,846.25 82,037.98 45,802.34 537,605.97 1,094,693.21			-	-	-	-		30,438.00		-	-	-		28,974.00	-		
Principal Payments 999 7,702.91 7,738.22 7,773.68 7,809.31 7,845.11 7,881.06 46,750.29 7,917.18 7,953.47 7,989.92 8,026.54 8,063.33 8,100.29 48,050.73 94,801.02 Total House Expense 44,897.34 98,542.90 113,589.44 95,531.81 88,275.16 116,250.57 557,087.23 116,880.07 100,500.16 95,539.16 96,846.25 82,037.98 45,802.34 537,605.97 1,094,693.21								- 07.010.00						- 07 407 40	- 07 400 40		
Total House Expense 44,897.34 98,542.90 113,589.44 95,531.81 88,275.16 116,250.57 557,087.23 116,880.07 100,500.16 95,539.16 96,846.25 82,037.98 45,802.34 537,605.97 1,094,693.21																	
HOUSE PROFIT/(LOSS) [(24,772.34) (32,467.90) 1,021.81 63,059.44 23,516.09 (4,459.32) 25,897.77 12,184.93 20,224.84 69,585.84 23,878.75 (82,037.98) (25,677.34) 18,159.03 44,056.80	Total House Expens	e e	44,897.34	98,542.90	113,589.44	95,531.81	88,275.16	110,250.57	557,087.23	110,880.07	100,500.16	95,539.16	90,846.25	82,037.98	45,802.34	537,605.97	1,094,693.21
	HOUSE PROFIT/(LOSS))	(24,772.34)	(32,467.90)	1,021.81	63,059.44	23,516.09	(4,459.32)	25,897.77	12,184.93	20,224.84	69,585.84	23,878.75	(82,037.98)	(25,677.34)	18,159.03	44,056.80

Semester Dues

BILLING CODE	SALES CODE	DESCRIPTION	FALL	FALL	SPRING	SPRING
IN		IN HOUSE	NEW	OLD	NEW	OLD
	MR	MEALS	1,800.00	1,750.00	1,800.00	1,750.00
	R	ROOM RENT	3,250.00	3,250.00	3,250.00	3,250.00
	Н	HOUSE FUND	625.00	575.00	625.00	575.00
	Р	PARLOR FEE	625.00	575.00	625.00	575.00
	CI	BUILDING FUND	300.00	250.00	300.00	250.00
	С	CHAPTER DUES	200.00	200.00	200.00	200.00
	S	SOCIAL FEE	500.00	425.00	500.00	425.00
	RF	RUSH FEE	100.00	100.00	100.00	100.00
	ND	NATIONAL DUES	105.00	105.00	-	-
	NI	NATIONAL INSURANCE	275.00	275.00	-	-
	DF	DEFERMENT FEE	100.00	100.00	100.00	100.00
		TOTAL	7,880.00	7,605.00	7,500.00	7,225.00
OUT		OUT OF HOUSE	NEW	OLD	NEW	OLD
001	MNR	MEALS	1.800.00	1,750.00	1,800.00	1.750.00
	P	PARLOR FEE	625.00	575.00	625.00	575.00
	Н	HOUSE FUND	625.00	575.00	625.00	575.00
	CI	BUILDING FUND	300.00	250.00	300.00	250.00
	С	CHAPTER DUES	200.00	200.00	200.00	200.00
	S	SOCIAL FEE	500.00	425.00	500.00	425.00
	RF	RUSH FEE	100.00	100.00	100.00	100.00
	ND	NATIONAL DUES	105.00	105.00	-	-
	NI	NATIONAL INSURANCE	275.00	275.00	-	-
	DF	DEFERMENT FEE	100.00	100.00	100.00	100.00
		TOTAL	4,630.00	4,355.00	4,250.00	3,975.00
NM		NEW MEMBERS	NEW	OLD	NEW	OLD
14141	MNR	MEALS	1,800.00	1,750.00	1,800.00	1,750.00
	P	PARLOR FEE	625.00	575.00	625.00	575.00
	H	HOUSE FUND	625.00	575.00	625.00	575.00
	CI	BUILDING FUND	300.00	250.00	300.00	250.00
	С	CHAPTER DUES	200.00	200.00	200.00	200.00
	S	SOCIAL FEE	500.00	425.00	500.00	425.00
	RF	RUSH FEE	100.00	100.00	100.00	100.00
	NI	NATIONAL INSURANCE	-	-	-	-
	I	INITIATION FEE	450.00	450.00	-	-
	DF	DEFERMENT FEE	100.00	100.00	100.00	100.00
		TOTAL	4,700.00	4,425.00	4,250.00	3,975.00
		SUMMER ASSESSMENT				
	SHA	Summer House Assessment			350.00	350.00
	SA	Summer Rush Assessment			250.00	250.00
	J/ (TOTAL			600.00	600.00
		TOTAL			000.00	000.00

Billing Roster

MEMBERSHIP STATISTICS	FALL	SPRING
INITIATED MEMBERS RETURNING	115	146
ADD: NEW MEMBERS /PLEDGES RETURNING	0	0
TOTAL RETURNING	115	146
ADD: NEW PLEDGES	47	0
TOTAL MEMBERS	162	146
BUDGET %	90.00%	95.00%
BUDGETED MEMBERS	146	139

HOUSING STATISTICS	FALL	SPRING
HOUSE CAPACITY/BED SPACE	14	14
LESS:FREE SPACES	0	0
NET BILLABLE SPACES	14	14
MEMBERS WITH SINGLE ROOMS	12	12
TOTAL LIVING IN HOUSE	12	12
VACANT SPACES	2	2
% PAID OCCUPANCY	85.71%	85.71%
%ACTUAL OCCUPANCY	85.71%	85.71%



10 Year Capital Expenditure Budget

10 Year Capital Expenditure Budget

List all capital improvements outside the operating budget for each fiscal year.

Projects	2024-2025	2025-2026	2026-2027	2027-2028	2028-2029	2029-2030	2030-2031	2031-2032	2032-2033	2033-2034	10 Year Total
Paint bedrooms	\$12,000	-	-	-	\$12,000	12,000.00	-	-	\$10,000	-	\$46,000
Replace washers	\$4,000	-	-	-	-	-	-	-	-	-	\$4,000
Replace dryers	\$4,000	-	-	-	-	-	-	-	-	-	\$4,000
New dining room tables	-	\$10,000	-	-	-	-	-	-	-	-	\$10,000
New dining room chairs	-	\$15,000	•	-	•	1	-	•	-	-	\$15,000
Paint exterior	-	1	\$25,000	-	•	1	-	•	\$25,000	-	\$50,000
Upgrade electrical	-	1	\$50,000	-	1	1	-	•	•	-	\$50,000
Sprinkler system	-	ı	\$100,000	-	1	1	-	ı	-	-	\$100,000
Landscaping upgrades	-	ı	\$25,000	-	ı	ı	-	ı	-	-	\$25,000
Replace roof	-	ı	ı	\$40,000	ı	ı	-	•	-	-	\$40,000
Remodel foyer	-	ı	•	-	\$20,000	ı	-	•	-	-	\$20,000
Replace all mattresses	-	1	-	-	-	\$9,000	-	-	-	-	\$9,000
Replace desks	-	-	-	-	-	-	\$30,000	-	-	-	\$30,000
Replace dressers	-	1	-	-	-	1	-	\$30,000	-	-	\$30,000
Replace 1/2 beds	-	-	-	-	-	1	-	-	\$20,000	\$20,000	\$40,000
Total	\$20,000	\$25,000	\$200,000	\$40,000	\$32,000	\$21,000	\$30,000	\$30,000	\$55,000	\$20,000	\$473,000

Funding Method Savings Savings Loan Savings Savings Savings Savings Savings Savings Savings



Facility Audit Evaluation



Recommendations

<u>Primary</u>: These items are of upmost concern and need to be considered due to their effect on the use and functionality of the facility.

Electrical Upgrades:

- Circuit Breakers on main electrical panels (MDP1 and MDP2) are nearing the end of their life and will not be available from panel board manufacturers.
- Service drops from pole mounted transformers to building and too close and the center transformer on the utility pole has been overheating. TKG can address this with the utility provider.
- The building grounding Triad Conductor (GEC System) is located above the slab and could be damaged and could present an electrical hazard if a fault occurred.
- Two old electrical panels in the west wing that can no longer be found. It is
 questionable if they even protect loads and conductors downstream. One of these
 panel covers has also been cut to make a splice. This is a code violation, and these
 panels need to be replaced.
- Feeders and branch circuits were installed without equipment ground conductors. This should be corrected when renovations are performed.
- General Note: Lighting controls needs to be updated and modernized. A building automation system could save the house corporation significant dollars on utility costs.

Mechanical Upgrades:

Many HVAC systems are either at or near their useful life. The only units that are in good / average condition are the new units that supply the 2nd story, 2nd air handler in the basement, and the package units fin the study rooms. All other units need replacement. The report also shows that a negative air pressure has occurred by the systems not providing outside air to the overall building. This is a major contributor of the plaster issues at most of the window openings. It would be wise to handle this situation with a mechanical / HVAC system overhaul project. Due to current market conditions lead times on mechanical equipment are extremely long and could present issues for a long period of time. One example is we are pricing a chiller and air handler replacement project for a current client and current lead times on the chiller is 35 weeks, which is almost six months. Similar to the electrical system, we would highly recommend installing a building automation system that could centralize your controls and cut utility costs significantly.

Fire Suppression / Fire Alarm System:

There are currently no signs of a fire suppression or fire alarm system. These are historic facilities that need to not only protect their occupants, but ensure their historic value isn't compromised.

Window Replacement:

The majority of the windows in the front of the house need to be replaced. Some have already decayed, and others are beginning to. Some work has occurred to repair some of these windows, but in the next five years they all need to be replaced with aluminum or aluminum clad windows. This condition also affects the plaster decay on the perimeter of the interior of most of the windows.

Roofing:

The party barn roof has recently been patched by Standard Roofing in specific locations and there are no signs of leaks. The flat roof portion is about 10-15 years old and will need replacement in the next 5-10 years. There is blistering occurring at portions over the west wing. Also, there is water intrusion at the metal coping of the parapet wall at the east wing roof. Water is coming through seams and screw holes. Would recommend sealing to prevent this from continuing.

Railing:

Railing at the balcony is non-existent. Currently there is a rope. The landing does extend so there is not a concern of someone falling except for a small child without supervision could find themselves on that ledge. The liability of that happening is of concern to our firm and we feel it needs to be addressed.

Secondary: These proposed items will either need to be address during the next renovation project or can be prioritized as maintenance projects in the future.

- The majority of the lighting in the facility is outdated and fixtures need to be swapped to LED lighting throughout.
- Flooring replacement especially in the basement.
- Review carpet in the bedrooms. It is coming up in some areas.
- Handicap accessibility review.
- Fire egress requirements adhered to.
- Plaster repair and paint throughout the building.
- Professionally refinish the exterior doors to the party barn.
- Parking lot resurfacing at the asphalt parking lot.
- Access Control and Security Camera update.
- Exterior Lighting review around all buildings.

	ABC House Corporation Facility Audit	Evaluation
G. General Notes	Condition	Recommendations
Fire Egress	The facility does not meet fire egress requirements, especially at the sanctuary main doors. This does not have to be addressed unless a large renovation project is to take place. All non-aluminum windows are in need of replacement.	This should be addressed in a larger future project. This is currently grandfathered in. Recommend the replacement of all non-aluminum
Windows		windows where there are signs of water intrusion. This does not include any stained glass windows, though the muttons on the stained glass windows need to be refurbished.
Plaster walls / Painting	All areas that have plaster walls are in need of repair from exterior moisture issues around brick and windows.	These areas, specifically around windows that are leaking moisture, need to be repaired.
Ceilings	Ceiling repair / replacement of tiles are needed in locations of HVAC condensate leaks and roof leaks.	Would have a contractor repair all locations in one sweep of the buildings.
Lighting / Lighting Controls	Nothing is cohesive or efficient in any of the buildings. Recommend to be able to operate the larger spaces on a more sophisticated system.	Recommend an electrician come through and repair all broken lenses, burned out bulbs, and replace ballasts as needed. Lighting controls are not cohesive throughout and are dated. Utility costs could be saved by updating to LED lighting and installing a lighting control system.
HVAC Controls and Systems	No cohesive system and all controlled / zoned as individual spaces.	Please see HVAC Report.
Access Control System / Security	Access control needs to be reviewed. Currently operated with a key pad system. Reader at Fletcher Jones Daycare Center is not operational either.	The current access control system and security camera system is dated and needs to be reviewed at some point in time. The camera system needs to be updated to an IP System.
Fire Suppression and Fire Alarm	No Fire Suppression or Fire Alarm System in Sanctuary or Caffey Educational Building	Installing a fire suppression system in these spaces and updating the fire alarm system in the Tennille Center and Fletcher Jones Building is highly recommended.
Cleaning	The building needs to be cleared of items that are not being used. A large trashout project would provide additional space where rooms are being used to hold items that seem left behind or not used anymore.	Trash out of all buildings is recommended.
Location	Condition	Recommendations
Caffey Educational Building (B	<u>.</u>)	
Room 108 B		
Use	Conference Room	
Flooring / Base Doors / Hardware / Windows	In good condition. In good condition.	See recommendation report. See recommendation report.
Plaster Walls/Ceiling Lights / Fixtures / Receptacles	In good condition, other than one hole in the ceiling. Dated condition, one missing light cover.	See recommendation report. See recommendation report.
Room 107 B		
Use Flooring / Base	Office VCT flooring and vinyl base, dated condition.	See recommendation report.
Doors / Hardware / Windows	Door handle is loose and moisture issue coming through around window. Conition is failing around the windows due to exterior	See recommendation report.
Plaster Walls / Ceiling	moisture.	See recommendation report.
Lights / Fixtures / Receptacles	In Dated condition.	See recommendation report.
Room 106 B		
Use	Office	
Flooring / Base	Carpet and vinyl base in dated condition.	See recommendation report.

Doors / Hardware / Windows	All in good condition	See recommendation report
Walls / Ceiling	All in good condition. In good condition.	See recommendation report.
wans / cennig	iii good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Light switch wiring issue, otherwise good condition.	See recommendation report.
Room 105 B		
Use	Copy Room and Office	See recommendation report.
Flooring / Base	VCT flooring and vinyl base, dated condition.	See recommendation report.
<i>.</i>	Door stop on main entrance door and window moisture	•
Doors / Hardware / Windows	issue around all windows and PTAC unit.	See recommendation report.
Wall / Ceiling	Poor condition due to moisture issues.	See recommendation report.
Lights / Fixtures / Receptacles	Dated condition.	See recommendation report.
Room 103 B		·
Use	Conference Room	
Flooring / Base	VCT flooring and vinyl base, dated condition.	See recommendation report.
Doors / Hardware / Windows	Moisture issues around windows and furnace.	See recommendation report.
boors / Hardware / Willdows	Separation between furnace and wall / poor condition at	•
	moisture areas / plaster cracking and hole in ceiling /	
	stained ceiling tiles from previous HVAC leak or	
Wall / Ceiling	condensation.	See recommendation report.
Lights / Fixtures / Receptacles	Dated condition .	·
<u> </u>	Dated Colldition .	See recommendation report.
Room 101 B	of:	
Use	Office	
	Engineered hardwood in good condition / painted vinyl	
Flooring / Base	base is missing.	See recommendation report.
	Significant moisture issues at windows in Joy's office /	
Doors / Hardware / Windows	doors and hardware in dated condition.	See recommendation report.
Walls / Ceiling	Poor condition at exterior walls due to moisture.	See recommendation report.
Lights / Fixtures / Receptacles	Dated condition / pendant fixture at Joy's office.	See recommendation report.
Room 102 B Women's Bathroom		
Use	Women's Restroom	
Flooring / Base	Ceramic tile in dated condition.	See recommendation report.
	Door louver loose and door closure needs to be	
Doors / Hardware / Windows	replaced/ no window.	See recommendation report.
	Ceramic tile walls / plaster ceiling that needs to be	
Walls / Ceiling	touched up.	See recommendation report.
	Dated but operational. No hot water option. No toilet	
Plumbing Fixtures	paper holder.	See recommendation report.
	Lighting issues (one ceiling flush mount and one bulb	
Lights / Fixtures / Receptacles	fixture).	See recommendation report.
Room 110 B Men's Bathroom		
Use	Men's Restroom	
Flooring / Base	Ceramic tile in dated condition.	See recommendation report.
	Door compromised and needs to be replaced, including	
Doors / Hardware / Windows	hardware.	See recommendation report.
	Ceramic tile walls and plaster ceiling are dated. Ceiling	
Walls / Ceiling	has two different colors of paint.	See recommendation report.
	Dated but operational. No hot water option. No toilet	·
Plumbing Fixtures	paper holder.	See recommendation report.
	Lighting issues (one ceiling flush mount and one bulb	·
Lights / Fixtures / Receptacles	fixture).	See recommendation report.
Room 114 B		• • • • • • • • • • • • • • • • • • •
Use	Study Group	
	, r	
Flooring / Base	Carpet and vinyl base and carpet in good condition.	See recommendation report.
Doors / Hardware / Windows	In good condition.	See recommendation report.
Wall / Ceiling	In good condition.	See recommendation report.
waii / Ceiling	m 5000 condition.	see recommendation report.
Lights / Fixtures / Receptacles	One light cover missing, otherwise in good condition.	See recommendation report.
Room 113 B	zzg. s s s s	See recommendation report.
Use	Missallanaous Storage	
Flooring / Base	Miscellaneous Storage Carpet flooring and vinyl base in dated condition	See recommendation report.

Doors / Hardware / Windows Wall / Ceiling Wall / Ce	Í		
Mail Ceiling	Doors / Hardware / Windows	Doors and hardware in dated condition / No windows	See recommendation report.
Lights / Fixtures / Receptacles Non functional Bathroom We Non functional Bathroom We Non functional Bathroom We Non functional Bathroom We Carpet and viny base in dated condition. Grapt and viny base in dated condition. See recommendation report. See recommendation report.	· ·	•	•
Lights / Fixtures / Receptacles Non functional Bathroom We Non functional Bathroom Room 112 B House Managers Office Flooring / Base Carpet and vinyl base in dated condition. See recommendation report. Doors / Hardware / Windows Dated VCT flooring / mismatched / damaged vinyl base in July flooring / mismatched / damaged vinyl base in July flooring / mismatched / damaged vinyl base in July flooring / mismatched / damaged vinyl base in July flooring / mismatched / damaged vinyl base that does not cover unknown piping at the wall base. Flooring / Base Dated VCT flooring / mismatched / damaged vinyl base that does not cover unknown piping at the wall base. Flooring / Base that does not cover unknown piping at the wall base. Dated VCT flooring / mismatched / damaged vinyl base that does not cover unknown piping at the wall base. Dated VCT flooring / mismatched / damaged vinyl base that does not cover unknown piping at the wall base. Dated VCT flooring / mismatched / damaged vinyl base. In good condition. Missing cover plate, otherwise in good condition. See recommendation report. Doors / Hardware / Windows Dated VCT flooring / dated vinyl base. See recommendation report. Se		One fixtures ballast or bulb is having issues otherwise in	
Disc Non functional Bathroom		dated condition. Current server and date equipment is	
Use House Managers Office Flooring / Base Carpet and viryl base in dated condition. See recommendation report. John State / Carling Plaster walls / Layin celling is in good condition. See recommendation report. See recomme		housed in this space.	See recommendation report.
Nome 12 B House Managers Office Carpet and vinyl base in dated condition. See recommendation report.			
House Manager Office		Non functional Bathroom	
Flaoring / Base Carpet and vinyl base in dated condition. See recommendation report.			
Doors / Hardware / Windows In good condition, there are no windows. See recommendation report. Walls / Ceiling Plaster walls / Layin in ceiling is in good condition. One fluorescent fixture is out, but remaining are Ughts / Fixtures / Receptacles operational. See recommendation report. Boom 111.8 Use Study Group / Conference Room Dated VCT flooring / mismatched / damaged vinyl base that does not cover unknown piping at the wall base. In good condition. Ughts / Fixtures / Receptacles In good condition. Walls / Ceiling In good condition. In need of updating, one door is a residential glass Doors / Hardware / Windows Doors / Har		-	Construction and the construction
Walls / Ceiling	• •		•
Use Study Group / Conference Room Use Study Group / Conference Room Dated VCT flooring / mismatched / damaged vinyl base that does not cover unknown piping at the wall base. See recommendation report. Doors / Hardware / Windows In good condition. In good condition. See recommendation report. Walls / Ceiling In good condition. Wising cover plate, otherwise in good condition. See recommendation report. Walls / Ceiling See Main Corridor Flooring / Base Dated VCT flooring / dated vinyl base. See recommendation report. Walls / Ceiling Layin ceiling, and plaster walls in good condition. See recommendation report. Doors / Hardware / Windows Stops. See recommendation report. Double doors in dated condition with mismatched door stops. See recommendation report. Doors / Hardware / Windows Stops. See recommendation report. Walls / Ceiling Layin ceiling, and plaster walls in good condition. See recommendation report. Sanctuary Building (A) Room 110A Kitchen Use Kitchen Doors / Hardware / Windows paneled door, which does not meet fire code. See recommendation report. Plaster walls / Layin ceiling, staining on ceiling tiles. Brick Walls / Ceiling wall in rear storage room has moisture issues. In dated condition, motion sensor and timer in storage room need to be updated. Formica countertops in good condition, cabinetry is Gabinetry missing guides and hardware. See recommendation report. Master Built Cooler Model: PMB-580 is dated but in working condition. Whirlpool Distwasher Model: DU945PVPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Use Chapter Room Carpet Flooring, pine hardwood flooring and wood base	Doors / Hardware / Willdows	in good condition, there are no windows.	See recommendation report.
Lights / Fixtures / Receptacles operational. See recommendation report. Study Group / Conference Room Dated VCT flooring / mismatched / damaged vinyl base Flooring / Base that does not cover unknown piping at the wall base. See recommendation report. In good condition. See recommendation report. In good condition. See recommendation report. In good condition. See recommendation report. Missing cover plate, otherwise in good condition. See recommendation report. Missing cover plate, otherwise in good condition. See recommendation report. Main Corridor (Caffey Education Building) Use Main Corridor Flooring / Base Dated VCT flooring / dated vinyl base. Double doors in dated condition with mismatched door See recommendation report. Doors / Hardware / Windows Malls / Celling Layin celling and plaster walls in good condition. See recommendation report. Sea recommendation report. Sea recommendation report. See recommendation report. In need of updating, one door is a residential glass paneled door, which does not meet fire code. See recommendation report. Walls / Ceiling wall in rear storage room has moisture issues. In dated condition, motion sensor and timer in storage In dated condition, motion sensor and timer in storage To missing guides and hardware. See recommendation report. See recommendation report. Wall for each to be updated. Formica countertops in good condition, cabinetry is missing guides and hardware. See recommendation report. Wirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Fan needs to be cleaned. Whirlpool Fridge Model: WR	Walls / Ceiling		See recommendation report.
Dated VCT flooring / mismatched / damaged vinyl base	Lights / Fixtures / Recentedes		Con recommendation report
Dated VCT flooring / mismatched / damaged vinyl base Flooring / Base that does not cover unknown piping at the wall base. Doors / Hardware / Windows in good condition. Walls / Ceiling wall in rear storage room has moisture issues. In dated condition, motion sensor and timer in storage room has moisture issues. Walls / Ceiling wall in rear storage room has moisture issues. Walls / Ceiling wall in rear storage room has moisture issues. Walls / Ceiling wall in rear storage room has moisture issues. Walls / Ceiling wall in rear storage room has moisture issues. Walls / Ceiling walls in rear storage room has moisture issues. Walls / Ceiling walls in wall in rear storage room has moisture issues. Walls / Ceiling walls in rear storage room has moisture issues. Walls / Ceiling walls walls / Walls		орегалона.	See recommendation report.
Dated VCT flooring / mismatched / damaged vinyl base		Study Group / Conference Room	
Flooring / Base that does not cover unknown piping at the wall base. See recommendation report. Doors / Hardware / Windows In good condition. Missing cover plate, otherwise in good condition. See recommendation report. Walis / Celling In good condition. Whising cover plate, otherwise in good condition. See recommendation report. Walis / Cerimpi / Base	USE I	Study Group / Comercial Room	
Flooring / Base that does not cover unknown piping at the wall base. See recommendation report. Doors / Hardware / Windows In good condition. Missing cover plate, otherwise in good condition. See recommendation report. Walis / Celling In good condition. Whising cover plate, otherwise in good condition. See recommendation report. Walis / Cerimpi / Base		Dated VCT flooring / mismatched / damaged vinvl base	
Doors / Hardware / Windows In good condition. See recommendation report. Ughts / Fixtures / Receptacles Missing cover plate, otherwise in good condition. See recommendation report. Se	Flooring / Base		See recommendation report.
Lights / Fixtures / Receptacles Missing cover plate, otherwise in good condition. See recommendation report. Main Corridor Flooring / Base Dated VCT flooring / dated vinyl base. Double doors in dated condition with mismatched door Doors / Hardware / Windows Stops. See recommendation report. Walls / Ceilling Layin ceiling and plaster walls in good condition. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. In need of updating, one door is a residential glass paneled door, which does not meet fire code. See recommendation report. Plaster walls / Layin ceiling, staining on ceiling tiles. Brick Walls / Ceiling Walls / Ceiling Wall in rear storage room has moisture issues. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles room need to be updated. Formica countertops in good condition, cabinetry is missing guides and hardware. See recommendation report. See recommendation report. See recommendation report. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Carpet Rooring, pine hardwood flooring and wood base			•
Main Corridor (Caffey Education Building	Walls / Ceiling	In good condition.	See recommendation report.
Main Corridor Dated VCT flooring / dated vinyl base. Double doors in dated condition with mismatched door See recommendation report.	Lights / Fixtures / Receptacles	Missing cover plate, otherwise in good condition.	See recommendation report.
Flooring / Base Dated VCT flooring / dated vinyl base. Double doors in dated condition with mismatched door Stops. See recommendation report. Double doors in dated condition with mismatched door See recommendation report. See recommendat	Main Corridor (Caffey Education Bu	uilding)	
Double doors in dated condition with mismatched door stops. See recommendation report. Walls / Ceiling Layin ceiling and plaster walls in good condition. See recommendation report. In good condition. See recommendation report. Sanctuary Building (A) Room 110A Kitchen Use Kitchen Flooring / Base Ceramic tile floor and base in good condition. See recommendation report. In need of updating, one door is a residential glass Doors / Hardware / Windows paneled door, which does not meet fire code. See recommendation report. Plaster walls / Layin ceiling, staining on ceiling tiles. Brick wall in rear storage room has moisture issues. See recommendation report. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles room need to be updated. See recommendation report. Cabinetry missing guides and hardware. See recommendation report. Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. See recommendation report. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. See recommendation report. Kitchen Hood: Not up to date with cleaning. See recommendation report. Chapter Room Chapter Room Carpet flooring, pine hardwood flooring and wood base	Use	Main Corridor	
Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles See recommendation report. In need of updating, one door is a residential glass Doors / Hardware / Windows Doors / Hardware / Windows Doors / Hardware / Windows Plaster walls / Layin ceiling, staining on ceiling tiles. Brick Walls / Ceiling Wall in rear storage room has moisture issues. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles Toom need to be updated. Formica countertops in good condition, cabinetry is Master Built Cooler Model: FMB-580 is dated but in working condition. Master Built Cooler Model: FMB-580 is dated but in working condition. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Ishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Chapter Room Carpet flooring, pine hardwood flooring and wood base	Flooring / Base	Dated VCT flooring / dated vinyl base.	See recommendation report.
Walls / Ceiling Layin ceiling and plaster walls in good condition. See recommendation report. In good condition. See recommendation report. Sanctuary Building (A) Room 110A Kitchen Use Kitchen Flooring / Base Ceramic tile floor and base in good condition. See recommendation report. In need of updating, one door is a residential glass Doors / Hardware / Windows paneled door, which does not meet fire code. See recommendation report. Plaster walls / Layin ceiling, staining on ceiling tiles. Brick Walls / Ceiling wall in rear storage room has moisture issues. See recommendation report. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles room need to be updated. See recommendation report. Formica countertops in good condition, cabinetry is missing guides and hardware. See recommendation report. See recommendation report. Master Built Cooler Model: FMB-580 is dated but in working condition. See recommendation report. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. See recommendation report. Whirlpool Ishwasher Model: DU945PWPQ2 Dated but in working condition. See recommendation report. Kitchen Hood: Not up to date with cleaning. See recommendation report. Chapter Room Carpet flooring, pine hardwood flooring and wood base		Double doors in dated condition with mismatched door	
Lights / Fixtures / Receptacles In good condition. See recommendation report. Sanctuary Building (A) Room 110A Kitchen Use Kitchen Flooring / Base Ceramic tile floor and base in good condition. See recommendation report. In need of updating, one door is a residential glass Doors / Hardware / Windows paneled door, which does not meet fire code. See recommendation report. Plaster walls / Layin ceiling, staining on ceiling tiles. Brick Walls / Ceiling wall in rear storage room has moisture issues. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles room need to be updated. See recommendation report. Formica countertops in good condition, cabinetry is Cabinetry missing guides and hardware. See recommendation report. See recommendation report. Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Carpet flooring, pine hardwood flooring and wood base		•	•
Sanctuary Building (A) Room 110A Kitchen Use Kitchen Flooring / Base Ceramic tile floor and base in good condition. See recommendation report. In need of updating, one door is a residential glass Doors / Hardware / Windows paneled door, which does not meet fire code. See recommendation report. Plaster walls / Layin ceiling, staining on ceiling tiles. Brick wall in rear storage room has moisture issues. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles room need to be updated. Formica countertops in good condition, cabinetry is Cabinetry missing guides and hardware. See recommendation report. Equipment Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. See recommendation report. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. See recommendation report. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. See recommendation report. Chapter Room Chapter Room Carpet flooring, pine hardwood flooring and wood base	_		•
Normal State		in good condition.	See recommendation report.
See Ceramic tile floor and base in good condition. See recommendation report.			
Flooring / Base Ceramic tile floor and base in good condition. In need of updating, one door is a residential glass Doors / Hardware / Windows Plaster walls / Layin ceiling, staining on ceiling tiles. Brick Walls / Ceiling Wall in rear storage room has moisture issues. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles room need to be updated. Formica countertops in good condition, cabinetry is Cabinetry missing guides and hardware. See recommendation report. Master Built Cooler Model: FMB-580 is dated but in working condition. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Chapter Room Carpet flooring, pine hardwood flooring and wood base		m. I	
In need of updating, one door is a residential glass Doors / Hardware / Windows paneled door, which does not meet fire code. See recommendation report. Plaster walls / Layin ceiling, staining on ceiling tiles. Brick Walls / Ceiling wall in rear storage room has moisture issues. See recommendation report. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles room need to be updated. See recommendation report. Formica countertops in good condition, cabinetry is Cabinetry missing guides and hardware. See recommendation report. Equipment See recommendation report. Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. See recommendation report. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. See recommendation report. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. See recommendation report. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. See recommendation report. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. See recommendation report. Chapter Room Capter Room Capter flooring, pine hardwood flooring and wood base			Con annual and a single and a second
Doors / Hardware / Windows paneled door, which does not meet fire code. Plaster walls / Layin ceiling, staining on ceiling tiles. Brick Walls / Ceiling wall in rear storage room has moisture issues. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles room need to be updated. Formica countertops in good condition, cabinetry is Cabinetry missing guides and hardware. Equipment See recommendation report. Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Carpet flooring, pine hardwood flooring and wood base	Flooring / Base	Ceramic tile floor and base in good condition.	See recommendation report.
Doors / Hardware / Windows Plaster walls / Layin ceiling, staining on ceiling tiles. Brick Walls / Ceiling wall in rear storage room has moisture issues. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles room need to be updated. Formica countertops in good condition, cabinetry is Cabinetry Equipment Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Carpet flooring, pine hardwood flooring and wood base See recommendation report.		In need of undating one door is a residential glass	
Plaster walls / Layin ceiling, staining on ceiling tiles. Brick Walls / Ceiling wall in rear storage room has moisture issues. See recommendation report. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles room need to be updated. See recommendation report. Formica countertops in good condition, cabinetry is Cabinetry missing guides and hardware. See recommendation report. Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. See recommendation report. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. See recommendation report. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. See recommendation report. Kitchen Hood: Not up to date with cleaning. See recommendation report. Chapter Room Carpet flooring, pine hardwood flooring and wood base	Doors / Hardware / Windows		See recommendation report
Walls / Ceiling wall in rear storage room has moisture issues. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles room need to be updated. See recommendation report. Formica countertops in good condition, cabinetry is Cabinetry missing guides and hardware. See recommendation report. Equipment See recommendation report. Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. See recommendation report. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. See recommendation report. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. See recommendation report. Kitchen Hood: Not up to date with cleaning. See recommendation report. Chapter Room Carpet flooring, pine hardwood flooring and wood base	boots y riardware y windows	paneted door, which does not meet me code.	see recommendation report.
Walls / Ceiling wall in rear storage room has moisture issues. In dated condition, motion sensor and timer in storage Lights / Fixtures / Receptacles room need to be updated. See recommendation report. Formica countertops in good condition, cabinetry is Cabinetry missing guides and hardware. See recommendation report. Equipment See recommendation report. Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. See recommendation report. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. See recommendation report. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. See recommendation report. Kitchen Hood: Not up to date with cleaning. See recommendation report. Chapter Room Carpet flooring, pine hardwood flooring and wood base		Plaster walls / Layin ceiling, staining on ceiling tiles. Brick	
Lights / Fixtures / Receptacles room need to be updated. Formica countertops in good condition, cabinetry is Cabinetry missing guides and hardware. Equipment See recommendation report. Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Carpet flooring, pine hardwood flooring and wood base	Walls / Ceiling		
Formica countertops in good condition, cabinetry is Cabinetry missing guides and hardware. See recommendation report. Equipment See recommendation report. Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Chapter Room Carpet flooring, pine hardwood flooring and wood base		In dated condition, motion sensor and timer in storage	
Cabinetry missing guides and hardware. See recommendation report. Equipment See recommendation report. Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. See recommendation report. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Chapter Room Carpet flooring, pine hardwood flooring and wood base	Lights / Fixtures / Receptacles	room need to be updated.	See recommendation report.
Equipment Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Carpet flooring, pine hardwood flooring and wood base		Formica countertops in good condition, cabinetry is	
Master Built Cooler Model: FMB-580 is dated but in working condition. Fan needs to be cleaned. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. See recommendation report. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Carpet flooring, pine hardwood flooring and wood base	Cabinetry	missing guides and hardware.	See recommendation report.
working condition. Fan needs to be cleaned. Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Carpet flooring, pine hardwood flooring and wood base See recommendation report. See recommendation report. See recommendation report. See recommendation report. Chapter Room Carpet flooring, pine hardwood flooring and wood base	Equipment		See recommendation report.
Whirlpool Fridge Model: WRT311FZDW01 Dated but in working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. See recommendation report. See recommendation report. See recommendation report. See recommendation report. Chapter Room Carpet flooring, pine hardwood flooring and wood base			
working condition. Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Use Chapter Room Carpet flooring, pine hardwood flooring and wood base		_	See recommendation report.
Whirlpool Dishwasher Model: DU945PWPQ2 Dated but in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Use Chapter Room Carpet flooring, pine hardwood flooring and wood base			Con recommendation renert
in working condition. Kitchen Hood: Not up to date with cleaning. Chapter Room Chapter Room Carpet flooring, pine hardwood flooring and wood base See recommendation report. See recommendation report. See recommendation report. See recommendation report.			see recommendation report.
Kitchen Hood: Not up to date with cleaning. Chapter Room Chapter Room Carpet flooring, pine hardwood flooring and wood base			See recommendation report
Chapter Room Use Chapter Room Carpet flooring, pine hardwood flooring and wood base		<u> </u>	•
Use Chapter Room Carpet flooring, pine hardwood flooring and wood base	Chapter Room		
Carpet flooring, pine hardwood flooring and wood base	•	Chapter Room	
		-	
	Flooring / Base		See recommendation report.

1		
	Doors and hardware in good condition, but there are	
	major issues with moisture around the stained glass	
	windows and there is damage at the stools and plaster	
	along each window. The leaded mullions in the	
	windows are starting to decay. Stained glass windows	
Doors / Hardware / Windows	need to be refurbished.	See recommendation report.
	Damage at windows. Three locations of stained ceiling	
Walls / Ceiling	tiles.	See recommendation report.
	Sconce lighting in good condition. Ceiling lighting has	
Lights / Fixtures / Receptacles	ballast issues that need to be repaired.	See recommendation report.
Foyer		
Use	Main Entrance	
	Mosaic tile and wood base in good condition other than	
Flooring / Base	cleaning.	See recommendation report.
	Storage room handle doesn't work and needs to be	
	replaced or repaired. Exterior door is not rated for fire	
	egress or accessibility. Access control is not functional	
Doors / Hardware / Windows	on this door.	See recommendation report.
Walls / Ceiling	In good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Lighting is poor, only pendant fixture for lighting.	See recommendation report.
Stair Case		
Use	Access to second floor	
Flooring / Base	Carpet runner and wood base in good condition.	See recommendation report.
	Window at top of the stair has moisture and major	•
	plaster damage. It appears this area has been worked	
	on but the plaster around it has not been repaired or	
Doors / Hardware / Windows	painted.	See recommendation report.
	F	•
Walls / Ceiling	Plaster has not been repaired at window at top landing.	See recommendation report.
	Pendant lighting, concerns regarding enough lighting in	·
Lights / Fixtures / Receptacles	the space.	See recommendation report.
Social Room		
Use	Access to Social Room	
	White oak hardwood and wood base is warped and	
	buckled where there was an HVAC leak from the	
Flooring / Base	adjacent closet. Otherwise in good condition.	See recommendation report.
J	Shutters are in brittle condition and need to be	•
Doors / Hardware / Windows	refurbished.	See recommendation report.
	Minor patch and repair from previous wall fixtures,	
Walls / Ceiling	otherwise in good condition.	See recommendation report.
Lights / Fixtures / Receptacles	All in good working condition.	See recommendation report.
]	Missing certificate, follow up with elevator maintenance	the contract of the contract o
Elevator	company.	See recommendation report.
	Inspected on August 17, 2022. The next inspection will	
Defibrillator	be on June 1, 2023.	See recommendation report.
Elevator Equipment Room	·	
Use	Elevator Equipment Room	
Flooring / Base	Dated but in good condition.	See recommendation report.
Doors / Hardware / Windows	In good condition.	See recommendation report.
Walls / Ceiling	Dated but in good condition.	See recommendation report.
inano, coming	Electrical breaker box and elevator disconnect is located	555 - 555 minerial don report.
Lights / Fixtures / Receptacles	in this space.	See recommendation report.
Room 103 A	·	
Use	Mechanical Closet	
Flooring / Base	Concrete slab.	See recommendation report.
Doors / Hardware / Windows	In good condition.	See recommendation report.
Walls / Ceiling	Plasters walls, no ceiling.	See recommendation report.
Lights / Fixtures / Receptacles	Lighting is poor, needs lighting.	See recommendation report.
HVAC Equipment	Trane air handler is located in this space.	See recommendation report.
Christmas Storage		occionamendation report.
omistinus storage		

White oak hardwood floors and wood base in good condition. See recommendation report. See recommendation report. Lighting controls are out dated, otherwise in good condition. There appears to be a transformer with conduit that exits out one of the jams of the windows. Cabinetry is in good condition and shutters are Cabinetry is in good condition and shutters are Cabinetry is good condition and shutters are Carpet flooring and wood base are in mostly good condition. Carpet flooring and wood base are in mostly good condition. Carpet flooring and wood base are in mostly good condition. Carpet flooring and wood base are in mostly good condition. Carpet flooring and wood base are in mostly good condition. Carpet flooring and wood base are in mostly good condition. Carpet flooring and wood base are in mostly good condition. Carpet flooring and wood base are in mostly good condition report. Moisture is coming around the windows on the exterior walls. See recommendation report. Moisture is coming around windows are creating damage at plaster on exterior walls. Celling is lay-in tile. See recommendation report. See recommendation report. Moisture is such and wood base in good condition. White oak hardwood floors and wood base in good condition. Walls / Celling in tile. Missing electrical cover, but otherwise in good condition. See recommendation report. See recommend	Use	Christmas Storage	
Doors / Hardware / Windows ng pood condition. See recommendation report.	Slanding / Dans	Head word floors and word have to read and the	
Walls / Celling Ingood condition. See recommendation report.	<u> </u>		·
No Suite		_	•
HO Suite Use White oak hardwood floors and wood base in good Condition. See recommendation report. In good condition. See recommendation report. Lights / Fixtures / Receptacles Cabinetry / Shutters Room 105A Use Room Carpet flooring and wood base are in mostly good condition. There is some water damage at the base along the exterior wall. Also there is a random conduit. Moisture is coming around the windows on the exterior wall. Moisture is coming around the windows are creating damage at wood base in good condition and plaster walls are plaster on exterior walls. Ceiling is lay- in tile. Walls / Ceiling glase Noom 105A Walls / Ceiling in good condition. Walls receptacles Room White oak hardwood floors and wood base in good condition report. Moisture is sues around windows are creating damage at plaster on exterior walls. Ceiling is lay- in tile. Walls / Ceiling in good condition. Walls replaced in good condition. Walls replace	. 5	=	•
HD Suite White oak hardwood floors and wood base in good See recommendation report.		6	see recommendation report.
Flooring / Base Doors / Hardware / Windows Walls / Ceiling In good condition. There appears to be a transformer with conduit that exits out one of the Jams of the windows. Cabinetry / Shutters Cabinetry / Shutters In good condition and shutters are functional but need to be refinished. Carpet flooring and wood base are in mostly good condition. There is some water damage at the base along the exterior wall. Also there is a random conduit running along the base into a hole in the wall. Moisture is coming around the windows on the exterior Walls / Ceiling Walls / Ceiling Walls / Ceiling In good condition. Walls / Ceiling In good condition. Walls / Ceiling Walls / Ceiling Walls / Ceiling Walls / Ceiling In good condition. Walls / Ceiling Walls / Ceiling Walls / Ceiling In good condition. In good condition. Walls / Ceiling Walls	Use	HD Suite	
Flooring / Base Doors / Hardware / Windows Walls / Ceiling In good condition. There appears to be a transformer with conduit that exits out one of the Jams of the windows. Cabinetry / Shutters Cabinetry / Shutters In good condition and shutters are functional but need to be refinished. Carpet flooring and wood base are in mostly good condition. There is some water damage at the base along the exterior wall. Also there is a random conduit running along the base into a hole in the wall. Moisture is coming around the windows on the exterior Walls / Ceiling Walls / Ceiling Walls / Ceiling In good condition. Walls / Ceiling In good condition. Walls / Ceiling Walls / Ceiling Walls / Ceiling Walls / Ceiling In good condition. Walls / Ceiling Walls / Ceiling Walls / Ceiling In good condition. In good condition. Walls / Ceiling Walls		White oak hardwood floors and wood base in good	
Walls / Ceiling In good condition. See recommendation report. Lights / Fixtures / Receptacles Cabinetry / Shutters from the appears to be a transformer with conduct that exits out one of the jams of the windows. See recommendation report. Cabinetry / Shutters frunctional but need to be refinished. See recommendation report. Walls / Ceiling Room 105A Carpet flooring and wood base are in mostly good condition. There is some water damage at the base along the exterior wall. Also there is a random conduit running along the base into a hole in the wall. Moisture is coming around the windows on the exterior walls. Iso coming around the windows on the exterior walls. Iso coming around the windows on the exterior walls. Iso commendation report. Walls / Ceiling plaster on exterior walls. Ceiling is lay in tile. See recommendation report. See recommendation report. See recommendation report. In good condition. See recommendation report. See recommendation r	Flooring / Base		See recommendation report.
Lighting controls are out dated, otherwise in good condition. There appears to be a transformer with conduit that exits out one of the jams of the windows. Cabherty is in good condition and shutters are functional but need to be refinished. See recommendation report. Room 105A Use Room Carpet flooring and wood base are in mostly good condition. There is some water damage at the base along the exterior wall. Also there is a random conduit running along the base into a hole in the wall. Moisture is coming around the windows on the exterior walls creating rot. Moisture is coming around the windows on the exterior walls creating rot. Moisture is some water damage at the base along the exterior wall is creating atmage at plaster on exterior walls. Celling is lay-in tile. See recommendation report. Moisture is coming around windows are creating damage at plaster on exterior walls. Celling is lay-in tile. See recommendation report. Moisture is some and windows are creating damage at plaster on exterior walls. Celling is lay-in tile. See recommendation report. Moisture is considered the wall. Moisture is coming around windows are creating damage at plaster on exterior walls. Celling is lay-in tile. See recommendation report. See recommendation report. White oak hardwood floors and wood base in good condition. Walls are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Celling is lay in tile. Walls / Celling Walls / Celling In good condition. Walls are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Celling is lay. In good condition. Walls results are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Celling is lay. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommend	Doors / Hardware / Windows	In good condition.	See recommendation report.
Lights / Fixtures / Receptacles Lights / Lights / Lights / Receptacles Lights / Lights / Receptacles Lights / Ligh	Walls / Ceiling	In good condition.	See recommendation report.
Lights / Fixtures / Receptacles conduit that exits out one of the jams of the windows. Cabinetry / Shutters functional but need to be refinished. See recommendation report. See recommendation report. See recommendation report. See recommendation report. We Room Carpet flooring and wood base are in mostly good condition. There is some water damage at the base along the exterior wall. Islos there is a random conduit running along the base into a hole in the wall. Moisture is soming around the windows on the exterior walls creating rot. Moisture is sues around windows are creating damage at plaster on exterior walls creating the wall. Moisture is sues around windows are creating damage at plaster on exterior walls. Celling is lay-in tile. See recommendation report. Moisture is sues around windows are creating damage at plaster on exterior walls. Celling is lay-in tile. See recommendation report. Moisture is sues around windows are creating damage at plaster on exterior walls. Celling is lay-in tile. See recommendation report. Moisture is sues around windows are creating damage at plaster on exterior walls. Celling is lay-in tile. See recommendation report. Moisture is sues around windows and wood base in good condition. Walls or plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Celling is lay in tile. Missing electrical cover, but otherwise in good see recommendation report. Second Foyer Use Access to West Wing Mosaic tile and wood base in good condition. See recommendation report. See recommendation report. Moisture is good condition. See recommendation report. See recommendati		Lighting controls are out dated, otherwise in good	
Cabinetry / Shutters functional but need to be refinished. See recommendation report. Room 105A Use Room Carpet flooring and wood base are in mostly good condition. There is some water damage at the base along the exterior wall. Also there is a random conduit running along the base into a hole in the wall. Moisture is coming around the windows on the exterior walls resulting to the windows on the exterior walls resulting to the windows on the exterior walls resulting to the plaster on exterior walls. Ceiling is lay-in tile. See recommendation report. Moisture is sues around windows are creating damage at plaster on exterior walls. Ceiling is lay-in tile. See recommendation report. Moisture is sues around windows are creating damage at plaster on exterior walls. Ceiling is lay-in tile. See recommendation report. Moisture is sues around windows are creating damage at plaster on exterior walls. Ceiling is lay-in tile. See recommendation report. See recommendation report. Walls / Ceiling Boom 104 A Walls / Ceiling Moisture is sues around windows are creating damage at plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay-in tile. See recommendation report. Walls / Ceiling Moisture is sues around windows are creating damage at plaster and there is moisture damage in the corner of the walls. Ceiling is lay-in tile. See recommendation report. Se		condition. There appears to be a transformer with	
Room 105A Carpet flooring and wood base are in mostly good condition. There is some water damage at the base along the exterior wall. Also there is a random conduits flooring / Base along the base into a hole in the wall. See recommendation report. Moisture is coming around the windows on the exterior walls. Celling is lay-in tile. See recommendation report. See recommendation report. In good condition. See recommendation report. See recommendation report. See recommendation report. In good condition. See recommendation report. See recommendation repo	Lights / Fixtures / Receptacles	-	See recommendation report.
Carpet flooring and wood base are in mostly good condition. There is some water damage at the base along the exterior wall. Also there is a random conduit running along the base into a hole in the wall. See recommendation report. See recommendation report. Walls / Celling walls creating rot. See recommendation report. Moisture is coming around the windows on the exterior walls creating rot. See recommendation report. Moisture is sues around windows are creating damage at plaster on exterior walls. Celling is lay-in tile. See recommendation report. See r	Cabinetry / Shutters		See recommendation report.
Carpet flooring and wood base are in mostly good condition. There is some water damage at the base along the exterior wall. Also there is a random conduit running along the base into a hole in the wall. Moisture is coming around the windows on the exterior walls creating rot. Moisture is coming around the windows on the exterior walls creating farmage at plaster on exterior walls. Ceiling is lay-in tile. Moisture is some water or walls. Ceiling is lay-in tile. Moisture is come water or walls. Ceiling is lay-in tile. Moisture is come water or walls. Ceiling is lay-in tile. Moisture is some water or walls. Ceiling is lay-in tile. Moisture is come water or walls. Ceiling is lay-in tile. Moisture is come water or walls. Ceiling is lay-in tile. Moisture is come water or walls. Ceiling is lay-in tile. Moisture is come water or walls. Ceiling is lay-in tile. Moisture is wood condition. Walls are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good Condition. Moisture is wood water or wall water two random conditions follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good Condition. See recommendation report. Second Foyer Use Access to West Wing Flooring / Base Mosaic tile and wood base in good condition. See recommendation report. Moisture is keep table in good condition. See recommendation report. See recommendation report. Moisture is see recommendation report. See recommen	Room 105A		
condition. There is some water damage at the base along the exterior wall. Also there is a random conduit running along the base into a hole in the wall. See recommendation report. Moisture is coming around the windows on the exterior walls. Celling is lay-in tile. Walls / Celling plaster on exterior walls. Celling is lay-in tile. See recommendation report. See recommendation report. Walls / Celling plaster on exterior walls. Celling is lay-in tile. See recommendation report. See recommendation report. Walls / Celling plaster on exterior walls. Celling is lay-in tile. See recommendation report. See recommendation report. Walls / Celling blase Condition. See recommendation report. See	Use	Room	
condition. There is some water damage at the base along the exterior wall. Also there is a random conduit running along the base into a hole in the wall. See recommendation report. Moisture is coming around the windows on the exterior walls. Celling is lay-in tile. Walls / Celling plaster on exterior walls. Celling is lay-in tile. See recommendation report. See recommendation report. Walls / Celling plaster on exterior walls. Celling is lay-in tile. See recommendation report. See recommendation report. Walls / Celling plaster on exterior walls. Celling is lay-in tile. See recommendation report. See recommendation report. Walls / Celling blase Condition. See recommendation report. See			
Flooring / Base rommendation report. Moisture issues around the windows on the exterior Walls / Ceiling plaster on exterior walls. Ceiling is lay-in tile. Boom 104 A Use Room White oak hardwood floors and wood base in good Condition. Walls / Ceiling in tile. Boors / Hardware / Windows White oak hardwood floors on the walls. Ceiling is lay-in tile. See recommendation report. See reco		Carpet flooring and wood base are in mostly good	
Flooring / Base running along the base into a hole in the wall. See recommendation report. Moisture is coming around the windows on the exterior boors / Hardware / Windows walls creating rot. Moisture issues around windows are creating damage at plaster on exterior walls. Ceiling is lay-in tile. See recommendation report. See recommendation report. In good condition. See recommendation report. Walls / Ceiling White oak hardwood floors and wood base in good condition. See recommendation report. Walls are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. See recommendation report. Walls / Ceiling in tile. See recommendation report. Walls / Ceiling in tile. See recommendation report. Walls / Receptacles condition. See recommendation report. Walls / Receptacles cover, but otherwise in good condition. See recommendation report. Walls / Hardware / Windows In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. White oak hardwood floors and wood base in good condition. See recommendation report. Poors / Hardware / Windows White oak hardwood floors and wood base in good condition. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. The tollet is not operational, but otherwise in good See recommendation report.		condition. There is some water damage at the base	
Moisture is coming around the windows on the exterior walls creating rot. Moisture issues around windows are creating damage at plaster on exterior walls. Ceiling is lay-in tile. See recommendation report. Walls / Ceiling plase plaster and there is moisture damage in the corner along the exterior walls. Ceiling is lay-in tile. Walls / Ceiling wintows plaster and there is moisture damage in the corner along the exterior walls. Ceiling is lay in tile. Walls / Ceiling in tile. W		-	
Doors / Hardware / Windows walls creating rot. Moisture issues around windows are creating damage at plaster on exterior walls. Ceiling is lay-in tile. See recommendation report. See recommendation report. Room 104 A Use Room White oak hardwood floors and wood base in good condition. Doors / Hardware / Windows In good condition. Walls are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay Walls / Ceiling in tile. Wising electrical cover, but otherwise in good Condition. See recommendation report. Wising electrical cover, but otherwise in good Condition. See recommendation report. See recommendation report. See recommendation report. Doors / Hardware / Windows Mosaic tile and wood base in good condition. See recommendation report. Doors / Hardware / Windows Wising electrical cover, but otherwise in good condition. See recommendation report. See recommendation report. Doors / Hardware / Windows Windows Mosaic tile and wood base in good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. The collet is not operational, but otherwise in good Condition. See recommendation report. See recommendation re	Flooring / Base	5 5	See recommendation report.
Moisture issues around windows are creating damage at plaster on exterior walls. Ceiling is lay-in tile. See recommendation report. White oak hardwood floors and wood base in good condition. Doors / Hardware / Windows Walls are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. See recommendation report. Missing electrical cover, but otherwise in good condition report. Second Foyer Use Access to West Wing Flooring / Base Mosaic tile and wood base in good condition. See recommendation report. Doors / Hardware / Windows In good condition. See recommendation report. In good condition. See recommendation report. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Doors and hardware are in good condition, but there is moisture coming around the windows are creating damage at wood trim. Plaster walls and ceilings in good condition. See recommendation report. See recommendation report. The toilet is not operational, but otherwise in good See recommendation report. The toilet is not operational, but otherwise in good See recommendation report.	_ ,,, , ,,,,,		
Walls / Ceiling plaster on exterior walls. Ceiling is lay-in tile. See recommendation report. In good condition. See recommendation report. White oak hardwood floors and wood base in good Flooring / Base Conduiton. See recommendation report. Walls are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good Lights / Fixtures / Receptacles Condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. One sand hardware are in good condition. See recommendation report. See recommendation report. One chandelier provides lighting and is in good condition. See recommendation report. The toilet is not operational, but otherwise in good See recommendation report.	Doors / Hardware / Windows	walls creating rot.	See recommendation report.
Lights / Fixtures / Receptacles Room White oak hardwood floors and wood base in good Flooring / Base Doors / Hardware / Windows Walls are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Walls / Ceiling Walls / Fixtures / Receptacles Access to West Wing Flooring / Base Mosaic tile and wood base in good condition. See recommendation report. Walls / Ceiling Walls / Ceiling Walls / Ceiling Walls / Ceiling Walls / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Walls / Ceiling W			
Nom 104 A	Walls / Ceiling		•
White oak hardwood floors and wood base in good Flooring / Base condition. See recommendation report. In good condition. Walls are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good Lights / Fixtures / Receptacles condition. See recommendation report. Second Foyer Use Access to West Wing Mosaic tile and wood base in good condition. See recommendation report. Doors / Hardware / Windows In good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and wood base in good condition. See recommendation report. Room 102 A Use Sitting Room White oak hardwood floors and wood base in good Flooring / Base Condition. See recommendation report. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. The toilet is not operational, but otherwise in good Condition. See recommendation report. The toilet is not operational, but otherwise in good Condition. See recommendation report.		In good condition.	See recommendation report.
Flooring / Base condition. See recommendation report. Doors / Hardware / Windows In good condition. Walls are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. See recommendation report. Missing electrical cover, but otherwise in good condition. See recommendation report. Missing electrical cover, but otherwise in good condition report. Second Foyer Use Access to West Wing Flooring / Base Mosaic tile and wood base in good condition. See recommendation report. In good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Room 102 A Use Sitting Room White oak hardwood floors and wood base in good condition. See recommendation report. Doors and hardware are in good condition, but there is moisture coming around the windows are creating damage at wood trim. See recommendation report. Doors / Hardware / Windows damage at wood trim. See recommendation report. Doors / Hardware / Windows damage at wood trim. See recommendation report. Doors / Hardware / Windows damage at wood trim. See recommendation report. Doors / Hardware / Windows damage at wood trim. See recommendation report. Doors / Hardware / Windows damage at wood trim. See recommendation report. Doors / Hardware / Windows damage at wood trim. See recommendation report. Doors / Hardware / Windows damage at wood trim. See recommendation report. The toilet is not operational, but otherwise in good condition report.		-	
Flooring / Base	Use		
Doors / Hardware / Windows In good condition. Walls are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good Lights / Fixtures / Receptacles Access to West Wing Flooring / Base Mosaic tile and wood base in good condition. See recommendation report.	Flooring / Raso	-	See recommendation report
Walls are plaster and there is moisture damage in the corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Walls / Ceiling in tile. Missing electrical cover, but otherwise in good Lights / Fixtures / Receptacles condition. See recommendation report. Second Foyer Use Access to West Wing Flooring / Base Mosaic tile and wood base in good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Walls / Ceiling See Sitting Room White oak hardwood floors and wood base in good condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. See recommendation report.	1 looring / base		·
conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. See recommendation report. Missing electrical cover, but otherwise in good condition. See recommendation report. Second Foyer Use Access to West Wing Flooring / Base Mosaic tile and wood base in good condition. See recommendation report. Doors / Hardware / Windows In good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Room 102 A Use Sitting Room White oak hardwood floors and wood base in good condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles Condition. The toilet is not operational, but otherwise in good See recommendation report.	Doors / Hardware / Windows	8	occ recommendation reports
Walls / Ceiling in tile. Missing electrical cover, but otherwise in good Condition. See recommendation report. Second Foyer Use Access to West Wing Flooring / Base Mosaic tile and wood base in good condition. See recommendation report. Doors / Hardware / Windows In good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. Room 102 A Use Sitting Room White oak hardwood floors and wood base in good Flooring / Base Condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles Condition. The toilet is not operational, but otherwise in good See recommendation report.	Doors / Hardware / Windows	Walls are plaster and there is moisture damage in the	
Missing electrical cover, but otherwise in good Condition. See recommendation report. Second Foyer Use Flooring / Base Doors / Hardware / Windows White oak hardwood floors and wood base in good condition. See recommendation report. The toilet is not operational, but otherwise in good See recommendation report.	Doors / Hardware / Windows	,	
Lights / Fixtures / Receptacles condition. See recommendation report. Second Foyer Use Access to West Wing Flooring / Base Mosaic tile and wood base in good condition. See recommendation report. Doors / Hardware / Windows In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Room 102 A Use Sitting Room White oak hardwood floors and wood base in good Flooring / Base condition. See recommendation report. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms condition. See recommendation report.	Doors / Hardware / Windows	corner along the exterior wall where two random	
Second Foyer Use Access to West Wing Flooring / Base Mosaic tile and wood base in good condition. See recommendation report. Doors / Hardware / Windows In good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Room 102 A Use Sitting Room White oak hardwood floors and wood base in good Flooring / Base condition. See recommendation report. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms See recommendation report.	Doors / Hardware / Windows Walls / Ceiling	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay	See recommendation report.
Use Access to West Wing Flooring / Base Mosaic tile and wood base in good condition. See recommendation report. Doors / Hardware / Windows In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Room 102 A Use Sitting Room White oak hardwood floors and wood base in good Flooring / Base condition. See recommendation report. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms See recommendation report.	Walls / Ceiling	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good	See recommendation report.
Flooring / Base Mosaic tile and wood base in good condition. See recommendation report. Doors / Hardware / Windows In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Room 102 A Use Sitting Room White oak hardwood floors and wood base in good Flooring / Base condition. See recommendation report. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good	·
Doors / Hardware / Windows In good condition. See recommendation report. Walls / Ceiling In good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Room 102 A Use Sitting Room White oak hardwood floors and wood base in good Flooring / Base condition. See recommendation report. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition.	·
Walls / Ceiling In good condition. See recommendation report. Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Room 102 A Use Sitting Room White oak hardwood floors and wood base in good Flooring / Base condition. See recommendation report. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing	See recommendation report.
Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report. Sitting Room White oak hardwood floors and wood base in good condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows Walls / Ceiling Plaster walls and ceilings in good condition. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles Chandeliers provide lighting and are in good condition. See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition.	See recommendation report. See recommendation report.
Room 102 A Use Sitting Room White oak hardwood floors and wood base in good Flooring / Base condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. Walls / Ceiling Plaster walls and ceilings in good condition. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. The toilet is not operational, but otherwise in good See recommendation report. The toilet is not operational, but otherwise in good See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition.	See recommendation report. See recommendation report. See recommendation report.
Use Sitting Room White oak hardwood floors and wood base in good Flooring / Base condition. See recommendation report. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition.	See recommendation report. See recommendation report. See recommendation report.
White oak hardwood floors and wood base in good condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition.	See recommendation report. See recommendation report. See recommendation report. See recommendation report.
Flooring / Base condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. Walls / Ceiling Plaster walls and ceilings in good condition. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. The toilet is not operational, but otherwise in good Bathrooms See recommendation report. See recommendation report. See recommendation report. See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Room 102 A	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition. Chandeliers provide lighting and are in good condition.	See recommendation report. See recommendation report. See recommendation report. See recommendation report.
Doors and hardware are in good condition, but there is moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Room 102 A	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition. Chandeliers provide lighting and are in good condition. Sitting Room	See recommendation report. See recommendation report. See recommendation report. See recommendation report.
moisture coming around the windows are creating Doors / Hardware / Windows damage at wood trim. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Room 102 A Use	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition. Chandeliers provide lighting and are in good condition. Sitting Room White oak hardwood floors and wood base in good	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.
Doors / Hardware / Windows damage at wood trim. See recommendation report. Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Room 102 A	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition. Chandeliers provide lighting and are in good condition. Sitting Room White oak hardwood floors and wood base in good condition.	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.
Walls / Ceiling Plaster walls and ceilings in good condition. See recommendation report. One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms See recommendation report. See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Room 102 A Use	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition. Chandeliers provide lighting and are in good condition. Sitting Room White oak hardwood floors and wood base in good condition. Doors and hardware are in good condition, but there is	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.
One chandelier provides lighting and is in good Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Room 102 A Use Flooring / Base	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition. Chandeliers provide lighting and are in good condition. Sitting Room White oak hardwood floors and wood base in good condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.
Lights / Fixtures / Receptacles condition. See recommendation report. The toilet is not operational, but otherwise in good Bathrooms condition. See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Room 102 A Use Flooring / Base Doors / Hardware / Windows	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition. Chandeliers provide lighting and are in good condition. Sitting Room White oak hardwood floors and wood base in good condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating damage at wood trim.	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.
The toilet is not operational, but otherwise in good Bathrooms condition. See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Room 102 A Use Flooring / Base	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition. Chandeliers provide lighting and are in good condition. Sitting Room White oak hardwood floors and wood base in good condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating damage at wood trim. Plaster walls and ceilings in good condition.	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.
•	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Room 102 A Use Flooring / Base Doors / Hardware / Windows	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition. Chandeliers provide lighting and are in good condition. Sitting Room White oak hardwood floors and wood base in good condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating damage at wood trim. Plaster walls and ceilings in good condition. One chandelier provides lighting and is in good	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.
Shutters Operational, but could be refinished. See recommendation report.	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Room 102 A Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition. Chandeliers provide lighting and are in good condition. Sitting Room White oak hardwood floors and wood base in good condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating damage at wood trim. Plaster walls and ceilings in good condition. One chandelier provides lighting and is in good condition.	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.
	Walls / Ceiling Lights / Fixtures / Receptacles Second Foyer Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Room 102 A Use Flooring / Base Doors / Hardware / Windows Walls / Ceiling	corner along the exterior wall where two random conduits follow up the corner of the walls. Ceiling is lay in tile. Missing electrical cover, but otherwise in good condition. Access to West Wing Mosaic tile and wood base in good condition. In good condition. In good condition. Chandeliers provide lighting and are in good condition. Sitting Room White oak hardwood floors and wood base in good condition. Doors and hardware are in good condition, but there is moisture coming around the windows are creating damage at wood trim. Plaster walls and ceilings in good condition. One chandelier provides lighting and is in good condition. The toilet is not operational, but otherwise in good condition.	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.

Women's Restroom		
Use	Women's Restroom	
Flooring / Base	Ceramic tile floors and base in good condition.	See recommendation report.
Doors / Hardware / Windows	In good condition.	See recommendation report.
Walls / Ceiling	Plaster walls and lay in ceiling in good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Fluorescent lighting in good condition.	See recommendation report.
Plumbing Fixtures	All operational.	See recommendation report.
Men's Restroom		
Use	Men's Restroom	
Flooring / Base	Ceramic tile flooring and base in good condition.	See recommendation report.
Doors / Hardware / Windows	In good condition.	See recommendation report.
Walls / Ceiling	Plaster walls and lay in ceiling in good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Fluorescent lighting in good condition.	See recommendation report.
	One urinal is not working properly, flow from flush valve	
Plumbing Fixtures	isn't working properly.	See recommendation report.
Millwork	Dated and needs to be updated.	See recommendation report.
Basement		
Use	Basement	
	Carpet / wood base, in good condition carpet needs to	
	be cleaned and repulled. Hardwood on altar is good	
-1	condition. Engineered hardwood is scratched in some	
Flooring / Base	locations under pews, but mostly in good condition.	See recommendation report.
Danie / Handrica / Alfredame	Windows have moisture concerns around them. Doors	Construction and the second
Doors / Hardware / Windows	and Hardware are in good condition. Walls are in condition outside of the locations around	See recommendation report.
	the windows and where the roof leaked which is	
Malle / Coiling	scheduled to be repaired.	Con recommendation report
Walls / Ceiling	Good condition, there are some issues with floor plugs	See recommendation report.
Lights / Fixtures / Receptacles	on the alter that need to be looked at.	Soo recommendation report
Lights / Fixtures / Receptacies	Duct tape over HVAC supply vent, not sure the reasoning	See recommendation report.
HVAC	on this.	See recommendation report.
Tivae	Some have scratches, but overall all are in good	see recommendation report.
	condition. Cushions are also in good condition but could	
Pews	be steam cleaned periodically.	See recommendation report.
Balcony	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	- Control of the cont
Use	Balcony	
	,	
	Carpet and wood base, carpet needs to be cleaned and	
Flooring / Base	repulled. Otherwise in good condition.	See recommendation report.
Doors / Hardware / Windows	In good condition.	See recommendation report.
,		·
	Good condition, other than areas where there are	
	moisture issues. Also there is an issue with the trim	
	above the entrance doorway. Door to the audio room	
Walls / Ceiling	doesn't open all the way due to the carpet.	See recommendation report.
Lights / Fixtures / Receptacles	In good condition.	See recommendation report.
Pews	In good condition other than cleaning the pads.	See recommendation report.
	Currently there is a rope that serves as the railing for the	
	balcony. This is a liability issue in which a small child	
Important Note	could access the overhang very easily.	See recommendation report.
Audio Room		
Use	Audio Controls for the Chapter Room	
Flooring / Base	Thin carpet and vinyl base.	See recommendation report.
	Door doesn't open all the way due to sanctuary carpet.	_
Doors / Hardware / Windows	There are no windows.	See recommendation report.
Walls / Ceiling	Walls and ceiling need to be painted.	See recommendation report.
Lights / Fintures / Bassataslas	Standard fluorescent fixtures. They are in good	Consideration and the same of
Lights / Fixtures / Receptacles	condition.	See recommendation report.
Rear Corridor and Stairwell		
l	Access	
Use		

Flooring / Base	Carpet with wood Base, in good condition.	See recommendation report.
Doors / Hardware / Windows	Main stairwell window has moisture coming in around it.	See recommendation report
boots / Haraware / Williams	Moisture issues along stairwell window wall around the	sec recommendation report.
Walls / Ceiling	window and at crown molding.	See recommendation report.
	Lack of lighting is an issue in this stairwell and corridor	
	Lack of lighting is an issue in this stairwell and corridor. One incandescent fixture with two bulbs lights this space	
	and one light is out. Exposed wiring at crown molding in	
	stairwell is also a potential hazard, it appears a fixture	
Lights / Fixtures / Receptacles	use to reside here.	See recommendation report.
203A room		
Use	Room	
Flooring / Base	Hardwood pine flooring and wood base that is in good condition.	See recommendation report
Flooring / base	Doors and hardware in good condition. Windows are in	See recommendation report.
Doors / Hardware / Windows	poor condition, need to be replaced.	See recommendation report.
,		•
	Plaster issues from moisture around all of the windows.	
	Ceiling is also stained from roof leak, hopefully this has	
Walls / Ceiling	been repaired in the recent roofing work.	See recommendation report.
Lights / Fixtures / Receptacles	Strip fluorescent lighting in good condition.	See recommendation report.
HVAC	Both furnaces in this space do not work (Trane Unit.	See recommendation report.
204 A Office and Storage		
Use	Storage	
Flooring / Base	Harwood pine flooring and wood base in good condition.	See recommendation report.
	Doors and Hardware in good condition. Windows are in	
Doors / Hardware / Windows	poor condition allowing moisture in around the right side.	See recommendation report.
Walls / Ceiling	Plaster issues from moisture at window.	See recommendation report.
Wans / Cennig	Fluorescent lighting in good condition other than one	occ recommendation reports
	fixture is not in working order either a ballast or bulb	
Lights / Fixtures / Receptacles	issue.	See recommendation report.
Rear Foyer		
Use	Access from 2nd Floor Rooms Carpet and	
Flooring / Base	wood base in good condition. No windows, in	See recommendation report.
Doors / Hardware / Windows	good condition.	See recommendation report.
Walls / Ceiling Lights / Fixtures / Receptacles	In good condition. Fluorescent strip lighting in working condition.	See recommendation report. See recommendation report.
Rear Restroom	Tradicate strip lighting in working condition.	See recommendation report.
Use	Bathroom	
Flooring / Base	Dated VCT flooring, VCT piece is missing. Wood base.	See recommendation report.
Doors / Hardware / Windows	Door and hardware in working condition.	See recommendation report.
Walls / Ceiling	In okay condition.	See recommendation report.
Lights / Fixtures / Receptacles	Dated overhead lighting. Exposed drain is run for the sink, tiny vanity has been	See recommendation report.
Plumbing Fixtures	retrofitted for the small space.	See recommendation report.
Misc Room	5 - 5 - Species	
Use	Misc Room	
Flooring / Base	Carpet and vinyl base in dated condition.	See recommendation report.
Doors / Hardware / Windows	In working condition.	See recommendation report.
Walls / Ceiling	In good condition.	See recommendation report.
Lights / Fixtures / Receptacles	One fluorescent strip fixture in good condition. Built-in storage for the items in this space would be a	See recommendation report.
Storage	great idea to think about.	See recommendation report.
Room 212 B Women's Restroom	0	
Use	Women's Restroom	
Flooring / Base	Ceramic tile in good condition.	See recommendation report.

Phenolic partitions in good condition, windows that lead to gay mar ope parealls, but very dated and need to be painted. See recommendation report. Moisture issues on back wall. Lights / Fixtures / Receptacles Recessed fluorescent fixtures all in working condition. Room 213 8 Clasroom Carpet flooring and viny base in dated condition. Windows have moisture issues and are dated. Doors and hardware in good condition. Walls / Ceiling Lights / Fixtures / Receptacles Clasroom Clasroom condition. Walls / Ceiling Lights / Fixtures / Receptacles Could not access. Could	Logym arc operable, but very dated and need to be painted. Walls / Ceiling Lights / Fixtures / Receptacles Recessed fluorescent fixtures all in working condition. See recommendation report. Lights / Fixtures / Receptacles Recessed fluorescent fixtures all in working condition. See recommendation report. Wildows have motiture issues and are dated. Doors and hardware in good condition. Wildows have motiture issues and are dated. Doors and hardware in good condition. Mostrue Issues at plaster along obtaide walls. Otherwise in good condition. See recommendation report. Wills / Ceiling Uphts / Fixtures / Receptacles Could not access. Oborts / Hardware / Windows Walls / Ceiling Could not access. Could no	_		
Doors / Hardware / Windows painted. See recommendation report. Walls / Ceiling	Doors / Mardware / Windows Moisture issues on back wall. See recommendation report. Walls / Feltures / Receptacles Recessed fluorescent fixtures all in working condition. See recommendation report. Windows Name moisture issues and are dated. Doors of the moisture issues and are dated. Doors of Mardware / Windows Name moisture issues and are dated. Doors of Mardware / Windows Name moisture issues and pates and are dated. Doors of Mardware / Windows Name moisture issues and pates and one dated. Doors of Mardware / Windows Name issues and pates along outside walls. Chievesia in good condition. See recommendation report. Moisture issues and pates along outside walls. Chievesia in good condition. See recommendation report. Fluorescent sirily lighting in working condition. See recommendation report. Fluorescent sirily lighting in working condition. See recommendation report. Windle / Could not access. All in working condition outside of the handle on the main door that is isoose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Pluorescent strip lighting in working condition. See recommendation report. Walls / Ceiling Week Receptacles is missing a cover lens. Week Receptacles is missing a cover lens. See recommendation report. Week Receptacles is missing a cover lens. See recommendation report. See recommendation report. Doors / Hardware / Windows in the fluorescent strip lighting in working condition. Pluorescent strip lighting in working condition. Fluorescent strip lighting in working condition. Doors / Hardware / Windows in the fluorescent strip lighting in working condition. See recommendation report. See recom		Phenolic partitions in good condition, windows that lead	
Walls / Ceiling Work / Fixtures / Receptacles Recessed fluorescent fixtures all in working condition. See recommendation report. Boom 213 B Use Classroom Corper flooring and viny base in dated condition. Mindows have misisture issues and are dated. Doors and hardware in good condition. Moisture issues at plaster along outside walls. Otherwise in good condition. Fluorescent strip lighting in working condition. See recommendation report. Boom 213 B Use Classroom Could not access. Could n	Walls / Ceiling		to gym are operable, but very dated and need to be	
Lights / Flatures / Receptacles Recessed fluorescent fluctures all in working condition. See recommendation report. Whe Classroom Carpe flooring and vinyl base in dated condition. Windows have motisture issues and are dated. Doors And Aardware in good condition. Walls / Ceiling Use Classroom Cheevise in good condition. Walls / Ceiling Use Classroom Classroom Could not access. Could no	Lights / Fixtures / Receptacles Recessed fluorescent fixtures all in working condition. See recommendation report. When Caret flooring and vinyil base in dated condition. Windows have moisture issues and are dated. Doors and hardware in good condition. Moisture issues at plaster along outside walls. Doors / Hardware / Windows Moisture issues at plaster along outside walls. Otherwise in good condition. Moisture issues at plaster along outside walls. Otherwise in good condition. See recommendation report. When Caret is good condition. See recommendation report. See recommendation report. See recommendation report. See recommendation report. Could not access. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. See recommendation report. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Walls / Ceiling Minor patch and paint. Otherwise in good condition. In dated condition. No toilet paper holders. See recommendation report. See	Doors / Hardware / Windows	painted.	See recommendation report.
December	Doors 18 Use	Walls / Ceiling	Moisture issues on back wall.	See recommendation report.
December	Doors 18 Use			
December Carpet flooring and winyl base in dated condition.	December Classroom		Recessed fluorescent fixtures all in working condition.	See recommendation report.
See recommendation report.	See recommendation report.			
Windows have moisture issues and are dated. Doors on the date of the poor of Hardware / Windows and hardware in good condition. Walls / Ceiling	Windows have moisture issues and are dated. Doors on the date of the proof of the proof. Walls / Ceiling Lights / Fixtures / Receptacles Walls / Ceiling Lights / Fixtures / Receptacles Could not access. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. Walls / Ceiling Wee Men's Restroom Ceramic tile floor and base in dated condition. Walls / Ceiling Ceramic tile floor and base in dated condition. Walls / Ceiling Ceramic tile floor and base in dated condition. Ceramic tile walls in dated condition. Ceramic tile walls in dated condition. Ceramic tile walls in dated condition. Doors of Hardware / Windows Walls / Ceiling Ceramic tile flooring and base in dated condition. Ceramic tile flooring and base in dated condition. Doors and partition in working condition. Ceramic tile flooring and base in dated condition. Doors and partition in working condition. Ceramic tile flooring and base in dated condition. Ceramic tile flooring			
Moisture issues at plaster along outside walls. Otherwise in good condition. See recommendation report. Fluorescent strip lighting in working condition. See recommendation report. See recommendation report. See recommendation report. Classroom Could not access.	Moisture issues at plaster along outside walls. Otherwise in good condition. See recommendation report. Boon 2118 Clasroom Cloud not access. Could not acc	Flooring / Base	· - · · · · · · · · · · · · · · · · · ·	See recommendation report.
Walls / Celling	Walls / Celling	Doors / Hardware / Windows	5	See recommendation report.
Use Classroom Could not access. Could not acces. Could not access. Could not access. Could n	Use		· –	See recommendation report.
Use Carain: tile walls in dated condition. Walls / Ceilling Minor patch and pasin. Otherwise in good condition. See recommendation report. Walls / Ceilling Minor patch and pasin. Otherwise in good condition. See recommendation report. Walls / Ceilling Minor patch and pain. Otherwise in good condition. Walls / Ceilling Minor patch and pain. Otherwise in good condition. Walls / Ceilling Minor patch and pain. Otherwise in good condition. Walls / Ceilling Minor patch and pain. Otherwise in good condition. See recommendation report. Walls / Ceilling Minor patch and pain. Otherwise in good condition. Fluorescent strip lighting in working condition. See recommendation report. Walls / Ceilling Minor patch and pain. Otherwise in good condition. See recommendation report. Walls / Ceilling Minor patch and pain. Otherwise in good condition. See recommendation report. See recommendation report. Walls / Ceilling Windows Walls / Ceilling Windows Ceramic tile floor and base in dated condition. See recommendation report. No lights work in this bathroom. Dated but in working condition. See recommendation report. On surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink. There is no bulb in the fixture above the sink. There is no bulb in the fixture above the sink. There is no bulb in the fixture above the sink in this space. Dated but in working condition. See recommendation report. See recommendat	Use Carain: tile walls in dated condition. Walls / Ceilling Livers / Receptacles Walls / Ceilling Count of access. Could not access. Could not acces. See recommendation report. Could not acces. Could not acces.	Lights / Fixtures / Receptacles	Fluorescent strip lighting in working condition.	See recommendation report.
Flooring / Base	Flooring / Base	Room 211B		
Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Could not access. Carpet and wood base. Carpet is stained and torn in Some locations. See recommendation report. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. See recommendation report. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light Lights / Fixtures / Receptacles Is missing a cover lens. Walls / Lights / Fixtures / Receptacles Ceramic tile floor and base in dated condition. See recommendation report. Ceramic tile floor and base in dated condition. See recommendation report. Walls / Ceiling Lights / Fixtures / Receptacles No lights work in this bathroom. See recommendation report. See recommendation report. Dated but in working condition. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. Dated but in working condition. See recommendation report. Doors / Hardware / Windows One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink there is no bulb in the fixture above the sink there is no bulb in the fixture above the sink there is no bulb in the fixture above the sink there is no bulb in the fixture above the sink there is no bulb in the fixture above the sink there is no bulb in the fixture above the sink there is no bulb in the fixture	Doors / Hardware / Windows Walls / Ceiling Ughts / Fixtures / Receptacles Ughts / Fixtures / Receptacles Use Classroom Carpet and wood base. Carpet is stained and torn in Flooring / Base Some locations. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. See recommendation report. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. See recommendation report. Fluorescent strip lighting in working condition, one light is missing a cover lens. See recommendation report. Men's Restroom Ceramic tile floor and base in dated condition. See recommendation report. In dated condition. No toilet paper holders. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. No lights work in this bathroom. See recommendation report. Obors / Hardware / Windows No lights work in this bathroom. See recommendation report. Dated but in working condition. See recommendation report. Obors and partition in working condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink and lighting is poor in this space. See recommendation report. Dated but in working origin and base in dated condition. See recommendation report. Dated but in working origin and base in dated condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors working origin and base in dated condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. See recommendation report. Doors and partition in working condition. See recommendation report. See recommendation report. Doors and hardware in good condition. See recommendation report. See recommendation report. Doors and hardware in good conditi	Use	Classroom	
Walls / Celling Ughts / Fixtures / Receptacles Could not access. Clastroom Carpet and wood base. Carpet is stained and torn in Some locations. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Celling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. See recommendation report. Walls / Celling Men's Restroom Flooring / Base Ceramic tile floor and base in dated condition. Doors / Hardware / Windows Walls / Celling Ceramic tile walls in idated condition and plaster celling. Dated but in working condition. Doors / Hardware / Windows Walls / Celling Ceramic tile flooring and base in dated condition. Dated but in working condition. Doors and partition in working condition. See recommendation report. Walls / Celling Ceramic tile flooring and base in dated condition. Doors and partition in working condition. See recommendation report. Doors / Hardware / Windows Doors and partition in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. See reco	Walls / Celling Lights / Fixtures / Receptacles Lights / Fixtu	Flooring / Base	Could not access.	
Walls / Ceiling Could not access. Lights / Fixtures / Receptacles Could not access. Clastroom Carpet and wood base. Carpet is stained and torn in Flooring / Base some locations. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. Walls / Restroom Flooring / Base Men's Restroom Flooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition. See recommendation report. Doors / Hardware / Windows In dated tile walls in dated condition. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Dated but in working condition. See recommendation report. Dated but in working condition. See recommendation report. Doors Alardware / Windows See recommendation report. Doors and partition in working condition. See recommendation report. Ceramic tile flooring and base in dated condition. See recommendation report. Doors Alardware / Windows See recommendation report. Doors Alardware / Windows See recommendation report. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. See recommendation report. Doors Alardware / Windows See recommendation report. Doors Alardware / Windows See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Walls / Ceiling Could not access. Lights / Fixtures / Receptacles Could not access. Classroom Carpet and wood base. Carpet is stained and torn in See recommendation report. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. See recommendation report. Fluorescent strip lighting in working condition, one light is missing a cover lens. See recommendation report. Plooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Fluorescent strip lighting in working condition. See recommendation report. Doors / Hardware / Windows In dated condition. No toilet paper holders. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Dote word in working condition. See recommendation report. Dated but in working condition. See recommendation report. Dote but in working condition. See recommendation report. Dote but working condition. See recommendation report. Doors A Hardware / Windows Doors and partition in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors A Hardware / Windows Doors and partition in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors and hardware in good condition. Windows. See recommendation report. Doors and hardware	= '	Could not access.	
Lights / Fixtures / Receptacles Could not access. Z14B Use Classroom Carpet and wood base. Carpet is stained and torn in Flooring / Base Some locations. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceilling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. Elephts / Fixtures / Receptacles Walls / Ceilling Men's Restroom Flooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. Lights / Fixtures / Receptacles Women's Restroom Flooring / Base Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Dated but in working condition. See recommendation report. Dated but in working condition. See recommendation report. Doors / Hardware / Windows Walls / Ceiling Ceramic tile walls and ceiling / dated condition. See recommendation report. See r	Lights / Fixtures / Receptacles Could not access. Classroom Carpet and wood base. Carpet is stained and torn in Flooring / Base Some locations. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. See recommendation report. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light Lights / Fixtures / Receptacles is missing a cover lens. See recommendation report. What is missing a cover lens. See recommendation report. What is missing a cover lens. What is missing a cover lens. See recommendation report. See recommendation report. See recommendation report. Ceramic tile floor and base in dated condition. In dated condition. No tollet paper holders. See recommendation report. Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Dated but in working condition. See recommendation report. Dated but in working condition. See recommendation report. See recommendation report. Ceramic tile flooring and base in dated condition. See recommendation report. Dated but in working condition. See recommendation report. Ones under settoom Ceramic tile flooring and base in dated condition. Doors and partition in working condition. See recommendation report. One surface mounted fixure and light bub fixure above the sink and lighting is poor in this space. See recommendation report. One surface mounted fixure and light bub fixure above the sink and lighting is poor in this space. See recommendation report. Death but in working order. See recommendation report. Death but in working order. See recommendation report.	· ·		
Use Classroom Carpet and wood base. Carpet is stained and torn in Some locations. See recommendation report. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. See recommendation report. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. Walls / Receptacles See recommendation report. Walls / Ceiling Messe Ceramic tile floor and base in dated condition. See recommendation report. S	Use Classroom Carpet and wood base. Carpet is stained and torn in some locations. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Celling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. See recommendation report. See r	. 5		
Use Classroom Carpet and wood base. Carpet is stained and torn in some locations. See recommendation report. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. See recommendation report. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. Walls / Fixtures / Receptacles Men's Restroom Flooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition. See recommendation report. Use Ceramic tile floor and base in dated condition. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition. See recommendation report. Doors / Hardware / Windows In dated condition. Dated but in working condition. See recommendation report. Dated but in working condition. See recommendation report. See recommendati	Use Classroom Carpet and wood base. Carpet is stained and torn in some locations. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition. No lights work in this bathroom. Dated but in working condition. See recommendation report. Ones under disturce and light due to operate. See recommendation report. Ones unface mounted fixture all light bulb fixture above the sink and lighting is poor in this space. See recommendation report. See recommenda			
Flooring / Base Carpet and wood base. Carpet is stained and torn in some locations. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light Lights / Fixtures / Receptacles Walls / Ceiling Men's Restroom Flooring / Base Ceramic tile door and base in dated condition. Poor's / Hardware / Windows In dated condition. No toilet paper holders. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. Lights / Fixtures / Receptacles No lights work in this bathroom. Plumbing Fixtures No lights work in this bathroom. Plooring / Base Women's Restroom Flooring / Base Use Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. Doors and partition in working condition. Doors and partition in working condition. Doors and partition in working condition. See recommendation report. See r	Flooring / Base Carpet and wood base. Carpet is stained and torn in some locations. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. Walls / Fixtures / Receptacles Use Men's Restroom Flooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. Uights / Fixtures / Receptacles No lights work in this bathroom. See recommendation report. Onces wriface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. Dated but in working order. See recommendation report. See re		Classroom	
Flooring / Base Some locations. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. No lights work in this bathroom. See recommendation report. Dated but in working condition. See recommendation report. See recommendation report. Does working condition. See recommendation report. See	Flooring / Base some locations. All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light Ughts / Fixtures / Receptacles is missing a cover lens. See recommendation report. See recommendation repor	ose		
All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light Lights / Fixtures / Receptacles is missing a cover lens. See recommendation report. Plooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Walls / Ceiling Ceramic tile floor and base in dated condition. See recommendation report. In dated condition. No toilet paper holders. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Fixtures / Receptacles Plumbing Fixtures Dated but in working condition. See recommendation report. Date Women's Restroom Flooring / Base Ceramic tile walls in dated condition. See recommendation report. Doors / Hardware / Windows Doors / Hardware / Windows open to the gym, they are difficult to operate. See recommendation report. Walls / Ceiling Ceramic tile walls and ceiling / dated condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors Alardware / Windows open to the gym, they are difficult to operate. See recommendation report. Ceramic tile walls and ceiling / dated condition. See recommendation report. Uights / Fixtures / Receptacles Plumbing Fixtures Dated but in working order. See recommendation report. Doors and hardware and light bulb fixture above the sink and lighting is poor in this space. See recommendation report. Deated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced in recent years with aluminum windows. See recommendation report. Doors Alardware / Windows been replaced in recent years with aluminum windows. See recommendation report. Doors / Hardware / Windows been replaced in recent years with aluminum windows. See recommendation report.	All in working condition outside of the handle on the main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. See recommendation report. Lights / Fixtures / Receptacles Wee's Restroom Flooring / Base Doors / Hardware / Windows Walls / Ceiling Ceramic tile floor and base in dated condition. See recommendation report. In dated condition. No toilet paper holders. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Fixtures / Receptacles Plumbing Fixtures Dated but in working condition. See recommendation report. Doors / Hardware / Windows Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. See recommendation report. Doors / Hardware / Windows Doors / Hardware / Windows Walls / Ceiling Ceramic tile flooring and base in dated condition. See recommendation report. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. See recommendation report. Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. Plumbing Fixtures Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Election / Dece	·	
main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. See recommendation report. Lights / Fixtures / Receptacles is missing a cover lens. See recommendation report. Men's Restroom Flooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Doors / Hardware / Windows In dated condition. No toilet paper holders. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition. See recommendation report. Walls / Ceiling See recommendation report. Wolfpts work in this bathroom. See recommendation report. See recommendation report. Doated but in working condition. See recommendation report. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. See recommendation report. Walls / Ceiling Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. See recommendation report. Doors and batch and lighting is poor in this space. See recommendation report. Does and batch and lighting is poor in this space. See recommendation report. Does and batch and lighting is poor in this space. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. See recommendation report. Malor moisture damage at exterior walls. This could be from before the windows were replaced and never	main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling	Flooring / Base	some locations.	See recommendation report.
main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. See recommendation report. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light Lights / Fixtures / Receptacles is missing a cover lens. See recommendation report. 210 B Use Men's Restroom Flooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Doors / Hardware / Windows In dated condition. No toilet paper holders. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition. See recommendation report. Dated but in working condition. See recommendation report. Walls / Ceiling See recommendation report. Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. See recommendation report. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. See recommendation report. Walls / Ceiling Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lightning is poor in this space. See recommendation report. Dated but in working order. See recommendation report. Dated but in working order. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. See recommendation report. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	main door that is loose. Windows are deteriorating on exterior but interior looks fine currently. Walls / Ceiling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light Lights / Fixtures / Receptacles is missing a cover lens. See recommendation report. 210 B Use Men's Restroom Flooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Ceiling No lights work in this bathroom. See recommendation report. Dated but in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors / Hardware / Windows Open to the gym, they are difficult to operate. See recommendation report. Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the Lights / Fixtures / Receptacles sink. There is no bulb in the fixture above the Unbrish and lighting is poor in this space. See recommendation report. Dated but in working order. See recommendation report. Dated but in working order. See recommendation report. Deated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never			
Doors / Hardware / Windows Walls / Celling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light Lights / Fixtures / Receptacles Wend See recommendation report. Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles No lights work in this bathroom. Dated but in working condition. See recommendation report. Onors / Hardware / Windows See recommendation report. See	Doors / Hardware / Windows walls / Celling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light Lights / Fixtures / Receptacles Walls / Celling Wen's Restroom Flooring / Base Doors / Hardware / Windows Walls / Celling Ceramic tile walls in dated condition. No toilet paper holders. See recommendation report. See recommendation		_	
Walls / Celling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light Lights / Fixtures / Receptacles Wer's Restroom Flooring / Base Doors / Hardware / Windows Walls / Celling Lights / Fixtures / Receptacles Women's Restroom Ceramic tile walls in dated condition. See recommendation report. Walls / Celling Ceramic tile walls in dated condition and plaster ceiling. No lights work in this bathroom. Dated but in working condition. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. Ceramic tile flooring and base in dated condition. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. See recommendation report. Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. Dated but in working order. See recommendation report. See recommendation report. Doors A but in working order. See recommendation report. See reco	Walls / Celling Minor patch and paint. Otherwise in good condition. Fluorescent strip lighting in working condition, one light is missing a cover lens. See recommendation report. See recommendation report. Buse Men's Restroom Flooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Ceramic life flooring and base in dated condition. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. See recommendation report. Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink and lightning is poor in this space. See recommendation report. One surface mounted fixture and light bulb fixture above the sink and lightning is poor in this space. See recommendation report. Doors / Hardware / Windows Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never		main door that is loose. Windows are deteriorating on	
Fluorescent strip lighting in working condition, one light Is missing a cover lens. Wee's Restroom Flooring / Base Doors / Hardware / Windows Women's Restroom Walls / Ceiling Lights / Fixtures / Receptacles Plumbing Fixtures Doors / Hardware / Windows Women's Restroom Vomen's	Fluorescent strip lighting in working condition, one light Lights / Fixtures / Receptacles See recommendation report.	Doors / Hardware / Windows	exterior but interior looks fine currently.	See recommendation report.
Fluorescent strip lighting in working condition, one light Is missing a cover lens. Wee's Restroom Flooring / Base Doors / Hardware / Windows Women's Restroom Walls / Ceiling Lights / Fixtures / Receptacles Plumbing Fixtures Doors / Hardware / Windows Women's Restroom Vomen's	Fluorescent strip lighting in working condition, one light Lights / Fixtures / Receptacles See recommendation report.			
Lights / Fixtures / Receptacles is missing a cover lens. See recommendation report. 210 B Use Men's Restroom Flooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Doors / Hardware / Windows In dated condition. No toilet paper holders. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Fixtures / Receptacles No lights work in this bathroom. See recommendation report. Dated but in working condition. See recommendation report. 209 B Use Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. See recommendation report. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. See recommendation report. Walls / Ceiling Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. See recommendation report. 208 B Use Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Lights / Fixtures / Receptacles is missing a cover lens. See recommendation report. 210 B Use Men's Restroom Flooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Doors / Hardware / Windows In dated condition. No toilet paper holders. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. No lights work in this bathroom. See recommendation report. Plumbing Fixtures / Receptacles No lights work in this bathroom. See recommendation report. 209 B Use Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. See recommendation report. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. See recommendation report. Walls / Ceiling Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink. There is no bulb in the fixture above the Sink and lighting is poor in this space. See recommendation report. 208 B Use Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base and light and light and light good condition. Windows have been replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Walls / Ceiling	· · · · · · · · · · · · · · · · · · ·	See recommendation report.
Use Men's Restroom Flooring / Base Ceramic tile floor and base in dated condition. See recommendation report. Doors / Hardware / Windows In dated condition. No toilet paper holders. See recommendation report. Walls / Ceilling Ceramic tile walls in dated condition and plaster ceilling. See recommendation report. Plumbing Fixtures / Receptacles No lights work in this bathroom. See recommendation report. Plumbing Fixtures Women's Restroom Flooring / Base Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. See recommendation report. Doors and partition in working condition. Window is Doors / Hardware / Windows open to the gym, they are difficult to operate. See recommendation report. Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the Enabove the sink and lighting is poor in this space. See recommendation report. Dated but in working order. See recommendation report. ZOB B Use Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base and needs to be replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and neever	Use Men's Restroom Walls / Ceilling Ceramic tile walls in dated condition. See recommendation report. Walls / Ceilling Ceramic tile walls in dated condition and plaster ceilling. See recommendation report. Walls / Ceilling Ceramic tile walls in dated condition and plaster ceilling. See recommendation report. Plumbing Fixtures / Receptacles No lights work in this bathroom. See recommendation report. Plumbing Fixtures Dated but in working condition. See recommendation report. 209 B Use Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. See recommendation report. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. See recommendation report. Walls / Ceilling Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink and lighting is poor in this space. See recommendation report. Plumbing Fixtures / Receptacles plated carpet and vinyl base. Some vinyl base is torn off Flooring / Base Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Lights / Fixtures / Recentacles		See recommendation report
Use Ceramic tile floor and base in dated condition. See recommendation report. Under Condition. No toilet paper holders. See recommendation report. Under Condition. No toilet paper holders. See recommendation report. Use Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Use Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. Doors and partition in working condition. See recommendation report. Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink and lighting is poor in this space. Use See recommendation report. Dated but in working order. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Use Ceramic tile floor and base in dated condition. See recommendation report. Doors / Hardware / Windows In dated condition. No toilet paper holders. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Walls / Ceiling Ceramic tile walls in dated condition and plaster ceiling. See recommendation report. Bolights y Fixtures / Receptacles No lights work in this bathroom. See recommendation report. Dated but in working condition. See recommendation report. Walls / Base Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. See recommendation report. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. See recommendation report. Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. See recommendation report. Dated but in working order. See recommendation report. Doors / Hardware / Windows Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never			See recommendation report.
Flooring / Base Doors / Hardware / Windows Doors / Berecommendation report. Decommendation report. Decommendation report. D	Flooring / Base Doors / Hardware / Windows Doors / Beeceptacles Plumbing Fixtures Doors / Beeceptacles Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base Doors / Beeceptacles Boors / Beeceptacles Doors / Beeceptacles Boors / Beeceptacles Doors / Beeceptacles Boors		Man's Postvoore	
Doors / Hardware / Windows In dated condition. No toilet paper holders. See recommendation report. Walls / Ceiling Lights / Fixtures / Receptacles Plumbing Fixtures No lights work in this bathroom. See recommendation report. Dated but in working condition. See recommendation report. Doors / Base Use Women's Restroom Ceramic tile flooring and base in dated condition. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. See recommendation report. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. See recommendation report. Doors / Hardware / Receptacles Plumbing Fixtures Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base Doors / Hardware / Windows Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Doors / Hardware / Windows In dated condition. No toilet paper holders. Walls / Ceiling Lights / Fixtures / Receptacles Plumbing Fixtures No lights work in this bathroom. Dated but in working condition. See recommendation report. See recommendation report. Dated but in working condition. See recommendation report. Dated but in working condition. See recommendation report. Doors A Base Ceramic tile flooring and base in dated condition. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. Walls / Ceiling Ceramic tile walls and ceiling / dated condition. See recommendation report. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. See recommendation report. Dated but in working order. See recommendation report. Dated but in working order. See recommendation report. Dated but in working order. See recommendation report. Dated but in working order. See recommendation report. See recommendation report. See recommendation report. Dated but in working order. See recommendation report. See recommendation report. Dated but in working order. See recommendation report. See recommendation report. See recommendation report.			Coo magazina adation magazi
Walls / Ceiling	Walls / Ceiling	0,		•
Lights / Fixtures / Receptacles Dated but in working condition. See recommendation report.	Lights / Fixtures / Receptacles Plumbing Fixtures Dated but in working condition. See recommendation report. See recommendation report. Dated but in working condition. See recommendation report. Doors / Hardware / Windows Use Ceramic tile flooring and base in dated condition. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. Ceramic tile walls and ceiling / dated condition. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. Dated but in working order. See recommendation report. See recommendation report. Dated but in working order. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Doors / Hardware / Windows	in dated condition. No toilet paper holders.	See recommendation report.
Lights / Fixtures / Receptacles Dated but in working condition. See recommendation report.	Lights / Fixtures / Receptacles Plumbing Fixtures Dated but in working condition. See recommendation report. See recommendation report. Dated but in working condition. See recommendation report. Doors / Hardware / Windows Use Ceramic tile flooring and base in dated condition. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. Ceramic tile walls and ceiling / dated condition. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. Dated but in working order. See recommendation report. See recommendation report. Dated but in working order. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	N. H. 70 H.		
Plumbing Fixtures Dated but in working condition. See recommendation report. Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. Walls / Ceiling Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the Lights / Fixtures / Receptacles Plumbing Fixtures Dated but in working order. See recommendation report. Doors and hardware in good condition. Windows have Doors / Hardware / Windows See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Plumbing Fixtures Dated but in working condition. See recommendation report. Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. See recommendation report. Doors and partition in working condition. Window is Doors / Hardware / Windows Doen to the gym, they are difficult to operate. See recommendation report. Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the Lights / Fixtures / Receptacles pated but in working order. See recommendation report. Dated but in working order. See recommendation report. 208 B Use Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base Doors and hardware in good condition. Windows have Doors / Hardware / Windows Doors and hardware in good condition. Windows have Deen replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	_	·	•
Use Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. See recommendation report. Doors and partition in working condition. Window is Doors / Hardware / Windows open to the gym, they are difficult to operate. See recommendation report. Walls / Ceiling Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the Lights / Fixtures / Receptacles sink and lighting is poor in this space. See recommendation report. Plumbing Fixtures Dated but in working order. See recommendation report. 208 B Use Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Use Women's Restroom Flooring / Base Ceramic tile flooring and base in dated condition. See recommendation report. Doors and partition in working condition. Window is open to the gym, they are difficult to operate. See recommendation report. Walls / Ceiling Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the Lights / Fixtures / Receptacles sink and lighting is poor in this space. See recommendation report. Plumbing Fixtures Dated but in working order. See recommendation report. 208 B Use Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never		<u> </u>	•
Women's Restroom Ceramic tile flooring and base in dated condition. See recommendation report. Doors and partition in working condition. Window is	Use		Dated but in working condition.	See recommendation report.
Flooring / Base Ceramic tile flooring and base in dated condition. Doors and partition in working condition. Window is Doors / Hardware / Windows Open to the gym, they are difficult to operate. Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. Plumbing Fixtures Dated but in working order. See recommendation report. This could be from before the windows were replaced and never	Flooring / Base Ceramic tile flooring and base in dated condition. Doors and partition in working condition. Window is Doors / Hardware / Windows Open to the gym, they are difficult to operate. See recommendation report. Ceramic tile walls and ceiling / dated condition. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. Plumbing Fixtures Dated but in working order. See recommendation report. This could be from before the windows were replaced and never	209 B		
Doors and partition in working condition. Window is open to the gym, they are difficult to operate. Walls / Ceiling One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the lights / Fixtures / Receptacles sink and lighting is poor in this space. Dated but in working order. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. See recommendation report. See recommendation report. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Doors and partition in working condition. Window is open to the gym, they are difficult to operate. Walls / Ceiling Ceramic tile walls and ceiling / dated condition. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the lights / Fixtures / Receptacles sink and lighting is poor in this space. Plumbing Fixtures Dated but in working order. See recommendation report. See recommendation report. See recommendation report. Dated but in working order. See recommendation report. See recommendation report. See recommendation report. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Use	Women's Restroom	
Doors / Hardware / Windows Walls / Ceiling Ceramic tile walls and ceiling / dated condition. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. Plumbing Fixtures Dated but in working order. See recommendation report. Dated but in working order. See recommendation report. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Doors / Hardware / Windows Walls / Ceiling Ceramic tile walls and ceiling / dated condition. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. Plumbing Fixtures Dated but in working order. See recommendation report. Doors B Use Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Flooring / Base	Ceramic tile flooring and base in dated condition.	See recommendation report.
Walls / Ceiling Ceramic tile walls and ceiling / dated condition. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. Plumbing Fixtures Dated but in working order. See recommendation report. See recommendation report. See recommendation report. Dated but in working order. See recommendation report. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Walls / Ceiling Ceramic tile walls and ceiling / dated condition. See recommendation report. One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the sink and lighting is poor in this space. Plumbing Fixtures Dated but in working order. See recommendation report. See recommendation report. Dated but in working order. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never		Doors and partition in working condition. Window is	
One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the Lights / Fixtures / Receptacles sink and lighting is poor in this space. See recommendation report. Plumbing Fixtures Dated but in working order. See recommendation report. 208 B Use Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	One surface mounted fixture and light bulb fixture above the sink. There is no bulb in the fixture above the Lights / Fixtures / Receptacles sink and lighting is poor in this space. See recommendation report. Plumbing Fixtures Dated but in working order. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Doors / Hardware / Windows	open to the gym, they are difficult to operate.	See recommendation report.
above the sink. There is no bulb in the fixture above the Lights / Fixtures / Receptacles sink and lighting is poor in this space. See recommendation report. Plumbing Fixtures Dated but in working order. See recommendation report. Dated but in working order. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	above the sink. There is no bulb in the fixture above the Lights / Fixtures / Receptacles sink and lighting is poor in this space. See recommendation report. Dated but in working order. See recommendation report. Dated but in working order. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Walls / Ceiling	Ceramic tile walls and ceiling / dated condition.	See recommendation report.
above the sink. There is no bulb in the fixture above the Lights / Fixtures / Receptacles sink and lighting is poor in this space. See recommendation report. Plumbing Fixtures Dated but in working order. See recommendation report. Dated but in working order. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	above the sink. There is no bulb in the fixture above the Lights / Fixtures / Receptacles sink and lighting is poor in this space. See recommendation report. Dated but in working order. See recommendation report. Dated but in working order. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never			
above the sink. There is no bulb in the fixture above the Lights / Fixtures / Receptacles sink and lighting is poor in this space. See recommendation report. Plumbing Fixtures Dated but in working order. See recommendation report. Dated but in working order. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	above the sink. There is no bulb in the fixture above the Lights / Fixtures / Receptacles sink and lighting is poor in this space. See recommendation report. Dated but in working order. See recommendation report. Dated but in working order. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never		One surface mounted fixture and light bulb fixture	
Plumbing Fixtures Dated but in working order. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Plumbing Fixtures Dated but in working order. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never		-	
Plumbing Fixtures Dated but in working order. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Plumbing Fixtures Dated but in working order. See recommendation report. Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Lights / Fixtures / Receptacles	sink and lighting is poor in this space.	See recommendation report.
Use Document Storage Dated carpet and vinyl base. Some vinyl base is torn off Flooring / Base and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Use Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. See recommendation report. Major moisture damage at exterior walls. This could be from before the windows were replaced and never			•
Use Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Use Document Storage Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. See recommendation report. Major moisture damage at exterior walls. This could be from before the windows were replaced and never		-	e en en e
Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Dated carpet and vinyl base. Some vinyl base is torn off and needs to be replaced. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never		Document Storage	
Flooring / Base and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Flooring / Base and needs to be replaced. See recommendation report. Doors and hardware in good condition. Windows have been replaced in recent years with aluminum windows. See recommendation report. Major moisture damage at exterior walls. This could be from before the windows were replaced and never		-	
Doors and hardware in good condition. Windows have Doors / Hardware / Windows been replaced in recent years with aluminum windows. See recommendation report. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Doors and hardware in good condition. Windows have Doors / Hardware / Windows been replaced in recent years with aluminum windows. See recommendation report. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Flooring / Base		See recommendation report
Doors / Hardware / Windows been replaced in recent years with aluminum windows. See recommendation report. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Doors / Hardware / Windows been replaced in recent years with aluminum windows. See recommendation report. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	i looting / base	מווע ווככעה נט שב ופטומנפע.	see recommendation report.
Doors / Hardware / Windows been replaced in recent years with aluminum windows. See recommendation report. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Doors / Hardware / Windows been replaced in recent years with aluminum windows. See recommendation report. Major moisture damage at exterior walls. This could be from before the windows were replaced and never			
Major moisture damage at exterior walls. This could be from before the windows were replaced and never	Major moisture damage at exterior walls. This could be from before the windows were replaced and never		Doors and hardware in good condition Windows have	
from before the windows were replaced and never	from before the windows were replaced and never	Decree (Headage 1997)		Construction deltan and
· ·	l '	Doors / Hardware / Windows	been replaced in recent years with aluminum windows.	See recommendation report.
	repaired. Water leak on ceiling from a previous roof	Doors / Hardware / Windows	been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be	See recommendation report.
		Doors / Hardware / Windows	been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never	See recommendation report.
IWalls / Leiling See recommendation report	Walls / Ceiling leak. See recommendation report.		been replaced in recent years with aluminum windows. Major moisture damage at exterior walls. This could be from before the windows were replaced and never repaired. Water leak on ceiling from a previous roof	

Lights / Fixtures / Receptacles	Fluorescent lighting in good condition.	See recommendation report.
207B		
Use	Classroom Dated carpet and vinyl base. Vinyl base is coming off the wall in multiple areas. Tear in carpet in the middle of the	
Flooring / Base	room.	See recommendation report.
Doors / Hardware / Windows	Doors and hardware are operational. Windows have been replaced recently with aluminum windows. Major moisture damage at exterior walls, which look to be from before the windows were replaced and never	See recommendation report.
Walls / Ceiling Lights / Fixtures / Receptacles	repaired. Fluorescent fixtures. Bulb lighting doesn't match.	See recommendation report. See recommendation report.
206B		
Use	Office	
Flooring / Base	Dated carpet and vinyl base.	See recommendation report.
	Doors and hardware are in working condition. Windows	
Doors / Hardware / Windows	have been replaced with aluminum windows recently.	See recommendation report.
	Major moisture damage on exterior wall, which	
Walls / Ceiling	appears to be from before the windows were replaced.	See recommendation report.
Lights / Fixtures / Receptacles	Fluorescent lighting is operational.	See recommendation report.
205B		
Use	Office	
Flooring / Base	VCT flooring and vinyl base, dated condition. Doors and hardware are in working condition. Windows	See recommendation report.
Doors / Hardware / Windows	have been replaced recently. Exterior walls have moisture damage that was never	See recommendation report.
Walls / Ceiling	repaired after the windows were replaced.	See recommendation report.
Lights / Fixtures / Receptacles	Fluorescent strip lighting in working condition.	See recommendation report.
203 B (Locked)		
Use	Meeting Room	
Flooring / Base	Could not access.	
Doors / Hardware / Windows	Could not access.	
Walls / Ceiling	Could not access.	
Lights / Fixtures / Receptacles	Could not access.	
204B		
Use	Storage	
Flooring / Base	Carpet and vinyl base in dated condition.	See recommendation report.
Doors / Hardware / Windows	Doors and hardware in working condition.	See recommendation report.
Walls / Ceiling	No issues.	See recommendation report.
Lights / Fixtures / Receptacles	Fluorescent strip lighting in working condition.	See recommendation report.
2nd Floor Corridor		
Use	Corridor	
Use Flooring / Base	Corridor VCT flooring and vinyl base, dated condition.	See recommendation report.
Flooring / Base Doors / Hardware / Windows	VCT flooring and vinyl base, dated condition. See individual room information. Plaster walls and ceiling in good condition, could use a	See recommendation report. See recommendation report.
Flooring / Base Doors / Hardware / Windows Walls / Ceiling	VCT flooring and vinyl base, dated condition. See individual room information. Plaster walls and ceiling in good condition, could use a coat of paint.	See recommendation report. See recommendation report.
Flooring / Base Doors / Hardware / Windows	VCT flooring and vinyl base, dated condition. See individual room information. Plaster walls and ceiling in good condition, could use a	See recommendation report.
Flooring / Base Doors / Hardware / Windows Walls / Ceiling	VCT flooring and vinyl base, dated condition. See individual room information. Plaster walls and ceiling in good condition, could use a coat of paint.	See recommendation report. See recommendation report.
Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Tennille Center	VCT flooring and vinyl base, dated condition. See individual room information. Plaster walls and ceiling in good condition, could use a coat of paint. Strip fluorescent lighting in good condition.	See recommendation report. See recommendation report.
Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Tennille Center Corridor from main entrance hallw	VCT flooring and vinyl base, dated condition. See individual room information. Plaster walls and ceiling in good condition, could use a coat of paint. Strip fluorescent lighting in good condition.	See recommendation report. See recommendation report.
Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Tennille Center	VCT flooring and vinyl base, dated condition. See individual room information. Plaster walls and ceiling in good condition, could use a coat of paint. Strip fluorescent lighting in good condition. ay (Gym Corridor) Corridor VCT flooring and vinyl base, dated condition.	See recommendation report. See recommendation report.
Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Tennille Center Corridor from main entrance hallw Use Flooring / Base	VCT flooring and vinyl base, dated condition. See individual room information. Plaster walls and ceiling in good condition, could use a coat of paint. Strip fluorescent lighting in good condition. Yay (Gym Corridor) Corridor VCT flooring and vinyl base, dated condition. Moisture issues on brick wall walking down the ramp/	See recommendation report. See recommendation report. See recommendation report. See recommendation report.
Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Tennille Center Corridor from main entrance hallw Use	VCT flooring and vinyl base, dated condition. See individual room information. Plaster walls and ceiling in good condition, could use a coat of paint. Strip fluorescent lighting in good condition. ay (Gym Corridor) Corridor VCT flooring and vinyl base, dated condition.	See recommendation report. See recommendation report. See recommendation report.
Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Tennille Center Corridor from main entrance hallw Use Flooring / Base Walls / Ceiling	VCT flooring and vinyl base, dated condition. See individual room information. Plaster walls and ceiling in good condition, could use a coat of paint. Strip fluorescent lighting in good condition. Yay (Gym Corridor) Corridor VCT flooring and vinyl base, dated condition. Moisture issues on brick wall walking down the ramp/ missing smoke detector. All in OK condition and working correctly.	See recommendation report. See recommendation report.
Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Tennille Center Corridor from main entrance hallw Use Flooring / Base Walls / Ceiling Doors / Hardware / Windows	VCT flooring and vinyl base, dated condition. See individual room information. Plaster walls and ceiling in good condition, could use a coat of paint. Strip fluorescent lighting in good condition. Yey (Gym Corridor) Corridor VCT flooring and vinyl base, dated condition. Moisture issues on brick wall walking down the ramp/ missing smoke detector. All in OK condition and working correctly. Wall lighting doesn't give much light, they are	See recommendation report.
Flooring / Base Doors / Hardware / Windows Walls / Ceiling Lights / Fixtures / Receptacles Tennille Center Corridor from main entrance hallw Use Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles	VCT flooring and vinyl base, dated condition. See individual room information. Plaster walls and ceiling in good condition, could use a coat of paint. Strip fluorescent lighting in good condition. Yey (Gym Corridor) Corridor VCT flooring and vinyl base, dated condition. Moisture issues on brick wall walking down the ramp/ missing smoke detector. All in OK condition and working correctly. Wall lighting doesn't give much light, they are	See recommendation report. See recommendation report.

i			
Flooring / Base	Rubber floor -coming up in a few areas. Vinyl base.	See recommendation report.	
	Block walls - paint peeling. Leaks in ceiling. One A/C vent		
	is damaged. Water leaks located on south end of gym		
Walls / Ceiling	ceiling.	See recommendation report.	
Doors / Hardware / Windows	All are in decent condition and working correctly Uplighting built into ceiling design. Not sure if it	See recommendation report.	
Lights / Fixtures / Receptacles	provides enough light at night.	See recommendation report.	
111C			
Use	TV game room		
Flooring / Base	Carpet with vinyl base.	See recommendation report.	
Walls / Ceiling	Block wall with plaster ceiling.	See recommendation report.	
Doors / Hardware / Windows	All in decent condition and working correctly.	See recommendation report.	
Lights / Fixtures / Receptacles	Strip fluorescent lighting. Ballast is out in one fixture.	See recommendation report.	
110C	·	The state of the s	
Use	Living room		
Flooring / Base	Carpet and vinyl base, dated condition.	See recommendation report.	
Walls / Ceiling	Block walls - plaster ceiling.	See recommendation report.	
Doors / Hardware / Windows	All in decent condition and working correctly.	See recommendation report.	
Lights / Fixtures / Receptacles	Recessed incandescent bulbs. Bistro lights hung, as well.	See recommendation reserve	
109C	Recessed incandescent builds. Bistro lights hung, as well.	See recommendation report.	
Use	Classroom		
ose	Classroom		
Flooring / Base	VCT Flooring and vinyl base, dated condition (very dirty).	See recommendation report.	
Walls / Ceiling	Smoke detector damaged.	See recommendation report.	
Doors / Hardware / Windows	All in decent condition and working correctly.	See recommendation report.	
Lights / Fixtures / Receptacles	Strip fluorescent lighting in good condition.	See recommendation report.	
Other	Adjoining bathroom used for storage.	See recommendation report.	
108C			
Use	Classroom		
Flooring / Base	VCT floor with vinyl base in dated condition. Painted CMU Block w/ sheetrock ceiling in good	See recommendation report.	
Walls / Ceiling	condition.	See recommendation report.	
Doors / Hardware / Windows	All in decenr condition and working correctly.	See recommendation report.	
Lights / Fixtures / Receptacles	Strip fluorescent lighting. Ballast is out in one fixture.	See recommendation report.	
107C		·	
Use	Classroom		
	Classroom Epoxy painted concrete floor and vinyl base.	See recommendation report.	
Flooring / Base		See recommendation report.	
Flooring / Base Walls / Ceiling	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition.	See recommendation report. See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly.	See recommendation report. See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition.	See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition.	See recommendation report. See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C Use	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition. Kitchen	See recommendation report. See recommendation report. See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition. Kitchen VCT Flooring, water damage.	See recommendation report. See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C Use Flooring / Base	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition. Kitchen VCT Flooring, water damage. Painted CMU brick w/sheetrock ceiling. Wall and Ceiling	See recommendation report. See recommendation report. See recommendation report. See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C Use Flooring / Base Walls / Ceiling	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition. Kitchen VCT Flooring, water damage. Painted CMU brick w/sheetrock ceiling. Wall and Ceiling patches show from previous water leak.	See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C Use Flooring / Base Walls / Ceiling Doors / Hardware / Windows	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition. Kitchen VCT Flooring, water damage. Painted CMU brick w/sheetrock ceiling. Wall and Ceiling patches show from previous water leak. All in decent condition and working correctly.	See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C Use Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition. Kitchen VCT Flooring, water damage. Painted CMU brick w/sheetrock ceiling. Wall and Ceiling patches show from previous water leak. All in decent condition and working correctly. Strip fluorescent lighting.	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C Use Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles Other	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition. Kitchen VCT Flooring, water damage. Painted CMU brick w/sheetrock ceiling. Wall and Ceiling patches show from previous water leak. All in decent condition and working correctly. Strip fluorescent lighting. Slab floor is severely sloped to back rear corner.	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C Use Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition. Kitchen VCT Flooring, water damage. Painted CMU brick w/sheetrock ceiling. Wall and Ceiling patches show from previous water leak. All in decent condition and working correctly. Strip fluorescent lighting. Slab floor is severely sloped to back rear corner. Maytag Refrigerator: Model # MFF2558VEW	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C Use Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles Other	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition. Kitchen VCT Flooring, water damage. Painted CMU brick w/sheetrock ceiling. Wall and Ceiling patches show from previous water leak. All in decent condition and working correctly. Strip fluorescent lighting. Slab floor is severely sloped to back rear corner.	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C Use Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles Other	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition. Kitchen VCT Flooring, water damage. Painted CMU brick w/sheetrock ceiling. Wall and Ceiling patches show from previous water leak. All in decent condition and working correctly. Strip fluorescent lighting. Slab floor is severely sloped to back rear corner. Maytag Refrigerator: Model # MFF2558VEW Maytag Oven: No Model Information located Allure Exhaust Fan: No Model Information located	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C Use Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles Other	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition. Kitchen VCT Flooring, water damage. Painted CMU brick w/sheetrock ceiling. Wall and Ceiling patches show from previous water leak. All in decent condition and working correctly. Strip fluorescent lighting. Slab floor is severely sloped to back rear corner. Maytag Refrigerator: Model # MFF2558VEW Maytag Oven: No Model Information located Allure Exhaust Fan: No Model Information located Curtis Thermo Pro Coffee Maker: Model # TP2S10A3100	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.	
Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles 106C Use Flooring / Base Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles Other	Epoxy painted concrete floor and vinyl base. Painted CMU block w/ sheetrock ceiling in good condition. All in decent condition and working correctly. Strip fluorescent lighting in good condition. Kitchen VCT Flooring, water damage. Painted CMU brick w/sheetrock ceiling. Wall and Ceiling patches show from previous water leak. All in decent condition and working correctly. Strip fluorescent lighting. Slab floor is severely sloped to back rear corner. Maytag Refrigerator: Model # MFF2558VEW Maytag Oven: No Model Information located Allure Exhaust Fan: No Model Information located	See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report.	

Flooring / Base Carpet with viny base Painted CMU block w/ sheetrock ceiling in good See recommendation report.	L		
Walls / Ceiling Doors / Hardware / Windows Ser recommendation report. Wilster / Receptacles Suplikas / Festures / Receptacles Suplikas / Fest	Use	Youth Pastor's Office	
Walls / Celling Obors / Hardware / Windows Lights / Fixtures / Receptacles Strip fluorescent lighting in good condition. See recommendation report. We Flooring / Base Could not access. Walls / Celling Obors / Hardware / Windows Lights / Fixtures / Receptacles Worker / Base Could not access. Could	Flooring / Base		See recommendation report.
Doors / Hardware / Windows All in decent condition and working correctly, See recommendation report.	W. H. 7 G :11:		
Lights Fixtures Receptacles	_		•
Use Could not access. Valis / Celling Could not access. Valis / Celling Could not access. See recommendation report. See recommendation report. See recommendation report. Could not access. See recommendation report.	·	· .	•
Use Undetermined		Strip fluorescent lighting in good condition.	See recommendation report.
Flooring / Base Could not access Could not ac			
Walls / Celling Womer's bathroom Could not access. Lights / Fixtures / Receptacles Could not access. Lights / Fixtures / Receptacles Could not access. Could not access. Could not access. Womer's bathroom Could not access. Could not access. Could not access. Lights / Fixtures / Receptacles Could not access. Could not access. Lights / Fixtures / Receptacles See recommendation report. Lights / Fixtures / Receptacles Walls / Celling Men's bathroom Men's bathroom Ceramit tile floor and base. Painted CMU block wysheetrock celling in decent condition. See recommendation report. See recommendation report. Doors and hardware are in decent condition. See recommendation report. Walls / Celling Doors / Hardware / Windows Lights / Fixtures / Receptacles Light of Livinal not fillshing correctly. See recommendation report. Light of Livinal not fillshing correctly. See recommendation report. Light of Livinal not fillshing correctly. See recommendation report. Walls / Celling Doors / Hardware / Windows Lights / Fixtures / Receptacles Missing light cover lenses. See recommendation report. Walls / Celling Doors / Hardware / Windows Lights / Fixtures / Receptacles Missing light cover lenses. See recommendation report. Walls / Celling Doors / Hardware / Windows Lights / Fixtures / Receptacles Missing light cover lenses. See recommendation report. Walls / Celling Block walls, leaks or condensation in ceiling. See recommendation report. Walls / Celling Bloors / Hardware / Windows Lights / Fixtures / Receptacles Walls / Celling See re			
Doors / Hardware / Windows Lights / Fixtures / Receptacles Lights /			
Lights / Fixtures / Receptacles Could not access			
Uses Undetermined Pilooring / Base Could not access. See recommendation report. Could not access. Could not access. Could not access. See recommendation report. See recommendation report. See recommendation report. Doors / Hardware / Windows Lights / Fixture / Receptacles Condition. Doors and hardware are in decent condition. See recommendation report. Doors / Hardware / Windows Lights / Fixtures / Receptacles 1 light out. 1 urinal not flushing correctly. See recommendation report. Doors / Hardware / Windows Lights / Fixtures / Receptacles 1 light out. 1 urinal not flushing correctly. See recommendation report. Doors / Hardware / Windows Lights / Fixtures / Receptacles 1 light out. 1 urinal not flushing correctly. See recommendation report. Walls / Celling Doors / Hardware / Windows All in decent condition and working properly. See recommendation report. Walls / Celling See vorth of the wind wind report. Wall surface mount lighting - does not provide adequate lighting. Wall wind wind properly. Wall surface mount lighting - does not provide adequate lighting. Lighting control switch is on floor below. Walls / Celling See recommendation report. Wall surface mount lighting - does not provide adequate lighting. Lighting co	•		
Use Could not access. Walls / Ceiling Could not access. See recommendation report. See recommendation report. Condition. Condit	- · · · · · · · · · · · · · · · · · · ·	Could not access.	
Flooring / Base Walls / Ceiling Could not access. Ceramic tile floor and base. See recommendation report. Ceramic tile floor and base. Painted CMU block withertook ceiling in decent Condition. See recommendation report. Could floor Strates of Receptacles Could floor storage and attic access Could floor storage and			
Walls / Ceiling Women's bathroom Ceramic tile floor and base. Block walls, leak or condensation in ceiling , outlet cover links of the condition of the condi		Undetermined	
Doors / Hardware / Windows Lights / Fixtures / Receptacles Could not access. Lights / Fixtures / Receptacles Could not access. Lights / Fixtures / Receptacles Could not access. Block walls, leak or condensation in ceiling , outlet cover missing. Doors and hardware are in decent condition. One toilet seer recommendation report. Doors / Hardware / Windows seat is loose. Ster fixtures / Receptacles Strip fixtures cent lighting. One light is out. See recommendation report. Doors / Hardware / Windows seat is loose. Ster fixtures / Receptacles Strip fixtures / Receptacles County / Painted Cd CMU block w/sheetrock ceiling in decent condition. See recommendation report. Doors / Hardware / Windows Lights / Painted Cd CMU block w/sheetrock ceiling in decent condition. See recommendation report. Doors / Hardware / Windows Doors and hardware are in decent condition. See recommendation report. Doors / Hardware / Windows Doors and hardware are in decent condition. See recommendation report. Doors / Hardware / Windows Doors and hardware are in decent condition. See recommendation report. Doors / Wills / Ceiling Doors / Wills / Ceiling Paister walls and ceiling. See recommendation report. Doors / Hardware / Windows All necent condition and working properly. See recommendation report. Wills / Ceiling Paister walls and ceiling. See recommendation report. Wills / Ceiling See Word floor Corridor Thermostan tot working in this space. No air running. See recommendation report. Doors / Hardware / Windows All necent condition and working properly. See recommendation report. Walls / Ceiling See Word floor Corridor Thermostan tot working in this space. No air running. See recommendation report. Walls / Ceiling See Word floor Corridor Thermostan tot working in this space. No air running. See recommendation report. Walls / Ceiling See Word floor Corridor Walls / Ceiling See Word floor Corridor See recommendation report. Walls / Ceiling See Word floor Corridor See recommendation report. Walls / Ceiling See Word floo	Flooring / Base	Could not access.	
Lights / Fixtures / Receptacles Could not access.	Walls / Ceiling	Could not access.	
Use Women's bathroom Ceramic tile floor and base. Block walls, leak or condensation in ceiling , outlet cover missing Doors and hardware are in decent condition. One toilet seat is lose. See recommendation report.	Doors / Hardware / Windows	Could not access.	
Women's bathroom Ceramic tile floor and base. See recommendation report.	Lights / Fixtures / Receptacles	Could not access.	
Flooring / Base Ceramic tile floor and base. Block walls, lake wr condensation in ceiling , outlet cover missing. Doors and hardware are in decent condition. One toilet sear is loose. See recommendation report. Doors / Hardware / Windows seat is loose. Strip fluorescent lighting. One light is out. See recommendation report. Doors / Hardware / Windows Lights / Fixtures / Receptacles Walls / Ceiling Doors and hardware are in decent condition. See recommendation report. Walls / Ceiling See recommendation report. See recommendation report. See recommendation report. Wall Sufface mount lighting - does not provide adequate lighting. Lighting control switch is on floor below. See recommendation report. Walls / Fixtures / Receptacles See recommendation report. Walls / Ceiling Shectrock walls in good condition. See recommendation report. See recommendation report. Aluminum windows with laminate stools in good See recommendation report. See recommendation report. See recommendation report. See recommenda	102C		
Block walls, leak or condensation in ceiling , outlet cover missing. Doors and hardware are in decent condition. One toilet boors / Hardware / Windows Lights / Fixtures / Receptacles Strip fluorescent lighting. One light is out. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. See recommendation report. Walls / Ceiling Condition. Doors and hardware are in decent condition. See recommendation report. Painted CMU block w/sheetrock ceiling in decent Condition. Doors / Hardware / Windows Lights / Fixtures / Receptacles Lights out. 1 urinal not flushing correctly. See recommendation report. Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles Lights / Fixtures / Receptacles Lights / Fixtures / Receptacles Lights / Fixtures / Windows Lights / Fixtures / Windows Lights / Fixtures / Receptacles Lights / Fixtures / Receptacles Missing light cover lenses. Zod floor corridor Thermostat not working in this space. No air running. See recommendation report. Walls / Ceiling Doors / Hardware / Windows Lights / Fixtures / Receptacles Missing light cover lenses. Zod floor Corridor above gymnasium Use Zod floor Corridor Plooring / Base VCT and vinyl base, VCT cupping in some areas. VCT and vinyl base, VCT and vinyl base, VCT cupping in some areas. Walls / Ceiling Doors / Hardware / Windows All in decent condition and working properly. See recommendation report. Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles Lights / Fixtures / R	Use	Women's bathroom	
Walls / Ceilling Doors and hardware are in decent condition. One toilet seat is lose. Strip fluorescent lighting, One light is out. See recommendation report. Set is lose. Strip fluorescent lighting, One light is out. See recommendation report. Painted CMU block w/sheetrock ceiling in decent condition. See recommendation report. See recommenda	Flooring / Base	Ceramic tile floor and base.	See recommendation report.
Doors And hardware are in decent condition. One toilet seat is loose. See recommendation report. Strip fluorescent lighting, One light is out. See recommendation report. See recommendation report. See recommendation report. See recommendation report. Walls / Celling Doors / Hardware / Windows Lights / Fixtures / Receptacles 1 light out. 1 urinal not flushing correctly. See recommendation report. Walls / Celling Plaster walls and celling. See recommendation report. Wall for Corridor above gymnasium Use 2nd floor Corridor See recommendation report. Wall surface mount lighting in some areas. See recommendation report. Wall surface mount lighting in some areas. See recommendation report. Wall surface mount lighting in does not provide adequate lighting. Lighting control switch is on floor below. See recommendation report. Wall surface mount lighting control switch is on floor below. See recommendation report. Wall surface mount lighting control switch is on floor below. See recommendation report. S		Block walls, leak or condensation in ceiling, outlet cover	
Doors / Hardware / Windows Seat is loose. See recommendation report.	Walls / Ceiling	missing.	See recommendation report.
Lights / Fixtures / Receptacles Strip fluorescent lighting, One light is out. See recommendation report. Sus Men's bathroom Flooring / Base Ceramic tile floor and base. Painted CMU block w/sheetrock ceiling in decent condition. See recommendation report. Walls / Ceiling Plaster walls and ceiling. See recommendation report. Walls / Ceiling Plaster walls and ceiling. See recommendation report. Walls / Ceiling Plaster walls and vorking properly. See recommendation report. Walls / See recommendation report. Wall ocorridor above gymnasium Use 2nd floor Corridor above gymnasium Use 2nd floor Corridor VCT and vinyl base, VCT cupping in some areas. See recommendation report. Walls / Ceiling Block walls, leaks or condensation in ceiling. See recommendation report. Wall surface mount lighting - does not provide adequate lighting. See recommendation report. Wall surface mount lighting - does not provide adequate lighting. Lighting control switch is on floor below. See recommendation report. Wall surface mount lighting - does not provide adequate lighting. See recommendation report. Wall surface mount lighting - does not provide adequate lighting. See recommendation report. Walls / Ceiling See recommendation report. Walls / Ceiling See recommendation report. See recommendation report		Doors and hardware are in decent condition. One toilet	
Use Men's bathroom Flooring / Base Ceramic tile floor and base. See recommendation report.	Doors / Hardware / Windows	seat is loose.	See recommendation report.
Sear	Lights / Fixtures / Receptacles	Strip fluorescent lighting, One light is out.	See recommendation report.
Flooring / Base Ceramic tile floor and base. Painted CMU block w/sheetrock ceiling in decent Condition. See recommendation report. Doors / Hardware / Windows Doors and hardware are in decent condition. See recommendation report. Dights / Fixtures / Receptacles I light out. 1 urinal not flushing correctly. See recommendation report. 202C Use Znd floor storage and attic access Flooring / Base VCT and carpet with vinyl base. See recommendation report. Walls / Ceiling Plaster walls and ceiling. See recommendation report. Doors / Hardware / Windows All in decent condition and working properly. See recommendation report. Wissing light cover lenses. See recommendation report. Thermostat not working in this space. No air running. See recommendation report. Znd floor Corridor above gymnasium Use Znd floor Corridor Flooring / Base VCT and vinyl base, VCT cupping in some areas. See recommendation report. Walls / Ceiling Block walls, leaks or condensation in ceiling. See recommendation report. Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles lighting. Lighting control switch is on floor below. See recommendation report. Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles lighting. Lighting control switch is on floor below. See recommendation report. Bridge Use Walkway to new fellowship center Flooring / Base WCT with vinyl base. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows Condition. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows Condition. See recommendation report. West Building Fellowship Hall Foyer Use Flooring / Base VCT flooring with vinyl base. See recommendation report.	101C	, , , , , , , , , , , , , , , , , , , ,	·
Flooring / Base Ceramic tile floor and base. Painted CMU block w/sheetrock ceiling in decent Condition. Doors / Hardware / Windows Doors and hardware are in decent condition. See recommendation report. Lights / Fixtures / Receptacles 1 light out. 1 urinal not flushing correctly. See recommendation report. 202C Use 2nd floor storage and attic access Flooring / Base VCT and carpet with vinyl base. See recommendation report. Walls / Ceiling Doors / Hardware / Windows All in decent condition and working properly. See recommendation report. Wishing light cover lenses. See recommendation report. Thermostat not working in this space. No air running. See recommendation report. 2nd floor Corridor above gymnasium Use 2nd floor Corridor Flooring / Base VCT and vinyl base, VCT cupping in some areas. See recommendation report. Walls / Ceiling Block walls, leaks or condensation in ceiling. See recommendation report. Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles lighting. Lighting control switch is on floor below. See recommendation report. Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles lighting. Lighting control switch is on floor below. See recommendation report. Bridge Use Walkway to new fellowship center VCT with vinyl base. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows Condition. Aluminum windows with laminate stools in good Doors / Hardware / Windows Condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.	Use	Men's bathroom	
Painted CMU block w/sheetrock ceiling in decent condition. See recommendation report. Doors / Hardware / Windows Doors and hardware are in decent condition. See recommendation report. Lights / Fixtures / Receptacles 1 light out. 1 urinal not flushing correctly. See recommendation report. 202C 202C VCT and carpet with vinyl base. See recommendation report. Walls / Ceiling Plaster walls and ceiling. See recommendation report. Doors / Hardware / Windows All in decent condition and working properly. See recommendation report. Ushers / Fixtures / Receptacles Missing light cover lenses. See recommendation report. Other Thermostat not working in this space. No air running. See recommendation report. 202	Flooring / Base		See recommendation report.
Walls / Ceiling	, , , , , , , , , , , , , , , , , , , ,		
Doors / Hardware / Windows 1 light out. 1 urinal not flushing correctly. See recommendation report. 202C Use 2 nd floor storage and attic access Flooring / Base VCT and carpet with vinyl base. See recommendation report. 2 nd floor storage and attic access Flooring / Base VCT and carpet with vinyl base. See recommendation report. All in decent condition and working properly. See recommendation report. Biochamber of the working in this space. No air running. See recommendation report. 2 nd floor Corridor above gymnasium Use Flooring / Base VCT and vinyl base, VCT cupping in some areas. See recommendation report. Walls / Ceiling Block walls, leaks or condensation in ceiling. See recommendation report. Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles Walls urface mount lighting - does not provide adequate Lights / Fixtures / Receptacles Walk surface mount lighting control switch is on floor below. See recommendation report. Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows All windows with laminate stools in good Doors / Hardware / Windows Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Flooring / Base VCT flooring with vinyl base. See recommendation report.	Walls / Ceiling		See recommendation report
Lights / Fixtures / Receptacles 1 light out. 1 urinal not flushing correctly: 202C 202C 202C 202C 202C 202C 203			·
Use			·
Use 2nd floor storage and attic access Flooring / Base VCT and carpet with vinyl base. See recommendation report. Walls / Ceiling Plaster walls and ceiling. See recommendation report. Doors / Hardware / Windows All in decent condition and working properly. See recommendation report. Lights / Fixtures / Receptacles Missing light cover lenses. See recommendation report. See recommendation report. Other Thermostat not working in this space. No air running. See recommendation report. Plooring / Base VCT and vinyl base, VCT cupping in some areas. See recommendation report. Walls / Ceiling Block walls, leaks or condensation in ceiling. See recommendation report. Doors / Hardware / Windows All in decent condition and working properly. See recommendation report. Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles Iighting. Lighting control switch is on floor below. See recommendation report. Bridge Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows Condition. See recommendation report. Aluminum windows with laminate stools in good See recommendation report. Recessed Can lighting in good condition. See recommendation report. See recommendation report. Recessed Can lighting in good condition. See recommendation report. See recommendat		2 118.11 0 att. 2 att. 1 att.	- Control of the Cont
Flooring / Base		2nd floor storage and attic access	
Walls / Ceiling Plaster walls and ceiling. See recommendation report. Doors / Hardware / Windows All in decent condition and working properly. See recommendation report. Other Thermostat not working in this space. No air running. See recommendation report. 2nd floor Corridor above gymnasium Use 2nd floor Corridor Flooring / Base VCT and vinyl base, VCT cupping in some areas. See recommendation report. Walls / Ceiling Block walls, leaks or condensation in ceiling. See recommendation report. Wall surface mount lighting - does not provide adequate lighting. Lighting control switch is on floor below. Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Walls / Ceiling See recommendation report.			See recommendation report
Doors / Hardware / Windows Lights / Fixtures / Receptacles Missing light cover lenses. See recommendation report. Other Thermostat not working in this space. No air running. See recommendation report. 2nd floor Corridor above gymnasium Use 2nd floor Corridor Flooring / Base VCT and vinyl base, VCT cupping in some areas. See recommendation report. Walls / Ceiling Block walls, leaks or condensation in ceiling. See recommendation report. Doors / Hardware / Windows All in decent condition and working properly. See recommendation report. Wall surface mount lighting - does not provide adequate lighting. Lighting control switch is on floor below. See recommendation report. Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Walls / Ceiling Sheetrock walls in good condition. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.		·	·
Lights / Fixtures / Receptacles Missing light cover lenses. See recommendation report. Thermostat not working in this space. No air running. See recommendation report. In the property of	<u> </u>	<u> </u>	·
Other Thermostat not working in this space. No air running. See recommendation report. 2nd floor Corridor above gymnasium Use 2nd floor Corridor Flooring / Base VCT and vinyl base, VCT cupping in some areas. See recommendation report. Walls / Ceiling Block walls, leaks or condensation in ceiling. See recommendation report. Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles lighting. Lighting control switch is on floor below. See recommendation report. Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Walls / Ceiling Sheetrock walls in good condition. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.	·		·
Use 2nd floor Corridor Flooring / Base VCT and vinyl base, VCT cupping in some areas. See recommendation report. Walls / Ceiling Block walls, leaks or condensation in ceiling. See recommendation report. Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles lighting. Lighting control switch is on floor below. See recommendation report. Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Walls in good condition. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.	Lights / Fixtures / Receptacies	iviissing light cover lenses.	see recommendation report.
Use 2nd floor Corridor Flooring / Base VCT and vinyl base, VCT cupping in some areas. See recommendation report. Walls / Ceiling Block walls, leaks or condensation in ceiling. See recommendation report. Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles lighting. Lighting control switch is on floor below. See recommendation report. Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Walls in good condition. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.	Other	Thermostat not working in this space. No air rupping	Coo recommendation report
Use Plooring / Base VCT and vinyl base, VCT cupping in some areas. See recommendation report. Walls / Ceiling Block walls, leaks or condensation in ceiling. See recommendation report. Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles lighting. Lighting control switch is on floor below. See recommendation report. Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Walls / Ceiling Sheetrock walls in good condition. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.		Thermostat not working in this space. No an running.	See recommendation report.
Flooring / Base VCT and vinyl base, VCT cupping in some areas. See recommendation report. Walls / Ceiling Block walls, leaks or condensation in ceiling. See recommendation report. All in decent condition and working properly. See recommendation report. Wall surface mount lighting - does not provide adequate lighting. Lighting control switch is on floor below. See recommendation report. Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Walls / Ceiling Sheetrock walls in good condition. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.			
Walls / Ceiling Doors / Hardware / Windows All in decent condition and working properly. Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles lighting. Lighting control switch is on floor below. Bridge Walkway to new fellowship center Flooring / Base VCT with vinyl base. Walls / Ceiling Sheetrock walls in good condition. Aluminum windows with laminate stools in good Doors / Hardware / Windows Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.	Use		
Doors / Hardware / Windows All in decent condition and working properly. See recommendation report. Wall surface mount lighting - does not provide adequate lighting. Lighting control switch is on floor below. See recommendation report. Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Walls / Ceiling Sheetrock walls in good condition. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.		, , , , , , , , , , , , , , , , , , , ,	•
Wall surface mount lighting - does not provide adequate Lights / Fixtures / Receptacles lighting. Lighting control switch is on floor below. See recommendation report. Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Walls / Ceiling Sheetrock walls in good condition. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.	<u> </u>		•
Lights / Fixtures / Receptacles lighting. Lighting control switch is on floor below. Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Walls / Ceiling Sheetrock walls in good condition. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.	Doors / Hardware / Windows	All in decent condition and working properly.	See recommendation report.
Lights / Fixtures / Receptacles lighting. Lighting control switch is on floor below. Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Walls / Ceiling Sheetrock walls in good condition. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.		will be a series of the series of	
Bridge Use Walkway to new fellowship center Flooring / Base VCT with vinyl base. See recommendation report. Walls / Ceiling Sheetrock walls in good condition. See recommendation report. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.			
Walkway to new fellowship center Flooring / Base	Lignts / Fixtures / Receptacles	lighting. Lighting control switch is on floor below.	See recommendation report.
Flooring / Base VCT with vinyl base. See recommendation report. Walls / Ceiling Sheetrock walls in good condition. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.	Bridge		
Flooring / Base VCT with vinyl base. See recommendation report. Walls / Ceiling Sheetrock walls in good condition. Aluminum windows with laminate stools in good Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.	Use	Walkway to new fellowship center	
Walls / Ceiling Sheetrock walls in good condition. Aluminum windows with laminate stools in good Doors / Hardware / Windows Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. See recommendation report. West Building Fellowship Hall Foyer Use Flooring / Base VCT flooring with vinyl base. See recommendation report.	Flooring / Base	VCT with vinyl base.	See recommendation report.
Aluminum windows with laminate stools in good Doors / Hardware / Windows Lights / Fixtures / Receptacles Recessed Can lighting in good condition. West Building Fellowship Hall Foyer Use Flooring / Base VCT flooring with vinyl base. Aluminum windows with laminate stools in good See recommendation report. See recommendation report. See recommendation report.	Walls / Ceiling	•	•
Doors / Hardware / Windows condition. See recommendation report. Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.			·
Lights / Fixtures / Receptacles Recessed Can lighting in good condition. See recommendation report. West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.	Doors / Hardware / Windows	_	See recommendation report.
West Building Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.	Lights / Fixtures / Receptacles		· · · · · · · · · · · · · · · · · · ·
Fellowship Hall Foyer Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.			
Use Foyer Flooring / Base VCT flooring with vinyl base. See recommendation report.			
Flooring / Base VCT flooring with vinyl base. See recommendation report.		Farrer	
		•	Con unanamentalism market
wails / Ceiling Sheetrock walls in good condition. See recommendation report.			·
	waiis / Ceiling	Sneetrock wails in good condition.	See recommendation report.

Doors / Hardware / Windows	Wood doors in good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Canned lighting all works correctly.	See recommendation report.
Hall	canned lighting all works correctly.	See recommendation report.
Use	Hall	
		Con recommendation report
Flooring / Base	Carpet with Wood Base, in good condition. Columns are chipping, Sheetrock walls in good	See recommendation report.
Walls / Cailing		Coo management debies was not
Walls / Ceiling	condition.	See recommendation report.
Doors / Hardware / Windows	All in good condition.	See recommendation report.
	Described Condination in seed condition light quitals by	
Liebto / Firstrugo / Bosonto dos	Recessed Can lighting in good condition. Light switch by	
Lights / Fixtures / Receptacles	housekeeping closet not working correctly.	See recommendation report.
Men's Bathroom (foyer)		
Use	Men's bathroom	
Flooring / Base	Ceramic tile floor and base. Dated but in good condition.	•
Walls / Ceiling	Ceramic tile & sheetrock. In good condition.	See recommendation report.
Doors / Hardware / Windows	One broken stall door.	See recommendation report.
Lights / Fixtures / Receptacles	Strip fluorescent lighting.	See recommendation report.
Other	Brown water coming from sinks. See photo.	See recommendation report.
Women's Bathroom (foyer)		
Use	Women's bathroom	
Flooring / Base	Ceramic tile and base in dated condition.	See recommendation report.
Walls / Ceiling	Ceramic tile & sheetrock in dated by good condition.	See recommendation report.
Doors / Hardware / Windows	In good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Strip Fluorescent Lighting in good condition.	See recommendation report.
Other	Brown water coming from sinks. See photo.	See recommendation report.
203D (linen storage)	5 t t t t t t t t t t t t t t t t t t t	The state of the s
Use	Linen Storage	
Flooring / Base	VCT flooring with rubber base.	See recommendation report.
Walls / Ceiling	Sheetrock walls in decent condition.	•
Doors / Hardware / Windows		See recommendation report.
Lights / Fixtures / Receptacles	Wood doors and hardware in good condition.	See recommendation report.
	Fluorescent strip lighting.	See recommendation report.
205D (storage)	<u> </u>	
Use	Storage	
Flagring / Bass	VCT flooring and visual base VCT is stained asset door	Can announce detine annount
Flooring / Base	VCT flooring and vinyl base. VCT is stained near door.	See recommendation report.
	Sheetrock walls and lay-in tile ceiling. There is a water	
Walls / Ceiling	stain on the ceiling.	See recommendation report.
Doors / Hardware / Windows	Doors and hardware in good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Strip florescent lighting in good condition.	See recommendation report.
206D		
Use	Educational Classroom	
Flooring / Base	Carpet with vinyl base in dated condition.	See recommendation report.
	Sheetrock walls In good condition, ceiling tiles are	
Walls / Ceiling	chipped.	See recommendation report.
Doors / Hardware / Windows	In good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Fluorescent strip lighting.	See recommendation report.
207D		
Use	Educational Classroom	
Flooring / Base	Stained Carpet with vinyl base.	See recommendation report.
Walls / Ceiling	Sheetrock walls, lay-in ceiling in good condition.	See recommendation report.
Doors / Hardware / Windows	All in good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Fluorescent strip lighting in good condition.	See recommendation report.
208D		
Use	Educational Classroom	
Flooring / Base	Carpet with vinyl base in dated condition.	See recommendation report.
Walls / Ceiling	Sheetrock walls in decent condition.	See recommendation report.
-, '0	Doors and windows in good condition. Window stool is	
Doors / Hardware / Windows	delaminating.	See recommendation report.
Lights / Fixtures / Receptacles	Fluorescent strip lighting in working condition.	See recommendation report.
209D		

Use	Educational Classroom	
Flooring / Base	Carpet with vinyl base.	See recommendation report.
Walls / Ceiling	Leaks or condensation above drop ceiling.	See recommendation report.
Doors / Hardware / Windows	All in working condition.	See recommendation report.
Doors / Hardware / Willdows	All III WORKING CONDICION.	see recommendation report.
Lights / Fixtures / Receptacles	Strip Fluorescent Lighting , one missing outlet cover.	See recommendation report.
Housekeeping Closet		
Use	Housekeeping	
Flooring / Base	VCT with rubber base in dated condition.	See recommendation report.
Walls / Ceiling	In good condition , sheetrock and lay-in celing.	See recommendation report.
Doors / Hardware / Windows	In working condition.	See recommendation report.
Lights / Fixtures / Receptacles	Strip Fluorescent Lighting in working condition.	See recommendation report.
210D		
Use	Educational Classroom	
Flooring / Base	Stained Carpet with vinyl base.	See recommendation report.
Walls / Ceiling	Walls have minor wear and tear.	See recommendation report.
Doors / Hardware / Windows	All in good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Fluorescent strip lighting in working condition.	See recommendation report.
211D		
Use	Educational Classroom	
Flooring / Base	Stained carpet with vinyl base.	See recommendation report.
Walls / Ceiling	Sheetrock walls in need of painting.	See recommendation report.
Doors / Hardware / Windows	Wood doors in good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Fluorescent strip lighting in working condition.	See recommendation report.
213 & 215D		
Use	Game room	
Flooring / Base	Stained carpet, vinyl base missing in some areas. Sheetrock walls in OK condition. Ceiling tiles are	See recommendation report.
Walls / Ceiling	chipped.	See recommendation report.
Doors / Hardware / Windows	Wood doors in good condition	See recommendation report.
Lights / Fixtures / Receptacles	Strip fluorescent lighting Few bulbs out	See recommendation report.
Barn		
Use	Barn	
Flooring / Base	VCT with vinyl base dated condition.	See recommendation report.
Walls / Ceiling	Sheetrock walls in good condition.	See recommendation report.
Doors / Hardware / Windows	Wood doors in good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Fluorescent strip lighting. One light currently strobes.	See recommendation report.
New Kitchen		
Use	Kitchen	
Flooring / Base	VCT with vinyl base.	See recommendation report.
	The sheetrock walls need painting. Leaks or	
Walls / Ceiling	condensation in ceiling.	See recommendation report.
Doors / Hardware / Windows	Wood doors and hardware in good condition.	See recommendation report.
Lights / Fixtures / Receptacles	Fluorescent strip lighting in good condition	See recommendation report.
Equipment		
	Vulcan Double Convection Oven	Recommend a commercial cleaning
	Larkin Hood Model # SC-144048	Recommend a commercial cleaning
	Double Fryer - Needs cleaning and grease changed	Recommend a commercial cleaning
	Vulcan Range with 6 burners and a griddle	Recommend a commerical cleaning
	Kolpack walk in cooler and freezer Model # KR16A-060-	
	BB-D ST ST ST ST ST	Recommend Servicing
	Hobart Commerical Dishwasher - Dirt and Soap Suds	
	have collected below the unit on the floor.	Recommend removing the unit and clean
Exterior Mechanical room		
Use	Boiler room	
Equipment	See Mechanical Engineering report.	
Exterior		

Windows	All windows, other than on the east side of the building, are outdated and the wood windows especially in the Sanctuary Building are beginning to decay. Since fresh air is not introduced into the building it creats a scenario where moist air is being pulled into the building through these old windows. The HVAC report discusses this in detail. This explains why their is a great deal of plaster issues around the windows in the areas where the windows have not been replaced.	Window replacement needs to be a staged process. Can be very expensive especially in the Sanctuary Building, but a plan needs to be developed to solve this problem.
Playground	In good condition. There is some rotten wood at the trellace that should be replaced within the next few years.	Replace wood at trellace in the next few years.
Courtyard with Fountain	The fountain doesn't work correctly and needs to be drained and cleaned. The brick needs pressure washing, the landscape is in fair condition, and the brick columns and courtyard wall need to be sealed. The wrought iron is in need of sandblast and repainting	Drain and clean fountain. Mortar joints need to be remordered and sealed on brick columns and wall in the next two years.
Wrought Iron Furniture and Railing	painting in most areas. The iron railing on the southeast corner is only secured with one or two bolts. The top of the brick wall needs to be sealed.	All railing needs to be sandblasted and repainted in the next two years.
Brick Fence (Courtyard)	The fence is in a very dated condition and some areas are starting to fall. Access to this area is limited so its	Top of brick to be sealed.
Brick Fence off Fletcher Jones Building	5	Old brick wall needs to be reviewed and repaired to prevent further deterioration.
Awnings	may cause further damage.	Softwash exterior awnings and then review condition. Would recommend replacement if this
Brick/Mortar	Multiple areas where water intrusion occuring around the stone coping ledge off of the flat roof over the Building. The brick and mortar overall is in good shape throughout the exterior of all buildings. The brick needs to be sealed on the courtyard fence. The castone around the windows at the Building need to be cleaned and repaired if needed. A general building wash is suggested.	is a high visable priority. Stone coping needs to be reviewed and sealed. Building wash recommended especially in the rear of the Building.
Exterior Doors (North)	Main entrance doors are in need of stripping and restaining. Whoever did this recently did not use polyeruthane over the stain.	Restain and seal doors properly.
Gutters/Downspouts	The gutters are in need of cleaning. A few areas appear to be clogged, which staining the brick. The drainage along the foundation of the Sanctuary is poor. There are cracks along the transition of the building and the grade so the water at the base of the building does not drain well. See photographs. The asphalt lot has potholes and needs resurfacing. The	Clean gutters and repair areas in need of repair.
Parking lot	concrete lot is in good condition.	Resurface asphalt parking lot.
Exterior lights	Multiple wall pack lights have cracked lenses. A few lights under breezeway are out and not operational.	Review and replace exterior lighting as needed.
Roof	The flat roof is in decent condition. The roof is approximately 5-10 years old. There are locations of blistering and low spots, and water is accessing the parapet walls through the screws and seams of the metal coping (See Pictures). Areas of this roof have approximately 5-10 years left before replacement.	Review roof semi-annually. Need for replacement is nearing in the next 5-10 years.



Maintenance Schedule

Maintenance Schedule							
Maintenance Trade	Scope of Work	Cost	Date Scheduled	Date Completed	Work / Inspection Scheduling	Vendor / Contact	Miscellaneous Notes
Landscaping							
Lawn Cut	Lawn Cut / Edge / Remove Leaves / Blowing / Weed Control / Trash Removal / Shrub & Tree Pruning	\$1,110			Per Maintenance Agreement	S & S Landscaping	Weekly in growing season & bi-weekly in non-growing season
Plantings / Mulching	Seasonal Planting/Mulching	Included Above			Per Maintenance Agreement / Request	s S & S Landscaping	Flowers & Mulch 3x per year
Irrigation	Maintenance only	Included Above			Coordination with Landscape Contractor	S & S Landscaping	
Drainage	Water is Draining Properly				Semi Annual	TKG Review	-
Trimming	Trim Shrubs				As needed	S & S Landscaping	
Plumbing							
Drains	Drain Cleaning				Per Request	W.R.Kidder & Son Plumbing LLC / Roto Rooter Sewer Services	-
Plumbing Maintence	New/Repair plumbing fixtures, Leaks, ext.				Per Request	W.R.Kidder & Son Plumbing LLC	-
Kitchen Equipment/Maintenance							
Kitchen Hood	Service & Clean Hood / Service Exhaust Fan Motor		March	Mar-22	Annual	Benson Cleaning Service	-
Equipment	Contractor Service				Bi-annual	Refrigeration & Equipment Service, LLC	-
Ice Machine	Contractor Service / Professionally Clean				Bi-annual	Refrigeration & Equipment Service, LLC	-
Grease Trap	Clean out Grease (Bi-Annual)		September/March	Mar-22	Bi-annual	Roto Rooter	-
Electrical							
Light Bulbs	Review Light Bulbs				FUMC unless requested otherwise	Guerry Electrical LLC.	-
Fixtures	Test Operation of all Fixtures				Upon Request	Guerry Electrical LLC.	-
Lighting	Ensure all exterior lighting is operational				Monthly	TKG	-
Fixture Review	Ensure Bulbs and Ballasts are all Operational				Monthly	TKG	
Outlets / GFI's	Ensure Operational				Monthly	TKG	
Panels / Circuit Breakers	Ensure all look Safe and Operational				Monthly	TKG	
Pest Control							
Pest Control	Spray / Inspect for Insects or rodents		Monthly		Vendor Maintenance Proposal / Spray Rooms Monthly	Price Pest Control	-
Interior Finishes							
Flooring	Inspect for loose or missing grout or caulking. Regrout or recalk if necessary.				Monthly	TKG	-
Sheetrock / Paint	Examine for evidence of sheetrock / painting issues				Monthly	TKG	-
Water Damage	Examine all ceilings and walls for wet spots / Stained Damaged Ceiling Tiles				Monthly	Service Master	-
ELC & Worship Building (Caffey, Tennille and Sanctuary)	Scrub & wax all common area floors				Annual	Service Master	-
Common Areas	Deep Clean all Hardwood & Miscellaneous Flooring				As needed	FUMC	-
Common Area Rugs	Clean all Rugs & Carpet				As needed	NA	-
Entire Facility	Ensure all Door Hardware is operational				Bi-annual	TKG	-
Entire Facility	Examine all ceilings and walls for leaks				Bi-annual	TKG	-
Common Areas	Review Paint & Sheetrock, and Plaster in Common Areas				Bi-annual	TKG	-



Property Insurance Inspection Report



FRATERNITY/SORORITY RISK MANAGEMENT SURVEY

Survey Information				
Fraternity/Sorority National	Account:			
School Name:		Risk Control Representative	:	
Chapter Name:		Date Completed:		
			9/13/2023	
Location Street:		Location City, State, Zip (Co	unty):	
	Contact	Information		
FOR INSURANCE & LIFE SAFETY / LOSS CO		NTROL AT THIS CHAPTER/HOUS	SE CORPORATION	
	On site	House Corporation	Active Chapter	
Contact Name(s):		'	·	
Contact Title(s):				
Contact Number(s):				
Contact Email(s):		1		
OVERALL EVALUATION:			Good	

Inspection Comments:		

Location Narrative

The fraternity was founded in there are more than chapters. This chapter is associated with University. The chapter is active during the school year. Activities are limited to social events or special gatherings with fraternity members.

There are 24 paying rooms with 48 beds. There is one room for the house dad and one for the house president, making a total of 26 rooms and 50 beds. There is a great room and common bathroom. There is a meeting room downstairs.

The building was constructed in 2018 and is 4 stories. The construction is frame. The building itself is in adequate condition. The exterior housekeeping is good. No losses have been noted. Exterior wall support is stud with brick veneer and stone veneer cladding. Roof is pitched with wood trusses and wood decking with asphalt shingle covering on a basement foundation.

Building is protected 100% by a wet sprinkler with current service date tags for the fire riser. There is a central monitored fire alarm current on service. There are adequate amount and type of mounted ABC class fire extinguishers with current service date tags. All exit are clearly marked and free from obstruction and lead to safe discharge. There is emergency lighting functioning. There are hard wired smoke detectors. Manual fire pulls present. Noted security cameras interior and exterior of the building.

7887 Safeguard Circle Valley View, OH 44125

Visit our website at www.natsr.com

There is a kitchen with no commercial cooking exposure. Electric is copper Plumbing is copper feed lines with iron and PVC waste lines, no leaks noted Utilities appear to be in satisfactory condition.	
All common walking pathway surfaces were noted free of slip trip fall haza exterior are good.	rds. Housekeeping interior and

Commercial Estimator Value

Occupancy

Total # of members: 303

New members: 61

Rooms: 26 # Beds: 50

Current occupancy: 100 %

Building Data

Construction Type: ISO 1 - Frame

Number of stories: 4
Story Height: 10'
Total Floor Area: 18960

Parking area (under bldg) 0

Year Built: 2016

Exterior siding: Brick Veneer, Other 70% Brick veneer, 30% Stone veneer

Fire walls present? False

HVAC Data

Heating system type: Forced Warm Air

Fuel: Natural Gas

Air conditioning: Forced Cool Air

Elevator

Any elevators? True

and Type 1 elevator steel

Roof Data

Roof construction: Pitched

Roof cover: Asphalt/composite shingles

Roof upgrade year: Original

Sprinkler System

Sprinkler Type: Wet % Sprinklered: 100

Basement Data

Basement type: Finished
Basement depth: 10
Finished SF: 4740
Unfinished SF: 0
Crawl Space SF: 0

Parking SF: 0

Cooking Equipment	
Equipment type:	
# deep fat fryers:	
# of ovens:	
# of flat top griddles:	
# of ranges:	
# of broilers:	
Cooking line length (Ft)	2
Cooking intellength (1 t)	~



Inspection Type: Long Form - MJ Insurance

OPERATIONS / OCCUPANCY	
General	
Who owns the building?	University
Who owns the land?	University
Is the location zoned for current occupancy?	Yes, per contact
What is the current zoning?	Residential
Are housing agreements utilized?	Yes
Describe Agreement:	Formal agreements in place with the university
Any products sold/services rendered/endorsements provided?	No
Annual rental income:	Not disclosed
House Corporation:	
Active Chapter:	
Annual Dues: \$	
Type of Entity:	
House Corporation:	Corporation
Active Chapter:	Corporation
# of Years Chapter Active?	
Legal name of Chapter?	
Legal name of House/Alumni corporation?	
Who is held responsible for maintenance and upkeep of the building?	Chapter President
Who is held responsible for housekeeping, both interior and exterior?	House members
Resident manager on site?	Yes
Any nonmember supervision? (Describe)	There is a house dad on site.
Total number of members:	
New members:	
Are fire arms prohibited in facility?	Yes
Past claims history?	No

PERATIONS / OCCUPANCY	
Occupancy	
Is the facility occupied year round (12 months) or school year (approx. 9 months)?	Yes
# Rooms:	26
# Beds:	50
Max occupancy:	Unknown
Current occupancy:	100 %
Average occupancy while open:	100 %
Summer occupancy:	20 %
Rent to non-members?	No
Are rooms single-sex?	Yes
Operations	
Facility(s) ever rented/leased to outside agencies/groups?	No
Any services contracted for?	No
Any overnight non-member sleep-in guests permitted?	Yes
Comment on overnight guest rules:	Guest overnight are not allowed to stay for more than 3 nights
Are there dances, parties, or socials held at this Chapter?	Yes
Describe number and type of events:	There are parties and social events a few times a year.
Alcohol beverages served?	
Comment on alcohol served:	
Alcoholic beverages sold?	
Comment on alcohol sales:	
Who supervises the parties/socials?	Campus Security and House President and House dad
Any extra-curricular athletic events engaged in/sponsored by members/Chapters?	No
Any off premises sponsored events or trips (camping, boating, theatrical, etc.)?	No
Any fund raising activity conducted on/off premises?	Yes
Describe fund raising activities:	Fundraisers are for the fraternity philanthropy causes
Any computer, amusement machines, video games, etc?	No
Any swimming pool, sauna, steam rooms, exercise equipment/room?	No
Vacant Property Section	
Is there vacant property?	No
DNSTRUCTION INFORMATION:	
Construction	
Construction Type:	ISO 1 - Frame

NSTRUCTION INFORMATION:	
Construction	
Number of stories:	4
1st floor story height:	10
Average height per story:	10'
1st floor sqft:	4740
2nd floor sqft:	4740
3rd floor sqft:	4740
4th floor sqft:	4740
Total Floor Area (sq. ft.) (Total of all floors excluding basements, mezzanines or balconies)	18960
Year built:	2016
Renovations in progress?	No
Major concealed spaces?	No
Interior finish combustible?	No
Substructure	
Is there a basement?	Yes
What is the basement type?	Finished
Finished (sf)	4740
Unfinished (sf)	
Crawl space (sf)	
Describe basement use	Meeting area and lounging area
Describe basement construction:	ISO 4 - Masonry Non Combustible
Basement depth:	10 feet
Parking (sf) only if under house	
Roof	
Roof construction:	Pitched
Roof cover material:	Asphalt/composite shingles
Roof upgrade year:	Original
Comment on roof upgrades	None
Roof condition:	Satisfactory
Are roof drains cleaned regularly?	Yes
If there is a roof deck, are protections in place for the roof cover?	N/A
Walls/Floor/Stairs	
Load bearing wall construction:	Wood Frame
Exterior siding/covering	Brick Veneer, Other
If mixed, indicate % of each type of siding:	70% Brick veneer, 30% Stone veneer

Valls/Floor/Stairs	
Any evidence of structural or exterior finish damage where observed?	No
Fire walls or divisions present:	No
Parapet walls?	No
Floor construction:	Wood Joisted, Concrete
Does floor load appear to be typical to this occupancy type:	Yes
Interior wall construction:	Wood frame
Any evidence of damage (cracking / water stains or damage / peeling or bubbling paint) on observed walls or ceilings	No
Window frame type:	Wood
Window condition	Satisfactory
Stair type:	Open, Enclosed
Are there fire rated doors protecting these openings?	Yes
Are doors maintained closed or have fusible / magnetic release?	Yes
Туре:	Concrete, Steel with marble/concrete
GHBORING EXPOSURES / NEIGHBORHOOD	
ront	
Distance in ft:	43
Exposure / usage:	Access Road
Rear	
Distance in ft:	200
# of stories:	2
Construction:	Frame
Exposure / usage:	Habitational dwelling
Right	
Distance in ft:	15
# of stories:	1
Construction:	Frame
Exposure / usage:	University Education Building.
eft	
Distance in ft:	60
# of stories:	2

NEIGHBORING EXPOSURES / NEIGHBORHOOD **Neighboring Special Hazards** Observed or learned exposure to neighboring special No hazards such as flammables, gases, pollution, radioactivity or explosives? Neighborhood Area/Type/Trend Area: Residential Type: Suburban Trend: Stable Any vacant buildings observed in the immediate area? No Any major construction observed in the immediate area? No COMMON HAZARDS / BUILDING SERVICES & UTILITIES Electric/Wiring Conduit, Romex Type: Over-current protection: Circuit Breakers Wiring safely arranged? Yes Junction boxes / electrical panels covered? Yes Overuse of extension cords / outlet expanders / power No strips observed? Does the insured provide tenants with handouts and Yes, program in place reminders regarding the overuse of extension cords / outlet expanders / power strips? GFCI protection observed in the kitchen, bathrooms, Yes, noted where reviewed basement, laundry as required? **Plumbing** Any plumbing issues noted or reported? No Copper, PVC, PEX Material: Any piping subject to physical damage or freezing? No Are the individual hot water heater(s) located within N/A the units inspected regularly? Is there a procedure to regulate temperature under Yes, set by the insured / super 120 degrees F? Heating Forced Warm Air Heating system type: Fuel: Natural Gas Location: In wall Is heating equipment located in a separate fully N/A enclosed fire resistive room, with a self- closing door? Properly vented? Yes U/D Heating system inspected?

Yes

Forced Cool Air

Heating unit area free of accumulation?

Air conditioning present?

COMMON HAZARDS / BUILDING SERVICES & UTIL	ITIES
Building Services Summary	
Electrical	
Year updated:	Original
Sufficiency/condition:	Satisfactory
Type of update/comments:	No updates due to age of building being constructed in 2016
Plumbing	
Year updated:	Original
Sufficiency/condition:	Satisfactory
Type of update/comments:	No updates due to age of building being constructed in 2016
Heating	
Year updated:	As Needed
Sufficiency/condition:	Satisfactory
Type of update/comments:	No updates due to age of building being constructed in 2016 only as needed.
OTHER HAZARDS	
Is there a laundry facility on premises?	No
Is there an elevator on premises?	Yes
State number and type of elevators on premises.	1 elevator steel
Was equipment observed in satisfactory condition?	Yes
Is elevator vertical opening fire protected?	Yes
Is elevator currently inspected?	No See Recs Below
Any BBQ grilling or fire pits noted or reported	No
Are there any storage rooms or facilities present?	No
Are dumpsters and garage areas properly located away from building?	Yes
Is dumpster/garbage area properly secured?	Yes
Are there fireplaces?	No
Any flammables, gases, explosives, industrial / woodworking / welding equipment, construction materials or higher hazard exposure observed?	No
Is there a compactor?	No
KITCHEN / COOKING / MEAL SERVICE	
Is cooking done on premises:	Yes
Who does the cooking?	Employed Cook, Members
Is meal service provided?	Yes
Type of meals:	Full course meals
Number of meals:	3
Frequency served?	5 days a week
Annual revenue from meals served at the chapter house?	Not disclosed

KITCHEN / COOKING / MEAL SERVICE	
Cooking Equipment	
Cooking equipment:	Domestic Equipment
How many linear feet is the cooking line?	3
Comment on any fryer issues:	None present
Exhaust System	
Is exhaust system present?	None
EMERGENCY PLANNING	
Is there a written emergency plan established?	Yes
Is the plan posted in prominent areas?	Yes
Is the plan reviewed with employees & members?	Yes
Are evacuation plans/escape routes posted in all rooms?	Yes
Are emergency phone #'s posted throughout the facility?	Yes
Are employees & members instructed in proper use/operation of alarm system & fire extinguisher	Yes
Fire drills conducted regularly?	Yes
Supervised by:	House Manager & House President
Frequency:	Monthly
Timed & records kept?	Yes
Are self-closing fire doors present where necessary?	Yes
Fire doors checked regularly for proper operation?	Yes
Are door-stops and use of wedges prohibited?	Yes
PROTECTION & SECURITY (PUBLIC & PRIVATE)	
Fire	
Public Protection Class:	4
Distance to nearest hydrant:	15' ft
Distance to fire department:	.7 mile(s)
Public protection type:	Paid
Risk accessible for fire fighting purposes?	Yes, 4 sides
Fire alarm?	Yes
Type:	Central Station, Pull Down Alarms, Heat Sensors
Is the system tested annually?	Yes
Are there CO detectors noted where required?	N/A
Smoke detectors in sleeping areas?	Yes
Smoke detectors Type	Hardwired w/ Battery (back up)
Is there an inspection program for all smoke detectors or CO detectors located in units	Yes
Smoke detectors in common areas?	Yes
Smoke detector type:	Hardwired w/ Battery (back up)

PRO	TECTION & SECURITY (PUBLIC & PRIVATE)	
F	ire	
	ls there an inspection program for all smoke detectors or CO detectors located in common areas?	Yes
	Is there any evidence of tampering with smoke detectors?	No
,	Smoke detectors in basement / cellar?	No See Recs Below
ı	Fire extinguishers observed where required?	Yes
I	Describe where fire extinguishers were observed:	Adequate amount and type of mounted fire extinguishers
ı	Extinguishers currently tagged?	Yes
l	Last inspection or service date:	08/18/2023
ı	Fire extinguisher servicing company:	Marmic Fire and Safety Co, Inc
(Comment if necessary:	
В	urglary, Security & Supervision	
i	Burglar alarm:	N/A
١	Video surveillance?	Yes
-	Туре:	Recording 24/7, Building Exterior, Stairs, Halls, Basement
	Security/supervision adequate during school breaks?	Yes
	Security/supervision adequate during extreme weather?	Yes
ŀ	Premises secured from unauthorized access?	Yes
;	Security type:	Keys
i	Roof Security present/type:	N/A
<i>)</i>	Are the entry / exit doors self closing, latching properly and maintained locked?	Yes
AUT	OMATIC SPRINKLER SYSTEM:	
ls loc	cation sprinkler protected?	Yes
Syste	em type:	Wet
Syste	em age:	7 years
Perce	entage of building protected by sprinkler system?	100 %
Area	s protected?	All areas
	valve is chain locked open and/or electronically tored?	Yes
Туре	:	Electronically Monitored
Wate	er flow alarm rings to:	Local Station
System under service contract:		Yes
Com	pany name:	
Date	of last inspection:	08/08/2023
free o	nonthly self-inspections, that include verifying piping of corrosion and piping hangers are undamaged, oleted?	Yes

AUTOMATIC SPRINKLER SYSTEM:	
Was paint observed on sprinkler heads?	No
Gauges appeared in working order:	Yes
Valves & risers unobstructed:	Yes
Bracing present for EQSL:	N/A
Water supply feed:	City/Public
Fire dept. connection to system:	Yes
Connection accessible year round:	Yes
Connection covers in place:	Yes
Extra heads & wrench available nearby:	Yes
GENERAL LIABILITY	
General Information	
Are locks changed when tenants move out?	Yes
Is there a front lock change out policy?	Yes
Attractive nuisances present?	No
Any liability exposure due to animals such as guard dogs present?	No
Pet policy (rules and regulations) in place?	Yes
Comment on pet policy:	No pets unless service animal
Emotional support animals allowed?	No
Any areas of concealment noted?	No
EMERGENCY EXITS/ESCAPE & LIGHTING	
Do all exits & escape routes have lighted exit signs?	Yes
"Emergency escape ladders" provided on upper floors?	No
Fire escapes maintained & accessible?	Yes
All areas covered by automatic emergency lighting?	Yes
Emergency lighting provided for all exits/escape routes?	Yes
Do all rooms have two (2) means of egress?	Yes
Comment on means of egress:	Window and door
Are emergency lights/systems tested monthly?	Yes
Emergency lights/systems promptly maintained/repaired?	Yes
EXTERIOR	
Acceptable exterior lighting?	Yes
Walkways, sidewalks, parking areas in acceptable condition and slip, trip, fall hazards controlled?	Yes
Are rain mats utilized in entrance hallways?	Yes
Stairs & handrails in acceptable condition?	Yes
Window glass observed in good condition?	Yes


EXTERIOR	
Who is responsible for sidewalk or parking ice and snow removal?	Tenants
Owned parking area present?	No
Are all parking areas maintained?	N/A
Window air conditioners braced?	N/A
Roof drainage noted adequate to discharge from walking areas?	No See Recs Below
Comment on roof drainage discharge:	Noted rain discharge onto common sidewalk.
Balcony Railings Acceptable?	N/A
Are any roof areas being used as a roof deck (furniture / plants / grills /etc)?	N/A
All exterior building fixtures (signs, etc.) securely attached?	Yes
INTERIOR	
All exits and means egress were easily assessable and unobstructed	Yes
Interior areas (hallways, lobbies, etc) in acceptable condition and slip, trip, fall hazards controlled?	Yes
Stairs & handrails in acceptable condition?	Yes
Smoking prohibited in facility?	Yes
Are candles prohibited in the facility	Yes
Flammable liquids prohibited in building?	Yes
Acceptable interior lighting?	Yes
Exit signs satisfactory?	Yes
Types:	Illuminated
Window guards in areas observed?	Yes
Window guards in satisfactory condition?	Yes
HOUSEKEEPING	
Housekeeping satisfactory?	Yes
Is there a weekly cleaning & maintenance schedule for the interior?	Yes
Is there a weekly cleaning & maintenance schedule for the exterior?	Yes
Exterior housekeeping/maintenance good?	Yes
Building well maintained and in good condition?	Yes
Are grounds properly maintained & debris removed?	Yes
Any evidence of vandalism on building?	No
Broken or Cracked windows/doors?	No
Any peeling paint noted?	No
Mold presence observed?	No
Any asbestos observed?	No

CERTIFICATES OF INSURANCE	
Certificates of insurance are obtained from tenants/contractors/vendors and insured is named as additionally insured?	Yes
Risk maintains & checks certs for expiration and updates them accordingly?	Yes
Information Source:	Reported by contact
AMENITIES	
Clubhouse or fitness room present?	No
Other recreation facilities present?	No



Inspection Type: Long Form - MJ Insurance

Sketch





Living Area	Nonliving Area	
4 Story - Basement	18960 ft ² Open Porch	512 ft ²
Total Living Area (rounded):	18960 ft ² Total Non-Living Area (rounded):	512 ft ²



Inspection Type:

Long Form - MJ Insurance

Recommendations

1. The elevator/s should be inspected and serviced by a licensed and insured elevator service company at least annually and in accordance with local department of building requirements. A service tag should be posted in the elevator cab or in the managements office. This will help ensure the safe and proper operation of the elevator/s. If such a contract is currently in place, forward a copy of the last service certificate to the underwriter.



2. Install a smoke detector in basement. Battery operated smoke detectors can be used if they are inspected and tested regularly to ensure proper operation. Records must be kept of testing.

3. A qualified contractor should be retained to install / repair or replace the gutters and downspouts so water is properly discharged away from the building. There should also be a maintenance plan for the cleaning of the gutters to avoid the debris build-up and water damage problems occurring.



Inspection Type:Long Form - MJ Insurance

"This survey of your operations is for underwriting purposes and to assist you in your Risk Control efforts. The conditions noted herein are expressly limited to those conditions observed on the date of the survey. No responsibility is assumed for the discovery and elimination of hazards which could possibly cause accidents or damage at any facility that is reviewed. This survey should not be perceived as identifying all property and safety programs, policies and procedures that should exist or be put into place at the facility inspected. The survey and compliance with any submitted recommendations in no way guarantees the fulfillment of your obligations that may be required by any local, state, or federal laws. This report is based upon interview and observation of areas reviewed as provided by the contact. Some written and/or oral information given to the inspector may not be accurate or verifiable and the inspection company hereby disclaims any liability arising herefrom."



Inspection Type: Long Form - MJ Insurance




Side



Side




Rear



Fire Extinguisher



Fire Extinguisher



Fire Alarm Tag



Sprinkler Tag



Elevator Certificate



Interior



Video Cameras



Lighted Exit



Kitchen



Elevator





Sprinkler System



Breaker Box




Breaker Box Label



Interior



Bathroom



Interior Stairs



Interior



Fire Alarm



Video Camera



Dumpster



Exterior Steps



Hydrant



FDC



Form 990 Tax Return

Return of Organization Exempt From Income Tax

OMB No. 1545-0047

Under section 501(c), 527, or 4947(a)(1) of the Internal Revenue Code (except private foundations) Do not enter social security numbers on this form as it may be made public.

909

Department of the Treasury Internal Revenue Service

Go to www.irs.gov/Form990 for instructions and the latest information.

Open to Public Inspection	

Form **990** (2022)

Α	For the	2022 calend	dar year, or tax year begin	ning July 01	, 20	022, and end	ا gnib	une 30		, 20 23				
В	Check if	applicable:	C Name of organization						D Empl	oyer identificatio	n number			
4	Address	change	Doing business as											
	Name ch		Number and street (or P.O.	box if mail is not c	lelivered to street add	ress)	Roon	n/suite	E Teleph	hone number				
=	Initial ret	*	,			•			·					
Ħ		rn/terminated	City or town, state or provin		IP or foreign postal co	ode								
ī	Amende		,	, , ,					G Gross	s receipts \$	1,743,31			
Ħ		on pending	F Name and address of princip	oal officer:				H(a) Is this a gro		or subordinates?	Yes 🔽 No			
_	пррпоци	on ponding	Trains and dealers or princip					1		tes included?	_			
$\overline{}$	Tax-exer	npt status:	501(c)(3) 501(c)	(7)	insert no.)	(1) or \square 527	 7	1		ist. See instruction				
<u> </u>	Website	•				(1) 91 🔲 921		H(c) Group ex						
			Corporation Trust As	ssociation Oth	ner	L Year of for	rmation			of legal domicile:				
	art I	Summa		SOCIATIONOT	iei	L Teal Of IOI	mation	-	W State	or legal domicile.				
	_		•		at algolficant activ	ditions								
a)	1	1 Briefly describe the organization's mission or most significant activities: PROVIDE HOUSING & SUPPORT FOR UNDERGRADUATE CHAPTER OF NATIONAL COLLEGIATE SOCIAL SORORITY.												
S														
rra									0/ 6:1					
Š				organization discontinued its operations or disposed of more than 25% of its net										
Ğ	1		f voting members of the o						3					
ο O			independent voting mer	•	• • •		,		4					
ij	1		oer of individuals employ			-			5		4			
Activities & Governance			oer of volunteers (estimat	•	•				6		25			
Ă	1		ated business revenue fr		• •				7a		5,153			
	b	Net unrelat	ted business taxable inco	ome from Forn	n 990-T, Part I, Iir	ne 11			7b		4,153			
								Prior Year		Current \	/ear			
Revenue	8	Contribution	ons and grants (Part VIII,		37,855		11,386							
	9	Program se	ervice revenue (Part VIII,	line 2g) .				1,8	352,009		1,724,705			
	10	Investment	t income (Part VIII, colum	ın (A), lines 3,	4, and 7d)				432		7,220			
ш	11	Other reve	nue (Part VIII, column (A)		0		0							
	12	Total reven	nue-add lines 8 through	11 (must equal	Part VIII, column	(A), line 12)		1,8	90,296		1,743,311			
	13	Grants and	d similar amounts paid (P	d similar amounts paid (Part IX, column (A), lines 1–3)										
	14	Benefits pa	aid to or for members (Pa		0		0							
S	15	· ·	ther compensation, emplo					1	00,794		100,009			
Expenses	16a		al fundraising fees (Part	-					144		0			
<u>pe</u>			raising expenses (Part IX		no 25)	0								
ŭ	1		enses (Part IX, column (A					1,3	34,378		1,337,199			
	1	-	nses. Add lines 13–17 (m	•	·			1.4	35,713		1,437,208			
	1	•	ess expenses. Subtract li	•		•			54.583		306,103			
-se			700 ON PONIOCON CONSTRUCT II		<u> </u>			inning of Curre	. ,					
Net Assets or Fund Balances	20	Total asset	ts (Part X, line 16)						84,824		8,445,074			
Ass	21		ities (Part X, line 26)					•	7,853		6,162,000			
E et	22		or fund balances. Subtra	act line 21 from	 m line 20			1.9	76,971		2,283,074			
	art II		re Block	401 1110 21 1101	11 11110 20 1 1	<u> </u>		-,-	,	<u> </u>				
_			, I declare that I have examined	this return inclu	ling accompanying so	hadulae and s	tatama	inter and to the	heet of	my knowledge an	d haliaf it is			
			e. Declaration of preparer (other							my knowledge an	a bollot, it lo			
Sig	an	Signature of	officer					L Date						
He	-	Oignature or v	omoor					Date						
116	71 C	Type or print	name and title											
		<u> </u>		Dyon area!	cianoturo		Dota			L DTIN				
Pa	id	Print/Type	e preparer's name	Preparer's	signature		Date	/12/2022	Check self-emp	if PTIN				
	epare						11		·	Joyeu				
	e Onl	y Firm's nan						Firm's	EIN					
		Firm's add						Phone	no.					
Ma	y the IF	(S discuss f	this return with the prepa	arer shown abo	ove? See instruct	ions				🔟 Yes	: ∐No			

Cat. No. 11282Y

For Paperwork Reduction Act Notice, see the separate instructions.

Part I		Accomplishments response or note to any line in this Pa	art III	🗆
1 Pr	Briefly describe the organization's missicovide housing for undergraduate chapter of a national collegion			
2	Did the organization undertake any sign			
	prior Form 990 or 990-EZ?			☐Yes ☑No
3	Did the organization cease conducting services?			☐Yes ☑No
4	Describe the organization's program se expenses. Section 501(c)(3) and 501(c)(the total expenses, and revenue, if any,	rvice accomplishments for each of its (4) organizations are required to report		
4a	(Code:) (Expenses \$	oincluding grants of \$	0) (Revenue \$	0)
OI	niversity of Mississippi.			
4b	(Code:) (Expenses \$	oincluding grants of \$	 0) (Revenue \$	0)
4c	(Code:) (Expenses \$	o including grants of \$	0) (Revenue \$	0)
4d	Other program services (Describe on Sc	·	h ~	
4e	(Expenses \$ 0 including g	grants of \$ 0 (Revenue \$	9)	
	program our viou expenses	•		

Part l	V Checklist of Required Schedules		-	
			Yes	No
1	Is the organization described in section 501(c)(3) or 4947(a)(1) (other than a private foundation)? If "Yes,"			V
0	complete Schedule A	2	屵	
2 3	Did the organization engage in direct or indirect political campaign activities on behalf of or in opposition to			<u> </u>
Ū	candidates for public office? If "Yes," complete Schedule C, Part I	3		V
4	Section 501(c)(3) organizations. Did the organization engage in lobbying activities, or have a section 501(h)			
	election in effect during the tax year? If "Yes," complete Schedule C, Part II	4	Ш	Ш
5	Is the organization a section 501(c)(4), 501(c)(5), or 501(c)(6) organization that receives membership dues,			
_	assessments, or similar amounts as defined in Rev. Proc. 98-19? If "Yes," complete Schedule C, Part III	5	ш	ш
6	Did the organization maintain any donor advised funds or any similar funds or accounts for which donors have the right to provide advice on the distribution or investment of amounts in such funds or accounts? If			
	"Yes," complete Schedule D, Part I	6		V
7	Did the organization receive or hold a conservation easement, including easements to preserve open space,			
-	the environment, historic land areas, or historic structures? <i>If "Yes," complete Schedule D, Part II</i>	7		4
8	Did the organization maintain collections of works of art, historical treasures, or other similar assets? If "Yes,"			
	complete Schedule D, Part III	8	Ш	V
9	Did the organization report an amount in Part X, line 21, for escrow or custodial account liability, serve as a			
	custodian for amounts not listed in Part X; or provide credit counseling, debt management, credit repair, or debt negotiation services? If "Yes," complete Schedule D, Part IV			V
10	Did the organization, directly or through a related organization, hold assets in donor-restricted endowments	9		
10	or in quasi endowments? If "Yes," complete Schedule D, Part V	10		1
11	If the organization's answer to any of the following questions is "Yes," then complete Schedule D, Parts VI,			
	VII, VIII, IX, or X, as applicable.			
а	Did the organization report an amount for land, buildings, and equipment in Part X, line 10? If "Yes,"			
	complete Schedule D, Part VI	11a		Ш
b	Did the organization report an amount for investments—other securities in Part X, line 12, that is 5% or more of its total assets reported in Part X, line 16? <i>If "Yes," complete Schedule D, Part VII</i>	11b		V
С	Did the organization report an amount for investments—program related in Part X, line 13, that is 5% or more	110		
	of its total assets reported in Part X, line 16? If "Yes," complete Schedule D, Part VIII	11c		V
d	Did the organization report an amount for other assets in Part X, line 15, that is 5% or more of its total assets]	
	reported in Part X, line 16? If "Yes," complete Schedule D, Part IX	11d	<u> </u>	
e f	Did the organization report an amount for other liabilities in Part X, line 25? <i>If "Yes," complete Schedule D, Part X</i> Did the organization's separate or consolidated financial statements for the tax year include a footnote that addresses	11e	Ш	<u> </u>
	the organization's separate of consolidated infalicial statements for the tax year include a footnote that addresses the organization's liability for uncertain tax positions under FIN 48 (ASC 740)? If "Yes," complete Schedule D, Part X	11f		
12a		····		
	Schedule D, Parts XI and XII	12a		V
b	Was the organization included in consolidated, independent audited financial statements for the tax year? If]	
	"Yes," and if the organization answered "No" to line 12a, then completing Schedule D, Parts XI and XII is optional	12b	屵	
13	Is the organization a school described in section 170(b)(1)(A)(ii)? If "Yes," complete Schedule E	13		
14a b	Did the organization maintain an office, employees, or agents outside of the United States? Did the organization have aggregate revenues or expenses of more than \$10,000 from grantmaking,	14a	ш	
-	fundraising, business, investment, and program service activities outside the United States, or aggregate			
	foreign investments valued at \$100,000 or more? If "Yes," complete Schedule F, Parts I and IV	14b		V
15	Did the organization report on Part IX, column (A), line 3, more than \$5,000 of grants or other assistance to or			_
40	for any foreign organization? If "Yes," complete Schedule F, Parts II and IV	15	Ш	<u></u>
16	Did the organization report on Part IX, column (A), line 3, more than \$5,000 of aggregate grants or other assistance to or for foreign individuals? If "Yes," complete Schedule F, Parts III and IV.	16		V
17	Did the organization report a total of more than \$15,000 of expenses for professional fundraising services on	10		
	Part IX, column (A), lines 6 and 11e? If "Yes," complete Schedule G, Part I. See instructions	17		V
18	Did the organization report more than \$15,000 total of fundraising event gross income and contributions on			_
	Part VIII, lines 1c and 8a? If "Yes," complete Schedule G, Part II	18	Ш	
19	Did the organization report more than \$15,000 of gross income from gaming activities on Part VIII, line 9a?			W
200	If "Yes," complete Schedule G, Part III	19 20a	片	
20a b	If "Yes" to line 20a, did the organization attach a copy of its audited financial statements to this return?	20a		
21	Did the organization report more than \$5,000 of grants or other assistance to any domestic organization or			
	domestic government on Part IX, column (A), line 12 If "Yes," complete Schedule I, Parts I and II	21		

Part	Checklist of Required Schedules (continued)			
22	Did the organization report more than \$5,000 of grants or other assistance to or for domestic individuals on		Yes	No
23	Part IX, column (A), line 2? If "Yes," complete Schedule I, Parts I and III	22	Ш	<u></u>
20	organization's current and former officers, directors, trustees, key employees, and highest compensated			V
24a	employees? If "Yes," complete Schedule J	23	ш	
	\$100,000 as of the last day of the year, that was issued after December 31, 2002? If "Yes," answer lines 24b through 24d and complete Schedule K. If "No," go to line 25a	24a		V
b	Did the organization invest any proceeds of tax-exempt bonds beyond a temporary period exception?	24b		
С	Did the organization maintain an escrow account other than a refunding escrow at any time during the year to defease any tax-exempt bonds?	24c		
d 25a	Did the organization act as an "on behalf of" issuer for bonds outstanding at any time during the year? Section 501(c)(3), 501(c)(4), and 501(c)(29) organizations. Did the organization engage in an excess benefit	24d		
20a	transaction with a disqualified person during the year? If "Yes," complete Schedule L, Part I	25a		
b	Is the organization aware that it engaged in an excess benefit transaction with a disqualified person in a prior year, and that the transaction has not been reported on any of the organization's prior Forms 990 or 990-EZ? If "Yes," complete Schedule L, Part I	25b		
26	Did the organization report any amount on Part X, line 5 or 22, for receivables from or payables to any current	230		
	or former officer, director, trustee, key employee, creator or founder, substantial contributor, or 35% controlled entity or family member of any of these persons? <i>If "Yes," complete Schedule L, Part II</i>	26		
27	Did the organization provide a grant or other assistance to any current or former officer, director, trustee, key employee, creator or founder, substantial contributor or employee thereof, a grant selection committee			
	member, or to a 35% controlled entity (including an employee thereof) or family member of any of these			_
28	persons? <i>If "Yes," complete Schedule L, Part III</i>	27	Ш	<u></u>
	Part IV, instructions for applicable filing thresholds, conditions, and exceptions):			
а	A current or former officer, director, trustee, key employee, creator or founder, or substantial contributor? <i>If</i> "Yes," <i>complete Schedule L, Part IV</i>	28a		
	A family member of any individual described in line 28a? If "Yes," complete Schedule L, Part IV	28b		4
С	A 35% controlled entity of one or more individuals and/or organizations described in line 28a or 28b? If "Yes," complete Schedule L, Part IV	28c	П	V
29	Did the organization receive more than \$25,000 in non-cash contributions? If "Yes," complete Schedule M	29		<u></u>
30	Did the organization receive contributions of art, historical treasures, or other similar assets, or qualified conservation contributions? <i>If "Yes," complete Schedule M</i>	30		V
31	Did the organization liquidate, terminate, or dissolve and cease operations? If "Yes," complete Schedule N, Part I	31		V
32	Did the organization sell, exchange, dispose of, or transfer more than 25% of its net assets? If "Yes," complete Schedule N, Part II	32		L/
33	Did the organization own 100% of an entity disregarded as separate from the organization under Regulations sections 301.7701-2 and 301.7701-3? <i>If "Yes," complete Schedule R, Part I</i>			V
34	Was the organization related to any tax-exempt or taxable entity? If "Yes," complete Schedule R, Part II, III,	33		<u></u>
35a	or IV, and Part V, line 1	34 35a		V
b	If "Yes" to line 35a, did the organization receive any payment from or engage in any transaction with a			
36	controlled entity within the meaning of section 512(b)(13)? If "Yes," complete Schedule R, Part V, line 2 Section 501(c)(3) organizations. Did the organization make any transfers to an exempt non-charitable	35b		
	related organization? If "Yes," complete Schedule R, Part V, line 2	36	Ш	<u> </u>
37	Did the organization conduct more than 5% of its activities through an entity that is not a related organization and that is treated as a partnership for federal income tax purposes? <i>If "Yes," complete Schedule R, Part VI</i>	37		<u></u>
38	Did the organization complete Schedule O and provide explanations on Schedule O for Part VI, lines 11b and 19? Note: All Form 990 filers are required to complete Schedule O	38	V	
Part	Statements Regarding Other IRS Filings and Tax Compliance Check if Schedule O contains a response or note to any line in this Part V			
	Check if Conedule C contains a response of note to any line in this Fart v	• •	Yes	No
_	Enter the number reported in box 3 of Form 1096. Enter -0- if not applicable	-		
b c	Enter the number of Forms W-2G included on line 1a. Enter -0- if not applicable			
J	reportable gaming (gambling) winnings to prize winners?	10		

Part	V Statements Regarding Other IRS Filings and Tax Compliance (continued)		Yes	No
2a	Enter the number of employees reported on Form W-3, Transmittal of Wage and Tax Statements, filed for the calendar year ending with or within the year covered by this return 4			
b	If at least one is reported on line 2a, did the organization file all required federal employment tax returns? .	2b	V	
3a	Did the organization have unrelated business gross income of \$1,000 or more during the year?	3a	4	\sqcup
b	If "Yes," has it filed a Form 990-T for this year? If "No" to line 3b, provide an explanation on Schedule O .	3b		Ш
4a	At any time during the calendar year, did the organization have an interest in, or a signature or other authority over,	_	\neg	V
	a financial account in a foreign country (such as a bank account, securities account, or other financial account)?	4a	ш	
b	If "Yes," enter the name of the foreign country			
-	See instructions for filing requirements for FinCEN Form 114, Report of Foreign Bank and Financial Accounts (FBAR).	F-		
5а ь	Was the organization a party to a prohibited tax shelter transaction at any time during the tax year?	5a 5b	H	
b c	Did any taxable party notify the organization that it was or is a party to a prohibited tax shelter transaction? If "Yes" to line 5a or 5b, did the organization file Form 8886-T?	5c	H	
6a	Does the organization have annual gross receipts that are normally greater than \$100,000, and did the	30		
ou	organization solicit any contributions that were not tax deductible as charitable contributions?	6a		V
b	If "Yes," did the organization include with every solicitation an express statement that such contributions or			
	gifts were not tax deductible?	6b		
7	Organizations that may receive deductible contributions under section 170(c).			
а	Did the organization receive a payment in excess of \$75 made partly as a contribution and partly for goods			
	and services provided to the payor?	7a	븯	
b	If "Yes," did the organization notify the donor of the value of the goods or services provided?	7b	Щ	Ш
С	Did the organization sell, exchange, or otherwise dispose of tangible personal property for which it was required to file Form 8282?	_		V
al.	·	7с		
d	If "Yes," indicate the number of Forms 8282 filed during the year	7e		V
e f	Did the organization receive any funds, directly of indirectly, to pay premiums of a personal benefit contract? Did the organization, during the year, pay premiums, directly or indirectly, on a personal benefit contract?	7 6	H	<u> </u>
g	If the organization received a contribution of qualified intellectual property, did the organization file Form 8899 as required?	7g	Ħ	
h	If the organization received a contribution of cars, boats, airplanes, or other vehicles, did the organization file a Form 1098-C?	7h	Ħ	
8	Sponsoring organizations maintaining donor advised funds. Did a donor advised fund maintained by the			
	sponsoring organization have excess business holdings at any time during the year?	8		٧
9	Sponsoring organizations maintaining donor advised funds.			
а	Did the sponsoring organization make any taxable distributions under section 4966?	9a	\Box	4
b	Did the sponsoring organization make a distribution to a donor, donor advisor, or related person?	9b	ш	<u>~</u>
10	Section 501(c)(7) organizations. Enter: Initiation fees and capital contributions included on Part VIII. line 12			
a	Initiation fees and capital contributions included on Part VIII, line 12			
b 11	Section 501(c)(12) organizations. Enter:			
ii a	Gross income from members or shareholders			
b	Gross income from other sources. (Do not net amounts due or paid to other sources			
	against amounts due or received from them.)			
12a	Section 4947(a)(1) non-exempt charitable trusts. Is the organization filing Form 990 in lieu of Form 1041?	12a		
b	If "Yes," enter the amount of tax-exempt interest received or accrued during the year 12b			
13	Section 501(c)(29) qualified nonprofit health insurance issuers.			
а	Is the organization licensed to issue qualified health plans in more than one state?	13a	ш	
	Note: See the instructions for additional information the organization must report on Schedule O.			
b	Enter the amount of reserves the organization is required to maintain by the states in which			
_	the organization is licensed to issue qualified health plans			
с 14а	Enter the amount of reserves on hand	14a		
14a b	If "Yes," has it filed a Form 720 to report these payments? If "No," provide an explanation on Schedule O.	14a 14b	H	
15	Is the organization subject to the section 4960 tax on payment(s) of more than \$1,000,000 in remuneration or	. 70		
	excess parachute payment(s) during the year?	15		V
	If "Yes," see the instructions and file Form 4720, Schedule N.		_	
16	Is the organization an educational institution subject to the section 4968 excise tax on net investment income?	16		V
	If "Yes," complete Form 4720, Schedule O.			
17	Section 501(c)(21) organizations. Did the trust, or any disqualified or other person engage in any activities			
	that would result in the imposition of an excise tax under section 4951, 4952, or 4953?	17		
	If "Yes," complete Form 6069.			

Part	Governance, Management, and Disclosure. For each "Yes" response to lines 2 through 7b below response to line 8a, 8b, or 10b below, describe the circumstances, processes, or changes on Schedule O.			
	Check if Schedule O contains a response or note to any line in this Part VI			
Secti	on A. Governing Body and Management			
1a	Enter the number of voting members of the governing body at the end of the tax year If there are material differences in voting rights among members of the governing body, or if the governing body delegated broad authority to an executive committee or similar committee, explain on Schedule O.	-	Yes	No
b 2	Enter the number of voting members included on line 1a, above, who are independent . Did any officer, director, trustee, or key employee have a family relationship or a business relationship with any other officer, director, trustee, or key employee?	2		V
3	Did the organization delegate control over management duties customarily performed by or under the direct supervision of officers, directors, trustees, or key employees to a management company or other person? .	3		V
4 5 6 7a	Did the organization make any significant changes to its governing documents since the prior Form 990 was filed? Did the organization become aware during the year of a significant diversion of the organization's assets? . Did the organization have members or stockholders?	4 5 6 7a	\ \ \	✓ ✓ □
b	Are any governance decisions of the organization reserved to (or subject to approval by) members, stockholders, or persons other than the governing body?	7b		
8	Did the organization contemporaneously document the meetings held or written actions undertaken during the year by the following:			
а b 9	The governing body?	8a 8b	\(\sigma \)	
Secti	on B. Policies (This Section B requests information about policies not required by the Internal Reven	_	ode.)	
			Yes	No
10a b	Did the organization have local chapters, branches, or affiliates?	10a 10b		
11a b 12a b c	Has the organization provided a complete copy of this Form 990 to all members of its governing body before filing the form? Describe on Schedule O the process, if any, used by the organization to review this Form 990. Did the organization have a written conflict of interest policy? <i>If "No," go to line 13</i> Were officers, directors, or trustees, and key employees required to disclose annually interests that could give rise to conflicts? Did the organization regularly and consistently monitor and enforce compliance with the policy? <i>If "Yes," describe on Schedule O how this was done</i>	11a 12a 12b		
13 14 15	Did the organization have a written whistleblower policy?	13 14		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
a b	The organization's CEO, Executive Director, or top management official	15a 15b		V
16a	Did the organization invest in, contribute assets to, or participate in a joint venture or similar arrangement with a taxable entity during the year?	16a		V
b	participation in joint venture arrangements under applicable federal tax law, and take steps to safeguard the organization's exempt status with respect to such arrangements?	16b		
	on C. Disclosure			
17 18	List the states with which a copy of this Form 990 is required to be filed Section 6104 requires an organization to make its Forms 1023 (1024 or 1024-A, if applicable), 990, and 990- (3)s only) available for public inspection. Indicate how you made these available. Check all that apply.	T (sec	tion 5	501(c)
19	Own website Another's website Upon request Other (explain on Schedule O) Describe on Schedule O whether (and if so, how) the organization made its governing documents, conflict of and financial statements available to the public during the tax year.			olicy,
20	State the name, address, and telephone number of the person who possesses the organization's books and re	cords.		

Part VII Compensation of Officers, Directors, Trustees, Key Employees, Highest Compensated Employees, and Independent Contractors

Section A. Officers, Directors, Trustees, Key Employees, and Highest Compensated Employees

1a Complete this table for all persons required to be listed. Report compensation for the calendar year ending with or within the organization's tax year.

- List all of the organization's **current** officers, directors, trustees (whether individuals or organizations), regardless of amount of compensation. Enter -0- in columns (D), (E), and (F) if no compensation was paid.
 - List all of the organization's current key employees, if any. See the instructions for definition of "key employee."
- List the organization's five **current** highest compensated employees (other than an officer, director, trustee, or key employee) who received reportable compensation (box 5 of Form W-2, box 6 of Form 1099-MISC, and/or box 1 of Form 1099-NEC) of more than \$100,000 from the organization and any related organizations.
- List all of the organization's **former** officers, key employees, and highest compensated employees who received more than \$100,000 of reportable compensation from the organization and any related organizations.
- List all of the organization's **former directors or trustees** that received, in the capacity as a former director or trustee of the organization, more than \$10,000 of reportable compensation from the organization and any related organizations.

See the instructions for the order in which to list the persons above.

$\hfill \square$ Check this box if neither the organization no	r any relate	d org	aniz	atic	n c	ompe	ensa	ted any current	officer, director,	or trustee.
(A) Name and title	(B) Average hours per week	box,	unles	Pos neck ss pe	rson	e than o	n an tee)	(D) Reportable compensation from the	(E) Reportable compensation from related	(F) Estimated amount of other compensation
	(list any hours for related organizations below dotted line)	Individual trustee or director	Institutional trustee	Officer	Key employee	Highest compensated employee	Former	organization (W-2/ 1099-MISC/ 1099-NEC)	organizations (W-2/ 1099-MISC/ 1099-NEC)	from the organization and related organizations
(1) President	5.00			<u>/</u>				0	0	0
(2)	5.00			V				0	0	0
Secretary	1.00			V				0	0	0
(4) Director	5.00	V						0	0	0
(5) Director	1.00	W						0	0	0
(6) Director	1.00	V						0	0	0
(7) Director	1.00	V						0	0	0
(8) Director	1.00	W						0	0	0
(9)										
(10)										
(11)										
(12)										
(13)										
(14)		П		П	П	П				

Part	VII Section A. Officers, Directors, 7	Trustees,	Key	Em	plo	yee	s, an	nd H	lighest Compe	nsated Er	nplo	yees (continued)
					(C)						
	(A)	(B)	(do r	not c		sition	e than	one	(D)	(E)		(F)
	Name and title	Average	ю́ох,	unle	ss pe	erson	is both	h an	Reportable	Reportab		Estimated amount
		hours per week		T_	_	_	or/trus	T	compensation from the	compensat from relate		of other compensation
		(list any hours for	ndiv or dii	Institutional	Officer	ey e	High:	Former	organization (W-2/ 1099-MISC/	organizations 1099-MIS	,	from the organization and
		related	dividual t	ltio	<u>e</u>	emp	est c	l er	1099-NEC)	1099-NE		related organizations
		organizations below	Individual trustee or director	nal tı		Key employee	omp					
		dotted line)	stee	trustee		Φ	Highest compensated employee					
				ď			ated					
(15)			Ιп	\vdash								
			Ш	L			ш	٢				
(16)			. 🔲									
(4=)												
(17)			- 🔲									
(18)												
(10)			† Ш	L		Ш	Ш	Ш				
(19)												
32			ļШ	L	ľ	Ш	Ш	Ш				
(20)			П	\vdash								
			Ш				ш	Г				
(21)			-			Ш						
(0.0)			ш				ш					
(22)			- 🔲									
(23)												
(23)			┧Ш	L		Ш	Ш	Ш				
(24)				-				\vdash				
S?			†	┡		Ш	ш	Н				
(25)				\vdash								
			ш				Ш	Ш				
1b	Subtotal								0		0	0
C	Total from continuation sheets to Part	-		٠	•	•		•	_			
d	Total (add lines 1b and 1c) Total number of individuals (including but	 t not limited	 1 to th		· lie	· ·	ahov	<u>a) w</u>	ho received mor	a than \$100	0	of of
_	reportable compensation from the organi			1030	. IIG	ica	abovi	C) W	no received mor	c than proc	,,000	OI .
	3											Yes No
3	Did the organization list any former of	officer, dire	ector,	tru	ıste	e, k	кеу е	mpl	oyee, or highes	st compens	sated	
	employee on line 1a? If "Yes," complete s	Schedule J	for s	uch	ind	ivid	ual					3 🔲 🗾
4	For any individual listed on line 1a, is the											
	organization and related organizations individual	greater th	an \$	150	,000)? /	f "Ye	·s,"	complete Sched	dule J for	such	
_					*:	· ·					امنامان	4
5	Did any person listed on line 1a receive of for services rendered to the organization											5
Secti	on B. Independent Contractors									<u> </u>		3
1	Complete this table for your five high	nest comp	ensat	ed	ind	epei	ndent	co	ntractors that r	eceived m	ore 1	than \$100,000 of
	compensation from the organization. Rep	ort compen	satio	n fo	r the	e ca	lenda	ır ye	ar ending with or	within the	orgar	ization's tax year.
	(A)								(B)			(C)
	Name and business add	ress							Description of serv	rices	- 1	Compensation
								Foo	od Service			754,349
2	Total number of independent contractor	rs (includi	na bi	ut r	ot	limit	ed to	th	ose listed abov	e) who		
_	received more than \$100,000 of compens						••		1	,		

Part VIII Statement of Revenue

		C eck if Schedule	Осо	ntains a re	espon	se or note to an	y line in this Pa	ırt VIII		🔲
							(A) Total revenue	(B) Related or exempt function revenue	(C) Unrelated business revenue	(D) Revenue excluded from tax under sections 512–514
S, S	1a	Federated campaig	ns .		1a					
ant	b	Membership dues			1b					
G.	C	Fundraising events			1c	706				
S, An	d	Related organizatio			1d					
iit Iar		Government grants			1e	0				
S, (e f	All other contribution			ie					
Contributions, Gifts, Grants, and Other Similar Amounts	'	and similar amounts no			١	10.680				
ti P					1f	10,080				
윤핑	g	Noncash contribution				_				
g z		lines 1a-1f			1g	\$ 0				
ā ŏ	h	Total. Add lines 1a-	-1f .				11,386			
						Business Code				
හු	2a	Rent				721310	1,400,000	1,400,000		
ه ≧	b					721310	237,535	237,535		
gram Ser Revenue	С	HC Momborship				721310	79,475	79,475		
ΕŽ	d	Miscollanoous				721310	7,695	7,695		
Jra Re						721310	7,095	7,000		
Program Service Revenue	e									
	f	All other program se								
	g	Total. Add lines 2a-					1,724,705			
	3	Investment income					5.450			
		other similar amour				-	5,153		5,153	
	4	Income from investr	ment o	of tax-exen	npt bo	nd proceeds				
	5	Royalties								
				(i) Rea	d	(ii) Personal				
	6a	Gross rents	6a							
	b	Less: rental expenses	6b							
	С	Rental income or (loss)	6c		0	0				
	d	Net rental income o		<i>c)</i>			0			
	7a	Gross amount from	(100)	(i) Securi		(ii) Other				
	1 a	sales of assets		(i) occur		(ii) Other				
		other than inventory				2.067				
		•	7a			2,067				
Revenue	b	Less: cost or other basis								
e l		and sales expenses .	7b							
ě	С	Gain or (loss)	7с		0	2,067				
	d	Net gain or (loss)					2,067	2,067		
Other	8a	Gross income fro	m fu	ındraising						
Ò		events (not including	\$							
		of contributions re	porte	d on line						
		1c). See Part IV, line	e 18		8a					
	b	Less: direct expens	es .		8b					
	C	Net income or (loss				nts	0			
	9a	Gross income			9 000	1110				
	- ou	activities. See Part			9a					
	b	Less: direct expens			9b		•			
	C	Net income or (loss			ctivitie	es	0			
	10a	Gross sales of in		-						
		returns and allowan			10a					
	b	Less: cost of goods	sold		10b					
	С	Net income or (loss) from	n sales of ir	nvento	ory	0			
<u>s</u>						Business Code				
or e	11a									
nă d	b									
scellaneo Revenue	C									
Miscellaneous Revenue	d	All other revenue								
Ξ		Total. Add lines 11a					0			
	12	Total revenue. See					1,743,311	1,726,772	5,153	0
	14	i otal revenue. See	ะแอแ	uctions			1,743,311	1,120,112	ა, 153	I v

Part IX Statement of Functional Expenses

	n 501(c)(3) and 501(c)(4) organizations must comp	olete all columns All	other organizations	must complete colu	ımn (Δ)
360110	Check if Schedule O contains a response				
	t include amounts reported on lines 6b, 7b, , and 10b of Part VIII.	(A) Total expenses	(B) Program service expenses	(C) Management and general expenses	(D) Fundraising expenses
1	Grants and other assistance to domestic organizations and domestic governments. See Part IV, line 21		одранова	general expenses	одрогово
2	Grants and other assistance to domestic individuals. See Part IV, line 22				
3	Grants and other assistance to foreign organizations, foreign governments, and foreign individuals. See Part IV, lines 15 and 16				
4 5	Benefits paid to or for members				
6	Compensation not included above to disqualified persons (as defined under section 4958(f)(1)) and persons described in section 4958(c)(3)(B)				
7 8	Other salaries and wages Pension plan accruals and contributions (include section 401(k) and 403(b) employer contributions)	88,884			
9	Other employee benefits	953			
10 11	Payroll taxes	10,172			
a b c d	Management	14,799			
e f g	Professional fundraising services. See Part IV, line 17 Investment management fees Other. (If line 11g amount exceeds 10% of line 25, column				
	(A), amount, list line 11g expenses on Schedule O.)	19,585			
12 13	Advertising and promotion	1,358			
14 15	Information technology				
16 17	Occupancy	395,008			
18	Payments of travel or entertainment expenses for any federal, state, or local public officials				
19 20	Conferences, conventions, and meetings . Interest	17			
21 22	Payments to affiliates	223,672			
23 24	Insurance				
а	Food Service & Supplies	650,639			
b c	Paper & Cleaning Supplies	17,221			
d					
е	All other expenses	4 407 000	_		
25 26	Total functional expenses. Add lines 1 through 24e Joint costs. Complete this line only if the organization reported in column (B) joint costs from a combined educational campaign and fundraising solicitation. Check here ☐ if following SOP 98-2 (ASC 958-720)	1,437,208	0	0	

Part X Balance Sheet

		Check if Schedule O contains a response or	note t	to any line in this Par	t X		🗀
					(A) Beginning of year		(B) End of year
	1	Cash-non-interest-bearing				1	
	2	Savings and temporary cash investments			1,746,141	2	1,232,593
	3	Pledges and grants receivable, net			1,110,111	3	1,202,000
	4	Accounts receivable, net				4	
	5	Loans and other receivables from any current of		<u> </u>			
		trustee, key employee, creator or founder, subst	antial o	contributor, or 35%			
		controlled entity or family member of any of thes	e pers	ons		5	
	6	Loans and other receivables from other disqua	lified p	ersons (as defined			
		under section 4958(f)(1)), and persons described	in sec	tion 4958(c)(3)(B)		6	
S	7	Notes and loans receivable, net				7	
Assets	8	Inventories for sale or use	-		8		
As	9	Prepaid expenses and deferred charges		-	62,655	9	80,090
	10a	Land, buildings, and equipment: cost or other					
		basis. Complete Part VI of Schedule D	7,880,027				
	b	Less: accumulated depreciation	10b	747,636	176,028	10c	7,132,391
	11	Investments—publicly traded securities				11	
	12	Investments—other securities. See Part IV, line 1	11 .			12	
	13	Investments-program-related. See Part IV, line	[13		
	14	Intangible assets				14	
	15	Other assets. See Part IV, line 11				15	
	16	Total assets. Add lines 1 through 15 (must equa	33)	1,984,824	16	8,445,074	
	17	Accounts payable and accrued expenses			7,853	17	8,559
	18	Grants payable		18			
	19	Deferred revenue		19			
	20	Tax-exempt bond liabilities				20	
	21	Escrow or custodial account liability. Complete F				21	
es	22	Loans and other payables to any current or					
ii ti		trustee, key employee, creator or founder, subst					
Liabilities		controlled entity or family member of any of thes		<u> </u>		22	
Ξ	23	Secured mortgages and notes payable to unrela		•		23	6,153,441
	24	Unsecured notes and loans payable to unrelated				24	
	25	Other liabilities (including federal income tax,					
		parties, and other liabilities not included on lines of Schedule D					
				L		25	
	26	Total liabilities. Add lines 17 through 25			7,853	26	6,162,000
sec		Organizations that follow FASB ASC 958, che and complete lines 27, 28, 32, and 33.	ck ner	e 🔟			
anc	07					07	
3al	27	At a contract the contract of				27	
р	28	Net assets with donor restrictions				28	
Net Assets or Fund Balances		and complete lines 29 through 33.	56, CH	eck nere			
0 0	29	Capital stock or trust principal, or current funds		[29	
ets	30	Paid-in or capital surplus, or land, building, or ed	quipme	ent fund		30	
4ss	31	Retained earnings, endowment, accumulated inc			1,976,971	31	2,283,074
et/	32	Total net assets or fund balances			1,976,971	32	2,283,074
Ź	33	Total liabilities and net assets/fund balances .			1,984,824	33	8,445,074

Form **990** (2022)

OIIII J	10 (2022)					ige 12
Part	XI Reconciliation of Net Assets					
	Check if Schedule O contains a response or note to any line in this Part XI					
1	Total revenue (must equal Part VIII, column (A), line 12)	1			1,74	3,311
2	Total expenses (must equal Part IX, column (A), line 25)	2			1,43	7,208
3	Revenue less expenses. Subtract line 2 from line 1	3			30	6,103
4	Net assets or fund balances at beginning of year (must equal Part X, line 32, column (A))	4			1,97	6,971
5	Net unrealized gains (losses) on investments	5				
6	Donated services and use of facilities	6				
7	Investment expenses	7				
8	Prior period adjustments	8				
9	Other changes in net assets or fund balances (explain on Schedule O)	9				
10	Net assets or fund balances at end of year. Combine lines 3 through 9 (must equal Part X, line					
	32, column (B))	10			2,28	3,074
Part	XII Financial Statements and Reporting					_
	Check if Schedule O contains a response or note to any line in this Part XII					
					Yes	No
1	Accounting method used to prepare the Form 990: Cash Accrual Other					
	If the organization changed its method of accounting from a prior year or checked "Other," e Schedule O.	expiain	on			
_						
2a	Were the organization's financial statements compiled or reviewed by an independent accountant?		-	2a	Ш	
	If "Yes," check a box below to indicate whether the financial statements for the year were co	mpiled	or			
	reviewed on a separate basis, consolidated basis, or both:					
	Separate basis Consolidated basis Both consolidated and separate basis					
b	Were the organization's financial statements audited by an independent accountant?	e e Daniel e		2b	<u> </u>	
	If "Yes," check a box below to indicate whether the financial statements for the year were auc separate basis, consolidated basis, or both:	iitea o	n a			
	· · · · · · · · · · · · · · · · · · ·					
_	Separate basis Consolidated basis Both consolidated and separate basis	, a vai a b	+ af			
C	If "Yes" to line 2a or 2b, does the organization have a committee that assumes responsibility for on the audit, review, or compilation of its financial statements and selection of an independent account					
	If the organization changed either its oversight process or selection process during the tax year, e		L	2c		
	Schedule O.	зхріан				
20		arth in	tho			
3a	As a result of a federal award, was the organization required to undergo an audit or audits as set for Uniform Guidance, 2 C.F.R. Part 200, Subpart F?	אנוו ווו	uie	_		
h	If "Yes," did the organization undergo the required audit or audits? If the organization did not un	 dorac	· the	3a	ш	<u></u>
b	required audit or audits, explain why on Schedule O and describe any steps taken to undergo such			3b		
	required addit or addits, explain why on schedule of and describe any steps taken to undergo such	auuits		30	Ц	Ш_

Form **990** (2022)

SCHEDULE D (Form 990)

Supplemental Financial Statements

Complete if the organization answered "Yes" on Form 990, Part IV, line 6, 7, 8, 9, 10, 11a, 11b, 11c, 11d, 11e, 11f, 12a, or 12b.

Attach to Form 990.

OMB No. 1545-0047

Open to Public Inspection

Department of the Treasury Internal Revenue Service

Name of the organization

Go to www.irs.gov/Form990 for instructions and the latest information.

Inspection

Employer identification number

Par	Complete if the organization answered "		is or Accounts.
	Complete if the organization answered	(a) Donor advised funds	(b) Funds and other accounts
1	Total number at end of year	(a) Denoi danice idina	(e) i and and one docume
2	Aggregate value of contributions to (during year) .		
3	Aggregate value of grants from (during year)		
4	Aggregate value at end of year		
5	Did the organization inform all donors and donor	Ladvisors in writing that the assets he	ld in donor advised
•	funds are the organization's property, subject to the	•	
6	Did the organization inform all grantees, donors, ar		
	only for charitable purposes and not for the benefi	t of the donor or donor advisor, or fo	r any other purpose
	conferring impermissible private benefit?		· · · · · · 🗌 Yes 🔲 No
Par	Conservation Easements.		
	Complete if the organization answered "	Yes" on Form 990, Part IV, line 7.	
1	Purpose(s) of conservation easements held by the c		
	Preservation of land for public use (for example, recre	ation or education)	f a historically important land area
	☐ Protection of natural habitat		f a certified historic structure
	☐ Preservation of open space		
2	Complete lines 2a through 2d if the organization hel	d a qualified conservation contribution	n in the form of a conservation
	easement on the last day of the tax year.		Held at the End of the Tax Year
а	Total number of conservation easements		. 2a
b	Total acreage restricted by conservation easements	8	. 2 b
С	Number of conservation easements on a certified hi		
d	Number of conservation easements included in (c) a	•	
	historic structure listed in the National Register .		· 2d
3	Number of conservation easements modified, transtax year	ferred, released, extinguished, or tern	ninated by the organization during the
4	Number of states where property subject to conserv	vation easement is located	
5	Does the organization have a written policy reg		ection, handling of
	violations, and enforcement of the conservation eas	ements it holds?	· · · · · · 🗌 Yes 🔲 No
6	Staff and volunteer hours devoted to monitoring, inspec	ting, handling of violations, and enforcing	g conservation easements during the year
7	Amount of expenses incurred in monitoring, inspecting	g, handling of violations, and enforcing	conservation easements during the year
8	Does each conservation easement reported on line 2 and section 170(h)(4)(B)(ii)?	2(d) above satisfy the requirements of s	
a	In Part XIII, describe how the organization repo		
3	balance sheet, and include, if applicable, the text of		
	organization's accounting for conservation easemer		
Pari	III Organizations Maintaining Collections	of Art Historical Treasures or	Other Similar Assets
	Complete if the organization answered "		5. 1101 5 111111111 7.656161
1a	If the organization elected, as permitted under FAS		e statement and balance sheet works
	of art, historical treasures, or other similar assets		
	service, provide in Part XIII the text of the footnote t		
b	If the organization elected, as permitted under FAS		
	art, historical treasures, or other similar assets held provide the following amounts relating to these item	for public exhibition, education, or res	
			\$
	(i) Revenue included on Form 990, Part VIII, line 1(ii) Assets included in Form 990, Part X		\$ \$
2	If the organization received or held works of art,	historical treasures or other similar	assets for financial gain, provide the
-	following amounts required to be reported under FA		3, p. 3
а	Revenue included on Form 990, Part VIII, line 1 .		\$
	Assets included in Form 990 Part X		\$

Schedu	le D (Form 990) 2022					Page 2
Par						
3	Using the organization's acquisition, collection items (check all that apply):		her records, ched	ck any of the follow	ving that make sig	nificant use of its
а	☐ Public exhibition		d 🗌 Loan	or exchange prog	ram	
b	Scholarly research			r		
С	☐ Preservation for future generations					
4	Provide a description of the organiza XIII.	tion's collections a	and explain how	they further the org	ganization's exem _l	ot purpose in Part
5	During the year, did the organization assets to be sold to raise funds rather					
Par			aned as part of the	le organization s co	Dilection:	☐ Yes ☐ No
Par	Complete if the organization 990, Part X, line 21.		" on Form 990,	Part IV, line 9, or	reported an amo	ount on Form
1a	Is the organization an agent, trustee included on Form 990, Part X?					☐ Yes ☐ No
b	If "Yes," explain the arrangement in P	art XIII and comple	ete the following t	table:		
	,				Am	ount
С	Beginning balance			10	;	
d	Additions during the year				k	
е	Distributions during the year			16	•	
f	Ending balance			11	F	
2a	Did the organization include an amou	nt on Form 990, P	art X, line 21, for	escrow or custodia	I account liability?	☐ Yes ☐ No
b	If "Yes," explain the arrangement in P	art XIII. Check her	e if the explanatio	on has been provid	ed on Part XIII .	<u> </u>
Par						
	Complete if the organization	answered "Yes	" on Form 990,			
		(a) Current year	(b) Prior year	(c) Two years back	(d) Three years back	(e) Four years back
1a	Beginning of year balance					
b	Contributions					
С	Net investment earnings, gains, and losses					
d	Grants or scholarships					
е	Other expenditures for facilities and					
	programs					
f	Administrative expenses					
g	End of year balance					
2	Provide the estimated percentage of t	the current year er	nd balance (line 1	g, column (a)) held	as:	

b	Permanent endowment	%												
С	Term endowment	%												
	The percentages on lines 2a	i, 2b, and 2c should	d equal 100%	6.										
3a	Are there endowment funds	not in the posses	sion of the o	rganizatio	n that a	re held	and a	dmin	istere	d fo	r the			
	organization by:												Yes	No
	(i) Unrelated organizations											3a(i)		
	(ii) Related organizations											3a(ii)		
b	If "Yes" on line 3a(ii), are the	related organization	ons listed as	required o	on Sched	dule R?						3b		

Describe in Part XIII the intended uses of the organization's endowment funds. Part VI Land, Buildings, and Equipment.

a Board designated or quasi-endowment

Complete if the organization answered "Yes" on Form 990, Part IV, line 11a. See Form 990, Part X, line 10.

Complete it the organization answered Tee out form ede, i are iv, into Tra: ede i entre ede, i are ix, into Te:								
	Description of property	(a) Cost or other basis (investment)	(b) Cost or other basis (other)	(c) Accumulated depreciation	(d) Book value			
1a	Land		3,500		3,500			
b	Buildings		7,200,851	218,355	6,982,496			
С	Leasehold improvements							
d	Equipment		572,554	522,492	50,062			
е	Other		103,122	6 , 789	96,333			
Total.	Fotal. Add lines 1a through 1e. (Column (d) must equal Form 990. Part X. column (B), line 10c.)							

Schedule D (Form 990) 2022 Page **3**

Part VII	Investments—Other Securities.	000 D + 11/4 12	441 0 5	000 D 1 V II 10
	Complete if the organization answered "Yes" on Fo		e 11b. See Form	990, Part X, line 12.
	(a) Description of security or category (including name of security)	(b) Book value		hod of valuation: -of-year market value
(1) Financial	derivatives			
(2) Closely h	neld equity interests			
(3) Other				
(A)				
(B)				
(C)				
(D)				
(E)				
(F)				
(G)				
(H)				
	mn (b) must equal Form 990, Part X, col. (B) line 12.)			
Part VIII	Investments – Program Related.			
	Complete if the organization answered "Yes" on For	rm 990, Part IV, lin	e 11c. See Form	990, Part X, line 13.
	(a) Description of investment	(b) Book value	, , ,	hod of valuation: -of-year market value
(1)				
(2)				
(3)				
(4)				
(5)				
(6)				
(7)				
(8)				
(9)				
	mn (b) must equal Form 990, Part X, col. (B) line 13.)			
Part IX	Other Assets.			
	Complete if the organization answered "Yes" on Fol	rm 990, Part IV, lin	e 11d. See Form	· · · · · · · · · · · · · · · · · · ·
	(a) Description			(b) Book value
(1)				
(2)				
(3)				
(4)				
(5)				
(6)				
(7)				
(8)				
(9)	mn (b) must equal Form 990, Part X, col. (B) line 15.)			
Part X	Other Liabilities.	 		
raitA	Complete if the organization answered "Yes" on For	rm 990, Part IV, lin	e 11e or 11f. See	e Form 990, Part X,
4	line 25.			(1) D
1.	(a) Description of liability			(b) Book value
(1) Federal in	ncome taxes			
(2)				
(3)				
(4)				
(5)				
(6)				
(7)				
(8)				
(9)	rear (b) resuct a gual Farma 000 Part V and (B) than 05 h			
	mn (b) must equal Form 990, Part X, col. (B) line 25.) runcertain tax positions. In Part XIII, provide the text of the footn	oto to the organization	· · · · · · ·	unto that roports the
	s liability for uncertain tax positions under FASB ASC 740. Check			

Part	Reconciliation of Revenue per Audited Financial Statemers Complete if the organization answered "Yes" on Form 990, I	-	Return.	
	Total revenue, gains, and other support per audited financial statements		4	
1 2	Amounts included on line 1 but not on Form 990, Part VIII, line 12:		1	
	Net unrealized gains (losses) on investments	2a		
a b	Donated services and use of facilities	2b	-	
C	Recoveries of prior year grants		-	
d	Other (Describe in Part XIII.)		-	
e	Add lines 2a through 2d		2e	
3	Subtract line 2e from line 1		3	
4	Amounts included on Form 990, Part VIII, line 12, but not on line 1:			
а	Investment expenses not included on Form 990, Part VIII, line 7b	4a		
b	Other (Describe in Part XIII.)			
С	Add lines 4a and 4b		4c	
5	Total revenue. Add lines 3 and 4c. (This must equal Form 990, Part I, line	12.)	5	
Part			er Return.	
	Complete if the organization answered "Yes" on Form 990, I	Part IV, line 12a.		
1	Total expenses and losses per audited financial statements		1	
2	Amounts included on line 1 but not on Form 990, Part IX, line 25:	1		
а	Donated services and use of facilities	2a		
b	Prior year adjustments	2b		
С	Other losses	2c		
d	Other (Describe in Part XIII.)		_	
е	Add lines 2a through 2d		2e	
3	Subtract line 2e from line 1		3	
4	Amounts included on Form 990, Part IX, line 25, but not on line 1:	4-		
а	Investment expenses not included on Form 990, Part VIII, line 7b	4a		
_	·			
b	Other (Describe in Part XIII.)	4b	10	
b c	Other (Describe in Part XIII.)	4b	4c	
b c 5	Other (Describe in Part XIII.)	4b	4c 5	
b c 5 Part	Other (Describe in Part XIII.)	4b	5	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line
b c 5 Part Provid	Other (Describe in Part XIII.)	4b	5 o; Part V, line 4; Par	t X, line

SCHEDULE O (Form 990)

Supplemental Information to Form 990 or 990-EZ

Complete to provide information for responses to specific questions on

Form 990 or 990-EZ or to provide any additional information. Attach to Form 990 or Form 990-EZ.

OMB No. 1545-0047

2022

Open to Public Inspection

Name of the Organization

Employer identification number

Part and Line Number: Part VI Line 6

The organization consists of alumni members who belong to a national collegiate social sorority.

Part and Line Number: Part VI Line 7a

Each member of the organization may elect members who will then serve over the organization as the governing body.

Part and Line Number: Part VI Line 11a

A draft of the return is provided to the officers of the organization before filing and to the entire board of directors after the return is filed.

Part and Line Number: Part VI Line 11b

Members of the governing body are provided a copy of the return before it is filed.

Part and Line Number: Part VI Line 12c

Directors provide any conflicts of interests at the annual meeting at which time any conflicts are addressed as necessary.



Mortgage Documentation

Term Sheet

January 1, 2024

President ABC House Corporation 123 Rodeo Drive University, AL 36801

Dear President:

The Credit Union is pleased to present a proposal for purchase and future renovations of the ABC house at Auburn University The following is a list of terms and conditions proposed for your review:

BORROWER: ABC House Corporation, an Alabama Corporation

\$6,290,000 (85% of the current \$7,425,000 appraised value) with a future maximum obligation to fund expansion and renovations at the lessor of the "as completed" appraised value or 90% of the total cost of said improvements. The initial rate and term will remain unchanged at

the time of future funding for the expansion and renovations.

3.95% fixed for ten (10) years from date of closing. Rate will adjust on the ten (10) year note anniversary to the five (5) year constant treasury

maturity + 3.00% to be fixed until maturity. Loan maturity will be fifteen

(15) years.

Thirty-Six (36) monthly interest-only payments from the date of closing **PAYMENT:** to allow for the expansion and renovations to be completed. Borrower

to allow for the expansion and renovations to be completed. Borrower will maintain a deposit balance equal to twelve (12) monthly interest-only payments (approx. \$248,455.00) from which the monthly payments

will be drawn.

Monthly principal and interest payments will be required at the completion of the thirty-six (36) months based on a twenty-five (25)

amortization. Final payment amount will be determined by the final

Loan Amount.

Bank will charge a 0.10% loan fee based on the current loan and a 0.10%

loan fee on future additional funds for expansion and renovations.

Borrower will incur normal closing costs as required by State in which

the loan is closed.

ESTIMATED FEES:

FEES:

Origination Fee: \$ 6,290.00 Flood Certification: \$ 18.00 Environmental Search: \$ 150.00

Appraisal: Has been paid by borrower

Property Tax Tracking: \$ 600.00

(Will not be charged as house is exempt from property taxes).

COLLATERAL: First lease-hold deed of trust on real estate located at 123 Rodeo Drive,

University, AL 36801.

TITLE INSURANCE: Borrower shall furnish to Bank, prior to closing, title insurance in an

amount no less than the amount loaned.

INSURANCE: Hazard insurance will be required for replacement cost of

improvements. The Lender shall be named as Loss Payee.

SURVEY: Existing survey is acceptable to Bank. If one does not exist a new

survey will be required

APPRAISAL: Appraisal has been received for the property purchase. New appraisal

will be required once plans and specifications have been completed for

the expansion and renovations.

USE OF PROCEEDS: Purchase collateral and future expansion and renovations.

GUARANTORS: None

CONTINGENCIES: The proposal is a general outline of terms and conditions of the loan and

is not intended to cover all specific requirements of the loan

documentation.

FINANCIAL STATEMENTS: Will be required from the borrower on an annual basis.

MISCELLANEOUS: Loan agreement to require a minimum Debt Service Coverage of 1.25X

defined as the Net Operating Income of the borrower divided by the

annual debt service.

This letter is for discussion purposes only. Financial data has been reviewed and meet standard underwriting. Bank will submit formal for underwriting based on the terms described, if accepted. Timeline would be approximately two weeks for underwriting and approval at which time a closing date could be set.

The Credit Union appreciates the opportunity to earn your business. If you have any questions, please contact me at (123) 456-7890.

VP - Commercial Lending

Current Loan

Balance \$6,061,569.38 Rate 3.95%

Remaining

Amortization 282
Current Payment \$33,039.72

Proposed Expansion

 Budget
 \$ 9,657,850.00

 Equity
 20.00%
 \$ 1,931,570.00

 Additional Loan Funds
 \$ 7,726,280.00

Total Loan Funds \$13,787,849.38

Original 1st mtg. loan - Unchanged

 Loan
 \$ 6,061,569.38

 Rate
 3.95%

 Extended Amortization
 282

 Payment
 \$33,039.72

New 2nd mtg. loan

 Credit Union Loan 1
 \$ 2,940,000.00

 Rate
 5.65%

 Amortization
 360

 Payment
 \$16,970.73

Participated Portion \$4,786,280.00
Rate 7.00%
Amortization 360
Payment \$31,843.24

Total Monthly Payment \$81,853.69

Loan Commitment Letter

January 1, 2024

ABC House Corporation 123 Rodeo Drive University, AL 36801

Dear President:

The Credit Union ("Lender") is pleased to offer ABC House Corporation ("Borrower") its commitment (the "Commitment") to provide a \$9,843,360.00 credit facility (the "Loan") upon and subject to the terms and conditions set forth in this letter (this "Commitment Letter").

The Commitment of the Lender hereunder is subject to the satisfaction of each of the following conditions precedent in a manner acceptable to the Lender: (a) the completion of a due diligence review and evaluation of the assets, liabilities (including contingent liabilities) and business of the Borrower; (b) the accuracy and completeness of all representations that you and your affiliates make to The Bank and your compliance with the terms of this Commitment Letter; (c) the negotiation, execution and delivery of definitive documentation for the Loan consistent with the terms of this Commitment and otherwise satisfactory to the Lender; (d) no change, occurrence or development shall have occurred or become known to the Lender since January 14 2024, that has had or could reasonably be expected to have a material adverse effect on the Borrower.

- 1. Borrower: ABC House Corporation
- 2. <u>Purpose:</u> The proceeds of the Loan shall be used to construct certain improvements (the "Improvements"), on the real property located at 123 Rodeo Drive, University, AL 36801 (the "Real Property"), owned by ABC House Corporation. The Real Property, together with the Improvements and any other improvements located thereon are collectively referred to herein as the "Project". The Loan shall be used solely for commercial purposes.
- 3. <u>Loan Amount</u>: The maximum principal amount of the Loan shall be the lesser of: (a) \$9,843,360, (b) 80% of the Total Project Cost (the "LTC Ratio"), or (c) 80% of the value of the as completed Project determined by an appraisal acceptable to Lender (the "LTV Ratio"). For purposes of this Commitment, "Total Project Cost" shall mean the cost incurred by Borrower in connection with the contemplated development of the Project according to a Lender-approved Project budget, inclusive of documented acquisition costs, site preparation and infrastructure costs, vertical construction costs, tenant improvement costs, and soft costs, all of which shall be subject to confirmation through documentation submitted to, and approved by, Lender.
- 4. <u>Note</u>: The Loan shall be evidenced by a promissory note (the "Note"), executed by the Borrower in favor of the Lender, in the original principal amount in \$9,843,360.00.

- 5. Interest Rate/Repayment Terms: The interest rate shall float until 5 days prior to the closing of the loan, and then lock in at a fixed rate equal to 2.0% over the 10-year US Treasury Rate Index. Interest shall be computed on the actual number of days elapsed divided by a 360-day year. Borrower shall make payments of accrued interest only for the lesser of 12 months or certificate of occupancy issuance followed by (107) monthly payments of principal and interest in an amount necessary to fully amortize the loan based on a 25-year amortization schedule. One (1) final payment of all unpaid principal plus accrued interest will be due and payable in 120 months from the date of closing.
- 6. <u>Collateral</u>: The Loan will be secured by a valid title-insured first lien mortgage on the project located at 123 Rodeo Drive, University, Alabama 36801 together with an assignment of rents and leases. Additionally, a six-month payment reserve (the "Interest Reserve") will be established and pledged at closing. The amount will be calculated when the rate is locked 5 days prior to the loan closing. The lien on the reserve account will be removed once tested amortizing debt service coverage is at least 1.20X for two consecutive years following construction based on the business tax return.
- 7. <u>Deposit Relationship</u>: Borrower agrees to maintain a primary depository relationship with Lender during the term of the loan.
- 8. Guarantor(s): None
- 9. <u>Prepayment:</u> This loan will be subject to a prepayment fee of 5% for year 1, 4% for year 2, 3% for year 3, 2% for year 4 and 1% for year 5.
- 10. <u>Insurance</u>: Evidence of the effectiveness of general liability, building and personal property, builder's risk, and flood insurance coverage (if applicable) shall be required prior to Loan closing and shall be subject to Lender's approval. All insurance policies shall list Lender as additional insured or mortgagee/loss payee, as applicable, and according to the identification provisions specified below. Also, such policies shall provide for 30-days prior written notice to Lender prior to cancellation or non-renewal.

In addition, during construction of the Improvements, the following additional insurances shall be required:

General Contractor/Grading Contractor Commercial General License (CGL) Liability

Builder's Risk Coverage

Each such policy shall contain an additional insured (CGL) / mortgagee/loss payee clause:

The Bank and/or assigns, as their interest may appear (ATIMA) P.O. Box 12345 Auburn, AL 12345

During the full term of the Loan:

Borrower CGL and eventual building and personal property coverage

Each such policy shall contain an additional insured (CGL) / mortgagee/loss payee clause:

The Bank, its successors and/or assigns, ATIMA P.O. Box 12345 Auburn, AL 12345

Reasonable and customary insurance requirements shall be more particularly set forth in Loan documents.

- 11. No Secondary Financing and Change of Control Covenants: Borrower will not, without the prior written consent of the Lender, create or permit to be created or remain, any mortgage, pledge, lien, encumbrance or charge, or security interest, or conditional sale or other title retention agreement, with respect to the Collateral which is to be the security for the Loan or any part thereof or income therefrom, whether prior or subordinate to the lien of any mortgage or security interest given by the Borrower to secure the Loan to Lender, nor will any partner, member or shareholder in Borrower transfer or pledge any interest in Borrower. This prohibition also applies to any transfer of interest by any member, shareholder or partner of Borrower or any member, shareholder or partner owning an interest in an entity that owns an interest, as member, shareholder or as a general or limited partner, in Borrower. Any such transfer shall be an event of default under the Loan Documents. The Loan Documents shall contain provisions barring any change of control or management, by merger, assignment, sale or devise, without prior Lender consent and approval, which may be withheld at Lender's sole and absolute discretion.
- 12. <u>Survey</u>: The Borrower will provide to Lender, at Borrower's expense, a current boundary survey of the property to be used as collateral for the Loan, which will show the location of all improvements and all physical conditions affecting the title and use of the property, including, without limitation, easements, parking spaces, location of streets, boundary lines, and set back lines.

Once the foundations and footings for the Project are in place, the Borrower shall deliver to the Lender a foundation survey. The foundation survey shall show that: (i) the foundations lie entirely within the boundary lines of the Property and within all applicable building setback lines however established; and (ii) the foundations do not encroach upon any easements or rights of way affecting the Property.

Following the issuance of a certificate of occupancy for the Project, the Borrower shall deliver to the Lender an as-built survey showing the completed Project, together with at least three photographs of different views of the completed Project.

Each survey must be an American Land Title Association (ALTA) survey, signed, sealed, and dated by the licensed surveyor and certified to Borrower, the Lender and the applicable title company.

13. <u>Title Policy</u>: Lender shall be furnished with an ALTA title insurance commitment for an ALTA Loan Policy from a national title insurance company satisfactory to Lender. The policy to be issued pursuant to the commitment shall confirm that the Borrower possesses a good and marketable title to the Real Property and all improvements thereon and shall insure Lender's first priority security interest in the Project in the principal amount of the Loan, free and clear of all encumbrances or other interests, subject only to such exceptions, if any, as shall be approved in writing by Lender or its counsel. There shall be no exceptions for survey or for liens or rights to lien for services, labor or materials supplied. At the option of Lender, said policy may also be required to contain (when available) ALTA zoning, usury, variable rate, access, environmental,

utilities, subdivision, and contiguity endorsements, affirmative insurance against violations of any restrictive covenants, and such other endorsements as reasonably required by Lender or its counsel.

- 14. <u>Appraisal</u>: Lender will engage an appraiser to perform an appraisal, for the Lender, of the Project. The obligation of Lender to make the Loan to Borrower is conditioned upon receipt of an acceptable appraisal indicating the Loan does not exceed the LTV of the Project forth above. The cost of the appraisal will be paid by Borrower whether the Loan closes or not. Lender reserves the right to stipulate, in its reasonable discretion, the cap rate utilized in the appraisal.
- 15. <u>Environmental Compliance</u>: A Phase I Environmental Site Assessment of the Project will be performed by an environmental company acceptable to Lender. The form content of the report must be acceptable to Lender. All costs for environmental testing will be paid by Borrower at closing. At closing, Borrower will execute an indemnity agreement which will indemnify and hold Lender harmless against any costs, obligations, expenses, or liabilities resulting from any environmental issues, known or unknown, which are associated with the Project.
- 16. <u>Geotechnical Report:</u> Lender shall be provided with a geotechnical report for the Project prepared by a firm acceptable to Lender and in form and content satisfactory to Lender.
- 17. Plan and Cost Review / Construction Consultant: The Lender shall engage an inspecting architect, engineer or other consultant (the "Inspector") to: (i) review the plans, specifications and budget for the Project; (ii) review all contracts pertaining to the Project; (iii) monitor and inspect the development of the Project, and (iv) perform such other duties relating to the Project as the Lender may require. The Borrower shall pay all fees and costs incurred by the Lender with respect to the Inspector. If any dispute arises between the Borrower and the Lender with respect to the construction of the Project or the interpretation of the Plans, the same shall, at the option of the Lender, be resolved by the Inspector. The decision of such Inspector shall be conclusive and binding upon the parties hereto.

Upon presentation of a bill, the Borrower shall pay an inspection fee to the Inspector for the Inspector's reports to the Lender. The reports may be requested by the Lender on a monthly basis unless circumstances dictate more frequent reports. The reports shall indicate the stage of completion and costs of the Project as well as any other information that the Lender may reasonably require. The reports of the Inspector shall be solely for the use of the Lender, and no other party may use or rely on the reports for any reason. All inspections and other services rendered by or on behalf of the Lender and whether or not paid for by the Borrower shall be rendered solely for the protection and benefit of the Lender, and the Borrower shall not be entitled to claim any loss or damage against the Lender or its agents or employees for failure to properly discharge their duties to the Lender.

- 18. <u>Construction Plans and Specifications:</u> Borrower will furnish to Lender a final set of plans and specifications for the Project, which must be acceptable to Lender and Lender's Inspector. Such plans and specifications must be approved by the Borrower, the project architect, the general contractor, and the applicable governmental authorities.
- 19. <u>Construction Contract</u>: Prior to Loan closing, Borrower will furnish Lender a fully executed, fixed cost AIA form construction contract between a general contractor and Borrower and the contract between site or grading contractor and Borrower. Each such contract shall be subject to a 10% retainage (or such lesser retainage as the Lender may from time to time approve in writing). Each subcontractor and supplier for the Project shall be satisfactory to the Lender and shall be subject to such bonding or other security requirements as the Lender may require. The form and

content of such contracts must be acceptable to the Lender for the completion of the Project in accordance with the approved final plans and specifications. In every instance, the general contractor must be satisfactory to Lender, in its sole discretion, and all contractors working on the Project shall be licensed in the State of Alabama.

Without the Lender's prior written consent, the Borrower shall not change or modify the plans and specifications for the Project, agree to any change order, or allow any extras to any contractor or any subcontractor, except that the Borrower may make Permitted Changes if: (i) Borrower notifies Lender in writing of the change or extra with appropriate supporting documentation and information; (ii) Borrower obtains the approval of the applicable contractor, Borrower's architect and all sureties; (iii) the structural integrity, quality and standard of workmanship of the Project is not impaired by such change or extra; (iv) no substantial change in architectural appearance is effected by such change or extra; (v) no default in any obligation to any person or violation of any law or governmental requirement would result from such change or extra; (vi) Borrower deposits with Lender cash in an amount necessary to cover any excess cost resulting from the change or extra; (vii) completion of the Project by the completion date required herein will not be affected; and (viii) all requirements of applicable law have been fully satisfied. For purposes hereof, Permitted Changes shall mean changes to the plans or specifications for the Project or the Improvements, provided the cost of any single change or extra does not exceed the amount determined by the Lender after completion of the Lender's due diligence review of the Project. Provided however, with regard to (vi) above, in lieu of a cash deposit, in the event Borrower reasonably determines that costs savings are anticipated in any budgeted category, Borrower shall have the right, upon written approval by Lender, to transfer the anticipated cost-savings from such category to one or more categories in the Budget where Borrower anticipates expenses for such categories may exceed the allocated amount.

20. Construction Funding Requirements: Each request for advances under the Loan shall be accompanied by: (i) a written request of the Borrower stating the amount of request; and (ii) an appropriate AIA Form G702, G702A or G703, signed by the general contractor and the Borrower (or other similar documentation satisfactory to the Lender). Each request for an advance shall in all cases be limited to items and certifiable costs set forth in the budget, and, if not accompanied by an appropriate certification on AIA forms G702, G702A or G703, shall be accompanied by appropriate invoices detailing the services rendered with specific reference to the Project and specifically identified with reference to the appropriate items on the budget, or by receipts showing the amounts of payments made for expenses directly involved in the construction or development of the Project, such receipts also to be specifically identified with reference to the appropriate items on the budget.

Each construction draw for hard costs will be considered upon submission for funding at 90% of the requested amount (based upon a requirement for retainage in the construction contract of not less than 10%). More specifically, construction draws will be limited to ninety percent (90%) of the actual costs of in-place improvements (as evidenced by paid invoices or AIA forms or, at the option of the Lender, evidenced by a certificate of completion signed by the Borrower, the general contractor and the Project Inspector) less previously paid construction draws, as applicable.

Each such draw shall be subject to the following additional requirements:

(a) Proof as to construction bills for materialmen and subcontractors that show full payment (except for holdbacks) of such bills then due and payable except those covered under the current draw request.

- (b) The general contractor's waiver of lien in form satisfactory to the Lender for all work performed and materials provided through the date of the request.
- (c) Lien waivers in form satisfactory to the Lender from all subcontractors, suppliers and materialmen for all work performed and materials provided through the date of the immediately preceding request.
- (d) Any inspection reports or architectural certificates with respect to the stage of completion of the Improvements, and such other proof as the Lender may reasonably require to establish that construction progress has been made in compliance with the Plans.
- (e) The current status of the account of the general contractor, or if the general contractor is in default under its contract with the Borrower, then the current status of accounts of subcontractors, materialmen and laborers furnishing labor, materials or services in connection with the construction of the Improvements.
- (f) Determination by the Lender that the construction of the Improvements theretofore performed is in full compliance with the applicable plans.
- (g) If requested by the Lender, evidence from a title insurance company acceptable to the Lender that a search of the public records discloses no change in the condition to the title to the Property that is unacceptable to the Lender.
- (h) If the stage of construction is such that the foundation of the Improvements has been substantially completed, and the Lender has not theretofore received it, a foundation survey as described above.
- (i) Such other documents or requirements as determined by Lender in its reasonable discretion.

Prior to the final construction draw under the Loan and the disbursement of retainage, the Lender shall be furnished with the following items all in form and content acceptable to Lender:

Final certificate from the general contractor and Project Inspector that the Improvements have been completed in accordance with the plans and specifications as approved by all parties and that the completed Improvements are in compliance with all applicable building codes, zoning ordinances, and other rules and regulations promulgated by the applicable regulatory and governmental authorities and that all bills and expenses in connection with the construction have been paid or that arrangements satisfactory to the Lender have been made for payment of same.

Certificates of occupancy for the Improvements issued by the appropriate governmental authority.

Any other certificates of approval, acceptances or compliance required or as determined necessary by Lender from or by the city, county, state or federal departments or authorities having jurisdiction over the Project.

Such other requirements as may be set forth in the applicable loan documents governing the Loan.

21. <u>Site Inspections:</u> Lender shall be entitled to conduct site inspections monthly and from time to time as a condition to approval of any construction draw request. Regular site inspections and

site inspections in support of draw requests shall be conducted by Lender's approved site inspector/engineer and at Borrower's expense.

- 22. <u>Commencement and Completion:</u> Borrower shall commence construction of the Project no later than 90 days after the date of Loan Closing and shall complete construction of the Project no later than 12 months following Loan Closing.
- 23. Equity Requirements: It shall be a condition precedent to the advance of any Loan proceeds that Borrower shall contribute \$310,840 to the Project (the "Equity Contribution"). Such Equity Contribution shall be comprised of cash, or other forms of equity approved by Lender. It is acknowledged that the foregoing Equity Contribution amount has been set based on preliminary Project budgeting, and it is further acknowledged that the Loan Documents shall require a so-called "Loan-in-Balance" covenant whereby Project Costs in excess of the Loan and Equity Contribution are agreed to be funded by Borrower. As such, the actual amount of the Equity Contribution shall be based on the final and actual Project Costs.

The Equity Contribution shall be applied toward approved Project costs as demonstrated by paid invoicing or other documentary evidence deemed acceptable to Lender, in its sole and absolute discretion. Unless otherwise budgeted, agreed and deducted from Loan availability, any construction bonding requirements, or cash collateral to secure letters of credit issued in lieu of performance or completion bonding requirements of the Project shall be paid from the Equity Contribution or the separate funds of the Borrower. The Borrower shall not be entitled to any advances under the Loan until the Borrower's Equity Contribution has been paid into the Project.

- 24. <u>Loan in Balance:</u> The Loan documentation shall include an in-balance provision, whereby, at closing and throughout the term of the Loan, the un-advanced portion of the Loan shall not be less than the approved remaining construction costs associated with the completion of the Project. If at any time the un-advanced portion of the Loan shall not equal or exceed the approved remaining Project Costs, then an additional equity contribution in an amount equaling the amount of such excess costs shall be due and payable to Lender by Borrower within ten (10) days following identification of the out-of-balance condition, and in any case, Lender shall not be obligated to make any further loan advances until the Loan is brought back in balance.
- 25. <u>Financial Information</u>: During the term of the loan, the Borrower will furnish the following to Lender:
 - (a) not later than 30 days from the filing deadline, Borrower shall provide its CPA-prepared business tax return
 - (b) not later than 45 days from the end of each fiscal quarter, internally prepared quarterly statements for the Borrower, which shall include membership numbers,
 - (c) not later than September 30 each year, a Form 4506-T, or its equivalent, signed by Borrower and each Guarantor as may be required to authorize Lender to secure electronic copies of Borrower's and each Guarantor's federal tax returns; and
 - (d) all financial statements must be in accordance with generally accepted accounting principles consistently applied, must include balance sheets, must include income information, must include a list of contingent liabilities, and must be in form and content acceptable to Lender.

26. <u>Loan Agreement:</u> The Loan documents shall include a Loan Agreement containing certain affirmative and negative covenants to include but not limited to the following:

Borrower shall maintain on a consolidated basis a Debt Service Coverage Ratio of at least 1.20:1.0. "Debt Service Coverage Ratio" means the ratio of Cash Flow to the sum of the current portion of long-term debt and the current portion of capitalized lease obligations plus interest expense on all obligations. "Cash Flow" is defined as (a) net income, prior to income tax, (b) less income or plus loss from extraordinary items, (c) plus depreciation, depletion and amortization, and (d) plus interest expense on all obligations This ratio will be calculated annually, using the results of the twelve-month period ending with that reporting period. The current portion of long-term liabilities will be measured as of the date 12 months prior to the current financial statement.

Lender shall test Borrower's compliance with the Debt Service Coverage Ratio on an annual basis, commencing with the year ending June 30, 2023. In the event that Lender determines that the Property fails to comply with the Required Debt Service Coverage Ratio as of the end of any year, the following provisions shall apply:

If Lender determines that the Debt Service Coverage Ratio is less than 1.09 to 1.00, then on or before the tenth (10th) day of each calendar month thereafter. Borrower shall deposit all Excess Cash Flow from the Property for the month just ended into a restricted account established with Lender (the "Excess Cash Flow Account"). The Excess Cash Flow Account shall constitute additional security for the payment and performance of the Loan. Upon request of Lender, Borrower shall promptly (i) execute and deliver to Lender a security agreement and any other documentation that Lender may request to evidence Lender's security interest in and to the Excess Cash Flow Account and (ii) pay or reimburse Lender for all costs and expenses incurred by Lender in connection with the Excess Cash Flow Account and Lender's security interest therein, including, without limitation, legal fees and expense. The payment of Excess Cash Flow will be in addition to, and not in lieu of, the regular monthly installment of interest and principal payable under the Note. At such time as Lender determines that the Property has achieved the Debt Service Coverage Ratio as of the end of any subsequent quarter, on a rolling four quarter basis, and provided that no Default or Event of Default then exists, Lender will release is security interest in the Excess Cash Flow Account and return all funds on deposit therein (net of any outstanding fees) to Borrower. (Note: Borrower may provide a principal reduction payment, letter of credit, or cash escrow acceptable to Lender so that, following such payment or credit enhancement, the Property generates sufficient income to meet the Debt Service Coverage Ratio.)

If Lender determines that the Debt Service Coverage Ratio is less than 1.00 to 1.00, an Event of Default shall occur.

As used herein, "Excess Cash Flow" means, for any calendar month, all gross rentals and revenues from the Property and other income collected or received by Borrower during that month, minus reasonable and customary operating expenses actually incurred and paid during the applicable month that are directly attributable to the operation of the Property, (2) reserves for taxes, insurance, and capital replacements, as approved by Lender in its reasonable judgment, (3) debt service payments on the Note during the applicable month, and (4) any extraordinary or non-recurring expenses and capital expenditures actually incurred by Borrower during the applicable month that are approved by Lender in its sole discretion, all as determined and shown by the operating and income statements of Borrower, calculated in accordance with sound accounting principles consistently applied.

- 27. <u>Collateral Use and Lease Restrictions</u>. Borrower shall not allow any portion of the Project encumbered by the Security Interest be leased to, or permit the use of any portion of the Project by, any business or entity (including, without limitation, Borrower) engaged in any activity on or at the Project that violates any applicable federal, state or local law, even if such activity is legal under other applicable federal law or under other state or local law applicable where the business is or will be located. If any portion of the Project is used for any activity in violation of the foregoing or leased to any business or entity in violation of the foregoing, then it shall be an event of default under the Loan if such use or lease was with the consent of Borrower, or, if such use or lease was not with the consent of Borrower, it shall constitute an event of default under the Loan if Borrower does not diligently pursue the discontinuance of such use or termination of such lease.
- 28. <u>Adverse Change/Condition of Default</u>: Any material, adverse change in the financial condition of the Borrower or any Guarantor may, in Lender's sole discretion, render this Loan Commitment null and void.
- 29. <u>Approval of Loan Documents</u>: All loan documents and other requirements for the consummation of the Loan will be acceptable to Lender in form and substance. The loan documents will include material obligations and requirements of the Borrower in addition to, but not inconsistent with, the terms of this Loan Commitment.

30. Additional Requirements:

- (a) There shall not have been any commencement of construction on the Real Property incident to the Project and no activities have occurred prior to the date hereof that could result in mechanic's liens or similar liens being filed against the Project that would be superior to the lien of the Mortgage. [Alabama: No notice of commencement has been filed in the public records of the county in which the Real Property is located.]
- (b) The Borrower shall have obtained all necessary governmental approvals, permits and licenses necessary to commence development of the Property and construction of the Project.
- (c) Sewer, water, electricity, telephone, gas and all other necessary utilities must be available to serve the Project in sufficient quantity for the intended use of the Project. In addition, public police and fire protection must be available to serve the Project at no additional cost to the Borrower or any occupants or users of the Project. The current zoning classification of the Property and any covenants and restrictions affecting the Property permit the construction and intended use of the Improvements without the necessity of obtaining further approvals, authorizations, waivers, consents, exceptions or variances.
- (d) There are no material actions, suits or proceedings pending, or to the knowledge of the Borrower, threatened against or affecting the Borrower, the Project or any Guarantor. If at any time any legal proceedings are instituted in connection with the Project that may materially impair the Lender's security, the Lender shall have the right to withhold disbursements under the Loan until such proceedings are resolved satisfactorily to the Lender.
- (e) The Borrower shall pay all cost of Lender's legal counsel, recording and transfer fees, taxes due, title charges, survey and appraisal costs, environmental audit (if required), UCC search fees, and any other third-party costs the Lender may incur in preparing or documenting the Loan, whether or not the Loan closes.

- (f) The Lender must be furnished with loan documents the Lender declares and deems necessary for its protection.
- (g) This Loan Commitment is solely for the benefit of the Borrower and may not be assigned, transferred, exercised, or relied on by anyone, or any party, other than Borrower.
- (h) No conditions or terms of this Loan Commitment may be waived or modified except in writing, signed by both the Borrower and Lender.
- (i) This Commitment is subject to confirmation of all necessary credit and other Lender approvals and review by the Lender of any pending items; the receipt of any necessary governmental and other consents and approvals; and the Borrower's compliance in all material respects with applicable laws and regulations.
- (j) This Commitment Letter is conditioned upon execution and delivery to Lender of such loan agreements, security agreements, instruments, documents, certificates, and such other documents and assurances as Lender may reasonably request (collectively, the "Loan Documents"). The Loan Documents shall be satisfactory in all material respects to Lender and its counsel, and shall contain such representations and warranties, covenants, reporting requirements, indemnities, conditions precedent, events of default and such other terms and conditions required by Lender, or as are customary for credit facilities of this type, or as appropriate under the circumstances. This Commitment Letter shall be superseded by and shall no longer be effective upon the execution of the Loan Documents. [The Loan Documents shall be prepared by Lender's outside counsel.]
- (k) If required by the Lender, Borrower's counsel shall be required to deliver its opinion as to: (a) the valid existence and good standing of the Borrower, (b) the due authorization and execution of the applicable Loan Documents, (c) the validity of the grant of the security interest in any collateral given for the Loan; (d) the compliance by the Borrower with all requirements under the Borrower's governing documents and applicable law in connection with entering into the Loan, and (e) such other matters as are customary in transactions of the type described above.
- (I) Lender shall have received copies of entity documents for the Borrower and each entity Guarantor which many consist of the articles of incorporation/organization, bylaws, operating agreements, copies of authorizing resolutions, minutes of applicable meetings of the Borrower's Board of Directors (if applicable), and meetings of the Borrower's members, and such other documents as the Lender shall reasonably request.
- (m) The Loan Documents shall be subject to the laws of [insert applicable state based upon location of the Project].
- (n) The Borrower shall indemnify and hold Lender and its directors, officers, agents, employees, and attorneys harmless form all liability, loss, expense or damage of any kind or nature, including, without limitation, any suits, proceedings, claims, demands, or damages (including attorneys' fees and costs paid or incurred in connection therewith at both trial and appellate levels), incurred or arising by reason of this Commitment or the making of the Loan (except for liability, loss, expense or damage arising from the gross negligence or willful misconduct of the Lender).

- 31. <u>Termination</u>. The Lender may, at its option, terminate its obligations hereunder by written notice to the Borrower at the address set forth above upon the occurrence of any of the following events:
 - (a) The commencement by or against the Borrower of any bankruptcy, insolvency, or similar proceedings.
 - (b) The Borrower's assignment for the benefit of creditors, or admission in writing of any inability to pay debts as they become due.
 - (c) If any statement or representation made by the Borrower in support of the Loan shall prove untrue in any material respect.
 - (d) Default by the Borrower in the performance of any other material covenant, condition or agreement set forth in this letter.
 - (e) Any material default by the Borrower or by its affiliates, under any other obligation owed by any of them to the Lender.
 - (f) Any termination shall not affect the Lender's rights to enforce the provisions of this letter regarding fees, costs and expenses, indemnification, or dispute resolution. All such rights shall survive any such termination.
- 32. <u>Execution</u>. If the terms and conditions of this letter meet with your approval, please so indicate by executing this letter in the space provided below. The Lender may, at its option, terminate its obligations under this letter if a copy of this letter executed by the Borrower is not received by the Lender on or before January 15, 2024.

Please call me at 123-456-7890 if you would like to discuss any part of this loan commitment. Sincerely,

President	
This Loan Commitment from The Bank dated January 1, 2024, is agreed to, and accepted th day of January 2024, by:	nis